KAI
by KUEM

Brand guidelines

Explained, evidenced, confirmed.

identity-v1.6.0 · November 2026 · © KUEM

ABOUT THIS GUIDE

KAI, accountable reasoning for operations

KAI is a standalone B2B AI operational platform developed by KUEM. It turns operational data into explained, evidence-backed recommendations that people confirm.

What this covers

- ✓ Logo, symbol and endorsement
- ✓ Colour, typography and icons
- ✓ AI information types and the state track
- ✓ Charts, app icons, favicons and templates
- ✓ Files in this release and their licences

Where it comes from

Every value in this guide is generated from the approved sources in the private identity repository: logo geometry (ADR 0005), design tokens (ADR 0005, ADR 0006), strategy (ADR 0003) and direction (ADR 0004). If this guide and the tokens ever disagree, the tokens win.

Using KAI with other brands

KAI is not part of the Nexavia family and does not borrow KUEM or Nexavia colours, fonts or symbols. When KAI runs inside a host application, the host shell keeps its own look; KAI keeps its information types and status meaning.

Explained

Every answer says what it is: a measurement, an inference or a recommendation.

Evidenced

Sources, period and freshness are shown, including when data is missing or stale.

Confirmed

Nothing happens until a person confirms it, and the record says who and when.

Explained, evidenced, confirmed.

SL: Pojasnjeno, podprto, potrjeno. · DE: Erklärt, belegt, bestätigt. Design principle: intelligence with accountability, not intelligence as decoration.

KAI is	KAI is not
precise	clinical or cold
calm	passive
candid about limits	hedging everything
technically sophisticated	futuristic or sci-fi
a colleague who shows its working	an oracle, a mascot or a person

Voice

- ✓ Lead with the finding, then the evidence, then the step. Name the period, source and freshness.
- ✓ Say “likely”, “observed” or “not enough data” when true; never sound more certain than the evidence.
- ✓ Recommendations are offers (“I suggest…”, “Predlagam…”, “Ich schlage vor…”), never commands. Actions are reported only after confirmation.
- ✓ No hype words: revolutionary, smart, magic, autonomous, sees everything.
- ✓ Never claim model names, accuracy, response times, customers or certifications until they are verified.

LOGO

The mark: a proposal becomes a confirmation

The symbol pairs a small open circle with a larger solid one. Read left to right, it shows what KAI does: it proposes, and a person confirms. The same circles return in the interface as the inference and confirmed states.



Open circle: proposed (AI inference) Solid circle: confirmed (human decision)







Lockup · the default for product headers, websites and documents.

Wordmark · caps refined from IBM Plex Sans SemiBold; for tight horizontal spaces next to other KAI content.

Symbol · app icons, favicons, avatars and places where KAI is already named.

Clear space and minimum size

Keep a clear space of x on every side, where x is the radius of the solid circle (52 units, about half the cap height). Never place the logo smaller than the minimum sizes.



Minimum sizes (screen)

Lockup	72 px wide	KAI
Symbol	16 px wide	

Small-size symbol

At 24 px and below, use the small-size symbol: a thinner ring with a bigger opening and a small gap, so the circles never fuse into one shape or read as two plain dots.



Colour versions

Use one of the four approved versions. The logo is always a single flat colour.



Positive

Default on white and light surfaces.

kai-lockup-positive



On dark

Dark UI and dark photography-free backgrounds.


kai-lockup-on-dark



White

On KAI ink and other deep, quiet colours.

kai-lockup-white



Black

Single-colour print, stamps and forms.

kai-lockup-black

Contrast between the logo and its background is checked automatically for every version and mode (at least 4.5 : 1). On busy images, place the logo on a solid ink or white panel.

Endorsement: KAI by KUEM

The endorsed lockup tells the outside world who makes KAI. Inside the product, KAI stands on its own.



Use “by KUEM”


- ✓ Websites, sales material and app store listings
- ✓ Legal pages, About dialogs and contracts
- ✓ Email signatures and link-preview images

Do not use it

- ✗ In the product header or navigation
- ✗ In the KAI panel inside Nexavia or another host application
- ✗ Rebuilt from type: always use the supplied artwork

Misuse


Never alter the artwork. These examples are wrong; use the supplied files instead.



✕ Don’t: stretch or squash




✕ Don’t: rotate or tilt




✕ Don’t: use a status colour




✕ Don’t: add gradients




✕ Don’t: swap the circles



✕ Don’t: outline the shapes



✕ Don’t: put it in a pill or toggle



✕ Don’t: add shadows or effects

Also avoid: generic AI imagery (glowing networks, robot faces, brains, sparkles), placing the logo on busy images without a panel, and recreating the wordmark in a font.

COLOUR

An ink-led palette

KAI is mostly neutral, with deep cobalt ink for the brand and the main action. Colour stays quiet so that status and AI states can be read at a glance.

Ink
#01324B
Logo, app icon tile, headings on marketing surfaces
color.brand.ink


Action
#004869
Primary buttons and links (light mode)
color.brand.action

Action, dark
#7CBDE7
Primary buttons and links (dark mode)
color.brand.action-dark

Mark, dark
#C3E3F9
Logo on dark UI
color.brand.mark-dark

On ink
#F0F8FE
Logo and text on ink
color.brand.on-ink

Cobalt (hue 238)



Neutral (hue 240, very low chroma)




Use semantic tokens (for example `color.text.default`, `color.action.primary`) in products, never raw palette values. All tokens ship in four modes: light, dark, light high-contrast and dark high-contrast.

COLOUR

Status is never the brand colour

Status colours are protected: brand, tenant themes and charts can never take them over.
Info status is neutral ink, not blue, so it is never confused with the brand or with links.
Colour is never the only cue: every status also has an icon and a word.



Light and dark are equal

Design every screen in both. Dark mode is not an inverted light mode; it has its own values.

High contrast

The high-contrast modes reach 7 : 1 for text and 4.5 : 1 for UI parts. Light, dark and high contrast follow the system until the user chooses Theme (System, Light, Dark) or High contrast (System, On, Off) in Settings.

Checked, not hoped

Every text, border, status, AI-state and chart pair is checked in all four modes before release.

INTERFACE

Seven kinds of AI information

KAI always keeps these apart, so people can tell what was measured, what was inferred and what a person decided. Each type has its own label, icon and border style; colour comes last.

▢ **Request**	Quoted, attributed to the person.	solid
◌ **Context**	Scope (tenant, site, period) always visible.	dotted
■ **Observed**	Measured values with unit and time.	solid
○ **Inference**	Marked as inference; never styled as fact.	dashed
[•] **Evidence**	Numbered sources; stale or missing shown.	solid
◐ **Recommendation**	An offer with a confirm action, not an outcome.	solid
● **Confirmed**	Person, time and result; the only “done”.	solid

SYNTHETIC EXAMPLE

▢ **REQUEST · A. KRANJC**
Why did pressure drop at PS-07?

■ **OBSERVED**
`4,1 → 3,3 bar · 06:00–06:20`

○ **INFERENCE · NOT A MEASURED FACT**
Most likely follows the V-14 position change at 06:12.

[•] **EVIDENCE**
[1] SCADA PS-07 · current [2] Line B meter · stale 14 min

◐ **RECOMMENDATION · PROPOSED, NOT EXECUTED**
Inspect valve V-14 on site. **Create work order**

● **CONFIRMED · M. NOVAK · 09:14**
Work order WO-2291 created.

INTERFACE

The state track

Every answer moves along the same named steps, drawn with the circles of the mark.
Only steps the backend reports are shown; with reduced motion the track is static.



Solid: done · thick ring: in progress · dashed ring: not reached yet. Labels always visible.

System states

Processing
Shows only the steps the system actually reports.

Interrupted
Stopped before an answer; partial results labelled.

Failed
Says what failed and what to do next.

Permission denied
Names the missing permission, never hides data silently.


Not enough data
Says what is missing instead of guessing.

Local processing
Ran on the tenant’s own infrastructure.

External processing
Ran at an external provider, per tenant policy.

Product screens

Four key screens are built from one set of components: Ask KAI, Approvals, the panel inside a host product, and Data and processing. Product teams compose new screens from these parts instead of one-off styles.



Components

- Locality badge: processed locally or by an external model, on every answer.
- Ask box with scope chips; Ctrl+Enter sends.
- Answer card: question, state track, information blocks, numbered sources.
- Evidence panel on wide screens, bottom sheet on narrow screens.
- Recommendation with target, scope, effect, basis and impact.
- Confirm and dismiss dialogs; audit trail; one pattern for every empty, error and offline state.

SYNTHETIC DATA · SAMPLE UTILITY

INTERFACE

Evidence: every statement has a source

Each claim carries numbered markers. Selecting one shows the source, its time and its freshness. Sources KAI could not use stay in the list, so nobody mistakes a gap for a fact.

SYNTHETIC EXAMPLE

Outlet pressure fell from 4,1 to 3,3 bar [1]. Valve V-14 moved to 35 % at 06:12 [3]. Flow on line B rose [2].

Marker	Freshness	Meaning
[1]	current	Read within the expected interval.
[2]	stale	Older than expected; the age is shown (for example 14 min).
[4]	unavailable or no permission	Listed, never hidden; the answer says it was built without it.


Rules

- ✓ Markers are buttons with a full label for screen readers: number, source and freshness.
- ✓ Wide screens: the side panel selects the source. Narrow screens and the embedded panel: a bottom sheet.
- ✓ Line style carries freshness as well as colour: solid, dashed, dotted.
- ✓ Never drop a source silently; name the missing permission instead.
- ✓ Answers show where they were processed: locally or by an external model.

INTERFACE

Confirmation: nothing happens without a person

Every recommended action goes through a review dialog that shows target, scope, expected effect, sources and impact. High-impact actions also need the target ID typed in. KAI records who confirmed, when and on which evidence.




Rules

- A recommendation reads “proposed, not executed” until a person confirms it.
- High impact: type the target (for example V-14); Confirm stays disabled until it matches.
- Dismissing asks for an optional reason.
- The confirmed state names the person and the time, and is added to the audit trail.
- Impact uses an icon and a word, never colour alone.

SYNTHETIC DATA

App shell and everyday patterns

Every KAI app shares one shell: a side menu with the main areas, and a top bar with search, notifications, help and account. On phones the web menu becomes a drawer and native apps use a bottom bar. Forms, data grids and settings follow the rules below.



Shell

- Side menu: Ask KAI, Approvals (with waiting count), Findings, Audit history, Data and processing; Settings and Help at the foot.
- Top bar: search, notifications with unread count, help, account.
- Phones: Android and iOS use a bottom bar with Ask, Approvals, Data and More; the web menu opens as a drawer.
- A skip link leads to the content on every page.


Forms, grids, settings

- Labels above fields; required fields say “required” in words.
- Errors appear on submit, in text next to the field and in a summary that takes focus.
- Grids are compact: numbers right-aligned in mono, status as icon plus word, filters as removable chips.
- Personal settings save at once and say “Saved”; tenant settings use an explicit Save button.

SYNTHETIC DATA

Notifications and first run

KAI interrupts only when a person has to act. Everything else waits in the notification list. A first-time user sees one panel with the three things that make KAI different, then starts working.



Where KAI notifies

Event	In app	Push
Approval waiting for you	always	yes
Data source stopped responding	always	yes, for its administrators
Answer shared with you	always	no
Answer ready, report done	always	no

- ✓ Push title names the action; the body gives impact and place. No exclamation marks or emoji.
- ✓ Lock screens can hide the details: “Approval waiting”.
- ✓ Toasts confirm what you just did and close after 6 seconds; errors stay. Alarms never appear as toasts.

First run


One panel with three points (sources, local or external, nothing happens without a person) and example questions. No tour. Help reopens it.

INTERFACE

Tenants: three ways to present KAI


Customers and partners can show their own logo, and partners may sell KAI under their own product name. They never change colours, status, AI-information labels, state icons or the focus ring.

KAI-branded




KAI logo in the product slot, the customer logo beside it. Never “Powered by KAI”.

Co-branded



Customer logo, a rule and a small KAI logo. “Powered by KAI” is optional.

White-label



Partner logo and product name everywhere, including accessible names and the window title. KAI is mentioned only where the contract allows.

- ✓ Tenants supply a logo and a name through a validated overlay; there are no tenant colour themes.
- ✓ Tenant logos are safe SVG: no scripts, no external references, with a title for screen readers.

SYNTHETIC DATA

Layout widths and elevation


Layouts change at three widths, the same on every platform. Only two kinds of layer cast a shadow, and every layer keeps a border, so nothing depends on the shadow.

Breakpoints


Token	Width	What changes
breakpoint.compact	600	Up to 600: phone layout; form rows and settings rows stack, search hides its placeholder; bottom bar on native.
breakpoint.medium	900	Up to 900: the web side menu becomes a drawer and two-column widget grids become one.
breakpoint.expanded	1200	Above 1200: wide content may add a side panel; reserved, no web rule uses it yet.

Web: px in media queries. Android: dp, matching the window size classes. iOS: points, with the horizontal size class.

Two levels of elevation



Light





Dark


- Raised: dropdown lists, menus, popovers, tooltips, sheets. Overlay: dialogs, popups, toasts.
- Cards and panels use borders, not shadows.
- High contrast: no shadow; the border separates the layer.
- A shadow never shows state, priority or selection.

Native apps and large text

Android and iOS apps share the KAI shell with a bottom bar, and every screen works at the largest text sizes people set on their phones.







Large text

- Test every screen at 200 % font scale on Android and the largest accessibility size on iOS.
- Screen content follows the full system scale; headers grow and wrap.
- Bottom-bar labels grow to 1.2× at most, and every tab keeps its full accessible name.
- Rows of chips and state steps wrap instead of clipping.

Shell and launch


- Bottom bar: Ask, Approvals, Data, More.
- Tab and toolbar icons are platform symbols (Material Symbols, SF Symbols); status uses the KAI marks.
- Launch screen: canvas colour only. The Checkpoint fill plays in the first frame of the app.
- Touch targets: 48 dp on Android, 44 pt on iOS, 44 px on the web with a touch pointer.

SYNTHETIC DATA · Android, 100 % and 200 % text

Charts: colour plus marker plus line

Series 1 is always cobalt. Five more hues sit away from the status colours. Each series also has its own marker and line style, so charts still work in greyscale, print and for colour-blind readers.

#	Light	Dark	Marker	Line	Sample
1	#005C86	#62B5E8	circle	solid	
2	#0B7C75	#5AC6BD	square	dashed	
3	#7C4A98	#C494E2	triangle	dotted	
4	#677329	#B1C16D	diamond	dash-dot	
5	#AD4C6C	#EB93AC	cross	long dash	
6	#1488A2	#8DD8ED	ring	sparse dot	




Dark mode sample. Never use a chart colour to signal status: thresholds and alarms use the status colours and icons.

DATA

Scales for magnitude and difference


Maps and heat tables use two ramps. Sequential shows how much, in one cobalt hue. Diverging shows above or below a reference, from cobalt through a neutral midpoint to plum. Neither ever uses red and green, and values are always labelled.

Sequential · color.data.seq.1–7




1 least, 7 most. Lightness changes in one direction, so the order survives greyscale.

Sequential · dark



Diverging · color.data.div.1–7



1–3 below the reference, 4 at it, 5–7 above. Plum sits far from every status hue.

Diverging · dark



Every pair of neighbouring steps differs by at least 1.25 : 1 in contrast, checked in all four modes. High-contrast modes reuse these ramps.

IBM Plex Sans and IBM Plex Mono

One open-source family (SIL Open Font Licence) for every language KAI speaks, including Slovenian and German. Mono is for measured values, IDs and code, with tabular figures. Get the fonts from IBM's official Plex releases; they are not bundled here.

Aa Čč Šš Žž

Pojasnjeno, podprto, potrjeno.
Erklärt, belegt, bestätigt.

`4,1 → 3,3 bar · 06:12 · WO-2291`

UI text is 14 px; answers and evidence use 16 px reading text, because people read them closely. Use SemiBold (600) for emphasis; avoid light weights and all-caps body text.


Token	Size / line	Weight	Sample
type.display-lg	40/48	600	**Explained**
type.display	28/34	600	**Explained**
type.heading	22/28	600	**Explained**
type.title	18/24	600	**Explained**
type.reading	16/24	400	Explained
type.body	14/20	400	Explained
type.label	12/16	600	**Explained**
type.caption	12/16	400	Explained
type.data	13/18	400	`3,3 bar`

Icons

KAI's own state icons carry the meaning of AI information and system states. Everyday UI icons come from a licensed icon library and are never part of this kit.

KAI state icons

Original artwork on a 24 px grid with 2 px square-cap strokes. Circles follow the mark (open = inference, half = recommendation, solid = confirmed); squares mark data.



UI icons

Functional icons (navigation, actions, files) use Font Awesome Pro 7, Sharp Regular style, under KUEM's licence. Font Awesome files are licensed and are not included in this kit; product teams get them through KUEM's licensed kit.

- ✓ Icons support a label; they rarely replace it.
- ✓ Sizes 16, 20 and 24 px, aligned to the 4 px grid.
- ✓ Icons take the text colour; status icons take the status colour.
- ✓ Never use a library icon in place of a KAI state icon, or the KAI symbol as a UI icon.

In this kit: the state icons ship in `icons/state` and the status marks in `icons/status`, each as SVG for web, VectorDrawable for Android and a template asset catalog for iOS. Colour them with the KAI tokens.

KAI status marks




The shape carries the meaning, so a status still reads in high contrast, print and for colour-blind people. Always pair the mark with a word.

Motion explains a change, nothing more

Short transitions show that something opened, was selected or moved to the next step. One brand moment, the Checkpoint fill, marks a confirmation and app launch. With reduced motion, everything is instant.

Role	ms	Easing
motion.transition.dialog-enter	200	0, 0, 0, 1
motion.transition.dialog-exit	120	0.3, 0, 1, 1
motion.transition.sheet-enter	320	0, 0, 0, 1
motion.transition.sheet-exit	200	0.3, 0, 1, 1
motion.transition.select	120	0.2, 0, 0, 1
motion.transition.track-step	200	0.2, 0, 0, 1
motion.transition.reveal	200	0, 0, 0, 1
motion.transition.mark-fill	560	0.3, 0, 0, 1



mark-fill: 560 ms, cubic-bezier(0.3, 0, 0, 1). Launch: open circle fades in (200 ms), solid grows from the tangent point after 200 ms. Reduced motion: final frame only.

- ✓ The brand moment is only for confirmation and launch; never for loading, success toasts or decoration.
- ✓ No bounce, overshoot, parallax or looping decoration.
- ✓ Every animated change also changes text, shape or focus.
- ✓ The final frame of the launch is the approved master, unchanged.

A calm expert, in plain words

KAI writes short, factual sentences. It says what it knows, how sure it is, and what it does not know. It has no persona: it never says “I”, and it names KAI only for system actions.

How sure: one word and the reason

EN	SL	DE	When
most likely	najverjetneje	höchstwahrscheinlich	Evidence agrees and is current; no plausible alternative found.
possibly	morda	möglicherweise	Evidence points this way but is partial, stale or has an alternative.
cannot tell	ni mogoče oceniti	nicht zu beurteilen	Evidence is missing or conflicting; KAI draws no conclusion and says what is missing.

No percentages unless the model’s calibration is documented. German terms are provisional until a native-speaker review.

Do and don’t

✓ The drop most likely follows the valve V-14 position change at 06:12; flow on the parallel line rose at the same time.	✗ I think the valve caused it! 87 % confidence.
✓ Cannot tell from the available data: only 2 of 12 hours have readings for MT-5521.	✗ Sorry, I couldn't figure this out.
✓ Inspect valve V-14 and reset it to 100 % open. Proposed, not executed.	✗ Smart tip: fix V-14 now for guaranteed pressure!
✓ KAI recorded who confirmed, when, and on which evidence.	✗ I've saved your approval.
✓ The event log did not respond (error 503). Nothing was changed. Try again in a few minutes.	✗ Oops! Something went wrong.

Numbers, dates and times

Values are written by the platform formatter in the reader’s language, never by hand.
Units stay in SI symbols, figures are tabular, and changes always carry a sign.

Case	EN	SL	DE
Thousands in a table	12,800	12.800	12.800
Four digits in a table	2,800	2.800	2.800
Measured value, 1 decimal	4.1 bar	4,1 bar	4,1 bar
Flow	18.4 m³/h	18,4 m³/h	18,4 m³/h
Energy	1,080 kWh	1.080 kWh	1.080 kWh
Deviation	-19.5	−19,5	-19,5
Increase	+18.4	+18,4	+18,4
Per cent	35%	35 %	35 %
Range	4.1–4.3 bar	4,1–4,3 bar	4,1–4,3 bar
Date	11 Nov 2026	11. 11. 2026	11.11.2026
Time	09:14	09:14	09:14
Event time with seconds	09:14:05	09:14:05	09:14:05
Date and time	11 Nov 2026, 09:14	11. 11. 2026, 09:14	11.11.2026, 09:14
Viewer in another time zone	09:14 (UTC+1)	09:14 (UTC+1)	09:14 (UTC+1)

Rules

- Measured values keep the precision of their source; a data definition sets the decimals per quantity. Inferred values are rounded and say so in words ("about 4 bar").
- Tables and data cells always group thousands, also four-digit numbers (12.800, 2.800 in SL and DE; 12,800 and 2,800 in EN). Figures are tabular (IBM Plex Mono or tabular figures) and right-aligned.
- Changes and deviations are always signed (+18.4, −19,5) and use the locale's minus sign.
- SI unit symbols are never translated (bar, m³/h, kWh, °C, h, min, s). A no-break space joins value and unit in all three languages. Per cent follows CLDR: 35% in EN, 35 % in SL and DE.
- Ranges use an en dash without spaces and write the unit once: 4.1–4.3 bar, 06:00–06:20.
- Dates: 11 Nov 2026 in EN (month name, so 11/12 can never be misread), 11. 11. 2026 in SL, 11.11.2026 in DE. Exports, file names and the audit API use ISO 8601 with offset.

Examples follow CLDR. German examples are provisional until a native-speaker review.

App icons and favicons

A deep ink tile with the light symbol, free with wide margins and never inside a pill. Each platform applies its own mask; these previews show the result.

iOS and iPadOS



Default, dark and tinted appearances from one 1024 px set. The default is opaque; dark and tinted use transparent backgrounds supplied by the system.

Android



Adaptive icon: vector foreground inside the 66 dp safe zone, ink background, and a monochrome layer for themed icons (right, as tinted by the system).

Web




Favicons use the small-size symbol on the ink tile (16, 32, 48 px, SVG and ICO). PWA icons include a maskable version with an 80 % safe zone.

Platform	Files in this release	Notes
iOS / iPadOS	app-icons/ios/AppIcon.appiconset	Drop into the asset catalogue (Xcode 16+). 1024 px default (opaque), dark and tinted.
Android	app-icons/android/res/…	Adaptive icon (API 26+) with monochrome layer (API 33+); PNG launchers for older devices; 512 px Play Store icon.
Web / PWA	app-icons/web, favicons/	192 and 512 px icons, maskable 512 px, Apple touch icon, favicon SVG/ICO/PNG and an HTML snippet.
Master	app-icons/master	1024 px square for anything else. Never add text, outlines, gradients or extra marks, and never put the symbol in a pill or toggle shape.

Templates


Ready-made files for the first places people meet KAI outside the product.

Link-preview image



1200 × 630 px for websites and social links (Open Graph). Endorsed lockup and the positioning line on ink.

Social avatar



1024 px square, safe for round crops.

Email signature

Ime Priimek
Vloga · Role


KAI
by KUEM


+386 00 000 000 · ime.priimek@example.com

HTML template with placeholders; host the logo PNG yourself. Name and contact shown are placeholders.

Office templates

PowerPoint and Word templates built from the same colours, type and artwork. Content slides are light; title, section and closing slides use the ink. Sample content is synthetic: replace it.





kai-deck.potx	16:9, eight layouts
kai-report.dotx	A4 report with evidence table and KAI labels
kai-letter.dotx	A4 letter
kai-product-sheet.dotx	One page, verified public statements only

Theme fonts are IBM Plex; without them Office uses Arial. Theme accents are the chart series, so new charts start in KAI order.

Building an app with KAI

Product teams build KAI screens from the generated tokens and the shared components, never from copied colours or screenshots. A full handoff guide with a definition of done is available to KUEM product teams.

Use the tokens

- Web: kai.tokens.css in its own layer, under LeptonX Lite and DevExtreme.
- Android: KaiTokens.kt with Material 3; iOS: KaiTokens.swift and the colour catalog.
- Tenants set only the logo and name slots of the validated overlay; never edit generated files.

Keep the meaning

- Brand colour never shows status, AI state or confidence.
- Every AI answer keeps its information types, sources and locality badge.
- Recommendations stay “proposed, not executed” until a person confirms.

Done means checked

- Light, dark and both high-contrast modes.
- Keyboard, screen reader and 200 % text size; WCAG 2.2 AA.
- Reduced motion makes every transition instant; strings pass the voice rules.

What is in this release

Release identity-v1.6.0. Only owner-approved, generated files are published. Editable masters, fonts and licensed icons are not part of the kit.

logos/	Symbol, small symbol, wordmark, lockup and endorsed lockup in four colour versions; SVG and PNG.
app-icons/	Master, iOS app icon set, Android adaptive resources, push icon and Play Store icon, web/PWA icons.
icons/state/	The 14 KAI state icons: SVG, Android VectorDrawable, iOS asset catalog.
icons/status/	The 5 KAI status marks in the same three formats.
favicons/	SVG, ICO and PNG favicons with an HTML snippet.
tokens/	Design tokens as CSS custom properties and resolved JSON for four modes.
templates/	Link-preview image, social avatar, email signature; office/ holds the PowerPoint and Word templates.
guidelines/	This document.
MANIFEST.sha256	SHA-256 checksum of every file, for integrity checks.

Licences

KAI name, logos, symbol, app icons and state icons: © KUEM, all rights reserved. They are trademarks of KUEM and may be used only to refer to KAI, unaltered and as described in this guide.

Design tokens (`tokens/`): MIT licence. You may use them freely in your own code.

IBM Plex is © IBM Corp., SIL Open Font Licence 1.1, and is not included.

Need a format that is not here, or unsure whether a use is allowed? Ask KUEM before you publish.