Legacy Billing – DHA code tables

SQL Server · srvdb.accumed.io · database Accumed

ERD V2

DHA Circular GC 06-2026 · 2024 code versions · 5 Nov 2026 · Prepared by Kuhan

Model one row per code · one `bit` column per code year · tables are standalone (no FKs) ● NOT NULL ○ nullable PK primary key + 2024 proposed

DIAGNOSIS (ICD-10-CM)

ACCUMED_DHA_ICD10 — REFERENCE

One row per ICD code; year = bit flag.

● **ID** PK	int
● Code	nvarchar
● ShortDesc	nvarchar
● LongDesc	nvarchar
○ Chapter / Category1–6	nvarchar
○ EFFECTIVE_START_DATE	datetime
○ EFFECTIVE_DELETE_DATE	datetime
○ [2012]	bit
○ [2018]	bit
○ [2021]	bit
○ [2024] + 2024	bit

2024: +1 column · 1,772 new rows

PROCEDURE (CPT)

ACCUMED_DHA_CPT — REFERENCE

One row per CPT code; year = bit flag.

● **ID** PK	int
○ CPT_CODE	varchar
○ SHORT_DESCRIPTION	nvarchar
○ LONG_DESCRIPTION	nvarchar
○ FULL_DESCRIPTION	nvarchar
○ EFFECTIVE_START_DATE	datetime
○ EFFECTIVE_DELETE_DATE	datetime
○ [2012]	bit
○ [2018]	bit
○ [2021]	bit
○ [2024] + 2024	bit

2024: +1 column · 726 new rows

CONSUMABLE (HCPCS)

ACCUMED_DHA_HCPCS — REFERENCE

One row per HCPCS code; year = bit flag.

● **ID** PK	int
● HCPC	varchar
○ Long_Description	nvarchar
○ Short_Description	nvarchar
○ EFFECTIVE_START_DATE	datetime
○ EFFECTIVE_DELETE_DATE	datetime
○ [2012]	bit
○ [2018]	bit
○ [2021]	bit
○ [2024] + 2024	bit

2024: +1 column · 1,052 new rows

2024 change – legacy

- Schema: `ALTER TABLE … ADD [2024] bit` on all 3 tables
- Existing codes in the 2024 file → `[2024] = 1`
- New codes → INSERT with `[2024] = 1`, other years 0 (ICD **1,772** · CPT **726** · HCPCS **1,052**)
- Codes dropped in 2024 keep `[2024] = 0` (ICD 331 · CPT 150 · HCPCS 29)
- Application: encounter end date ≥ **2027-01-01** → use `[2024]`, else `[2021]`

Example – ACCUMED_DHA_ICD10 after the change

ID	Code	ShortDesc	[2012]	[2018]	[2021]	[2024]	Meaning
101	J06.9	Acute URI	1	1	1	1	valid 2021 + 2024 (flag set)
202	D48.1	Neoplasm connective tissue	1	1	1	0	dropped in 2024
9001	D48.110	Desmoid tumor of head/neck	0	0	0	1	new row, 2024 only

Counts from read-only check on 5 Nov 2026 vs DHA 2024 files (ICD-10-CM_2024_20251231, CPT/HCPCS_2024_20260305)

Unified Billing – medical code versions

Postgres · database billing (staging: billing_migration, 192.168.111.10:5438) · schema public

ERD V2

DHA Circular GC 06-2026 · 2024 code versions · 5 Nov 2026 · Prepared by Kuhan

Notation — exactly one | one or many | ● NOT NULL | ○ nullable | PK FK UQ keys | UQ* unique (code, regulator_id) | green bar rows added for 2024 – no schema change

CODES (ONE ROW PER CODE PER REGULATOR)

diagnosis_code — REFERENCE

ICD-10-CM codes. One row per code per regulator.

id PK	uuid
code UQ*	varchar
regulator_id FK	uuid
short_description	text
long_description	text
effective_date	timestamp
expiry_date	timestamp

+ full_description, chapter, classification · audit cols

2024: +1,772 rows (DHA)

procedure_code — REFERENCE

CPT codes. One row per code per regulator.

id PK	uuid
code UQ*	varchar
regulator_id FK	uuid
short_description	text
long_description	text
effective_date	timestamp
expiry_date	timestamp

+ full_description · audit cols

2024: +726 rows (DHA)

consumable_code — REFERENCE

HCPCS codes. One row per code per regulator.

id PK	uuid
code UQ*	varchar
regulator_id FK	uuid
short_description	text
long_description	text
high_cost_consumables	boolean
translated_medicare_price	real
effective_date	timestamp
expiry_date	timestamp

+ full_description · audit cols

2024: +1,052 rows (DHA) · defaults for boolean/real tbc

CODE ↔ VERSION LINKS

regulators — MASTER

DHA · HAAD · RIAYATI

id PK	uuid

+ name and other master columns

diagnosis_code_version — LINK

Which ICD years a code belongs to.

id PK	uuid
diagnosis_code_id FK	uuid
diagnosis_version_id FK	uuid

+ created / updated / deleted _at / _by

2024: +74,044 rows

procedure_code_version — LINK

Which CPT years a code belongs to.

id PK	uuid
procedure_code_id FK	uuid
procedure_version_id FK	uuid

+ created / updated / deleted _at / _by

2024: +11,282 rows

consumable_code_version — LINK

Which HCPCS years a code belongs to.

id PK	uuid
consumable_code_id FK	uuid
consumable_version_id FK	uuid

+ created / updated / deleted _at / _by

2024: +7,497 rows

VERSIONS (ONE ROW PER YEAR)

diagnosis_version — REFERENCE

ICD 2012 · 2018 · 2021

id PK	uuid
name UQ	varchar
release UQ	varchar
year	int

2024: +1 row (ICD 10 CM 2024)

procedure_version — REFERENCE

CPT 2011 · 2012 · 2018 · 2021

id PK	uuid
name UQ	varchar
release UQ	varchar
year	int

2024: +1 row (CPT 2024)

consumable_version — REFERENCE

Consumable 2011 · 2012 · 2018 · 2021

id PK	uuid
name UQ	varchar
release UQ	varchar
year UQ	int

2024: +1 row (Consumable 2024)

drg_version — REFERENCE

DRG 2016

id PK	uuid
name UQ	varchar
release UQ	varchar
year	int

2024: no change (DRG 3.5.5 later)

ACTIVE VERSION BY DATE

regulator_codebase — CONFIG

Versions a regulator uses between two dates. Empty today.

id PK	uuid
regulator_id FK	uuid
diagnosis_version_id FK	uuid
procedure_version_id FK	uuid
consumable_version_id FK	uuid
drg_version_id FK	uuid
start_date	date
end_date	date

+ created / updated / deleted _at / _by

2024: +2 rows for DHA (2021 set, 2024 set)

How a claim picks the version

Claim: DHA · encounter end date **05-Jan-2027** · code D48.1

1. regulator_codebase: DHA row where date is between start_date and end_date → **ICD 2024**
2. diagnosis_code: D48.1 for DHA → row c2
3. diagnosis_code_version: c2 + 2024? → **no row → rejected**

Same claim dated 20-Dec-2026 → ICD 2021 → c2 + 2021 exists → **allowed**

regulator_codebase rows to add (DHA)

ICD	CPT	HCPCS	DRG	start	end
2021	2021	2021	2016	tbc	2026-12-31
2024	**2024**	**2024**	2016	2027-01-01	tbc

Table is empty today – backend to confirm the app reads it. drg_code / drg_code_version unchanged until DHA publishes IR-DRG 3.5.5.

2024 links: ICD 74,044 · CPT 11,282 · HCPCS 7,497 | already in UB: 72,272 · 10,556 · 6,445

Unified Billing – sample data after the 2024 load

Postgres · database billing · DHA regulator · ids shortened (e.g. v21 = ICD 2021 version uuid)

ERD V2

DHA Circular GC 06-2026 · 2024 code versions · 5 Nov 2026 · Prepared by Kuhan

Load order 1 *_version · +1 row each → 2 *_code · new codes only → 3 *_code_version · link every 2024 code → 4 regulator_codebase · DHA date ranges

+ 2024 row added existing row unchanged

ICD-10-CM (DIAGNOSIS) – 3 cases: in both years · dropped in 2024 · new in 2024

diagnosis_version — STEP 1 · +1 ROW

id	name	release	year	
v12	ICD 10 CM 2012	2012	2012	existing
v18	ICD 10 CM 2018	2018	2018	existing
v21	ICD 10 CM 2021	2021	2021	existing
v24	ICD 10 CM 2024	2024	2024	+ 2024

diagnosis_code — STEP 2 · NEW CODES ONLY (1,772)

id	code	regulator	short_description	effective	expiry	
c1	J06.9	DHA	Acute upper respiratory infection, unspecified	as is	as is	existing
c2	D48.1	DHA	Neoplasm of uncertain behavior of connective and other soft tissue	as is	as is	existing
c3	D48.110	DHA	Desmoid tumor of head and neck	2027-01-01	tbc	+ 2024

Unique (code, regulator_id): J06.9 already exists for DHA, so no second row – it only gets a new link in step 3.

diagnosis_code_version — STEP 3 · +74,044 LINKS

diagnosis_code_id	diagnosis_version_id	meaning	
c1 (J06.9)	v12, v18	older years	existing
c1 (J06.9)	v21	valid in 2021	existing
c1 (J06.9)	v24	also valid in 2024	+ 2024
c2 (D48.1)	v12, v18	older years	existing
c2 (D48.1)	v21	valid in 2021 only – no v24 link	existing
c3 (D48.110)	v24	valid in 2024 only	+ 2024

ACTIVE VERSION BY DATE · CPT SAMPLE · CLAIM CHECKS

regulator_codebase — STEP 4 · +2 ROWS (EMPTY TODAY)

id	regulator	diagnosis	procedure	consumable	drg	start_date	end_date
rc1	DHA	v21	p21	cs21	d16	tbc	2026-12-31
rc2	DHA	v24	p24	cs24	d16	2027-01-01	tbc

All columns NOT NULL. HAAD / RIAYATI rows are out of scope for this circular. DRG stays 2016 until IR-DRG 3.5.5 files arrive.

CPT – procedure_version / procedure_code / procedure_code_version — SAME PATTERN

table	sample row	
procedure_version	p24 · CPT 2024 · 2024 · 2024	+ 2024
procedure_code	p-c1 · 99213 · DHA	existing
procedure_code	p-c2 · 0001A · DHA (dropped in 2024)	existing
procedure_code	p-c3 · 01937 · DHA · effective 2027-01-01	+ 2024
procedure_code_version	p-c1 → p24 · p-c3 → p24	+ 2024
procedure_code_version	p-c2 → p21 only (no p24)	existing

HCPCS (consumable_*) is identical, e.g. new A2001, dropped C9081. New rows also need high_cost_consumables / translated_medicare_price (defaults tbc).

Claim checks (DHA) – what the app returns — ENCOUNTER END DATE

end date	code	codebase row	version	link found?	result
20-Dec-2026	J06.9	rc1	v21	c1 + v21 ✔	allowed
05-Jan-2027	J06.9	rc2	v24	c1 + v24 ✔	allowed
20-Dec-2026	D48.1	rc1	v21	c2 + v21 ✔	allowed
05-Jan-2027	D48.1	rc2	v24	c2 + v24 ✘	rejected
20-Dec-2026	D48.110	rc1	v21	c3 + v21 ✘	rejected
05-Jan-2027	D48.110	rc2	v24	c3 + v24 ✔	allowed

Resubmissions keep the original encounter end date, so a Dec-2026 encounter stays on 2021 even if resubmitted in 2027.

Totals: new codes ICD 1,772 · CPT 726 · HCPCS 1,052 | links ICD 74,044 · CPT 11,282 · HCPCS 7,497