MT Metadata Guide

IRIS-PASSCAL MT Software Development Committee 1

1 IRIS

January 29, 2020

Contents

1	Introduction	2
2	General Structure	2
3	Survey 3.1 Example Survey JSON String	4 5
4	Station 4.1 Example Station JSON String	6 8
5	Run 5.1 Example Run JSON String	9
6	Data Logger 6.1 Example DataLogger JSON String	10 11
7	Electric Channel 7.1 Example Electric Channel JSON String	12 14
8	Magnetic Channel 8.1 Example Magnetic Channel JSON String	15 16

1 Introduction

The magnetotelluric community is relatively small which has led to various formats for storing the time series data. Some type of ASCII format seems to be the most prevalent because before large data sets that was the easiest method of storage. Various binary formats exist, some proprietary and some open like the Scripps format, though efficient, these files lack some critical metadata. Metadata is key to archiving data and as of now there has been no documentation on metadata standards for MT time series data.

IRIS-PASSCAL is adding MT capabilities to their instrument pool and has setup a committee to develop MT metadata standards for archiving time series. What follows are the metadata standards developed by that committee.

2 General Structure

The MT metadata standards are structured to cover details from single channel time series to the full MT survey. For simplicity each of the different scales of an MT survey and measurements have been categorized starting from largest scale to smallest scale (Figure 1). These categories are: Survey, Station, Run, DataLogger, Electric, and Magnetic. Each of these will be described in the sections below.

The metadata key names should be self explanatory and they are structured as follows: name_type or category/name_type, where name is the description name, type is the data type (Tabel 1), and category refers to a metadata category that has common parameters, such as location which will have an x, y, and $z \longrightarrow location/x_d$, location/y_d, and location/z_d. This will help keep order and help the user understand the metadata without having to consult the documentation all the time.

Table 1: Permissible values for data types

i cillibbible values for de		
Data Type	Label	
String	s	
Double (float)	d	
Integer	i	




Figure 1: Schematic of a MT time series file structure with appropriate metadata.

3 Survey

A survey describes an entire MT survey that covers a specific study area. This may include multiple researchers and research groups or a multi-year campaign, but should be confined to a specific regional area. The Survey metadata category describes the general parameters of the survey.

Table 2: Attributes for Survey category

Metadata Key	Description	Type	Required
name_s	name of survey	string	compulsory
ID_s	nickname of survey	string	optional
net_code_s	network code given by IRIS	string	compulsory
start_date/value_s	start date of survey [UTC]	string	compulsory
end_date/value_s	end date of survey [UTC]	string	compulsory
northwest_corner/latitude_d	location of northwest corner of survey [degrees (hh.mmss)]	float	compulsory
northwest_corner/longitude_d	location of northwest corner of survey [degrees (hh.mmss)]	float	compulsory
southeast_corner/latitude_d	location of southeast corner of survey [degrees (hh.mmss)]	float	compulsory
southeast_corner/longitude_d	location of southeast corner of survey [degrees (hh.mmss)]	float	compulsory
datum_s	"datum of x and y coordinates [WGS84]"	string	compulsory
location_s	location of survey in general terms	string	optional
country_s	country/countries survey located in	string	optional
summary_s	summary paragraph of survey	string	compulsory
notes_s	notes about survey	string	optional
acquired_by/author_s	principal investigator(s) responsible for survey	string	compulsory
acquired_by/organization_s	organization(s) associated with survey	string	compulsory
acquired_by/email_s	email address of PI(s)	string	compulsory
acquired_by/url_s	url(s) of organization(s)	string	compulsory
release_status_s	release status [open on request propriatary]	string	compulsory
conditions_of_use_s	condition of use information including licensing	string	optional
citation/dataset doi_s	citation dataset doi number	string	compulsory
citation/journal_s	citation journal article	string	optional
citation/journal doi_s	citation journal doi	string	optional
citation/title_s	citation title	string	optional
citation/author_s	citation author	string	optional
citation/year_s	citation year	string	optional
citation/notes_s	notes on citation	string	optional

3.1 Example Survey JSON String

```
"name_s": "Long Valley, CA",
 "ID_s": "Casa Diablo",
 "net_code_s": "network code given by IRIS",
 "start_date/value_s": "2020-01-01",
 "end_date/value_s": "2021-01-01",
 "northwest_corner/latitude_d": 37.5,
 "northwest_corner/longitude_d": 122,
 "southeast_corner/latitude_d": 36.5,
 "southeast_corner/longitude_d": -121.15,
 "datum_s": "WGS84",
 "location_s": "Mammoth, CA",
 "country_s": "USA",
 "summary_s": "This survey is meant to image the magmatic and hydrothermal systems.",
 "notes_s": "Had complications due to snow",
 "acquired_by/author_s": "M. Tee, T. Luric, S. Spot, and A. Borealis",
 "acquired_by/organization_s": "MT Gurus",
 "acquired_by/email_s": "mtee@guru.com",
 "acquired_by/url_s": "mt_guru.com",
 "release_status_s": "open",
 "conditions_of_use_s": "condition of use information information including licensing",
 "citation/dataset doi_s": "citation dataset doi number",
 "citation/journal_s": "citation journal article",
 "citation/journal doi_s": "citation journal doi",
 "citation/title_s": "citation title",
 "citation/author_s": "citation author",
 "citation/year_s": "citation year",
 "citation/notes_s": "notes on citation"
}
```

4 Station

A station is a single location where MT data are collected, if the location of the station is moved during a run, then a new station should be created. The station metadata includes information about name, location, number of channels, who acquired the data, and what is the provenance of the data.

Table 3: Attributes for Survey category

Metadata Key	Description	Type	Required
sta_code_s	5 char name of station	string	compulsory
name_s	name station site	string	compulsory
latitude/value_d	longitude location [degrees (hh.mmss)]	float	compulsory
longitude/value_d	latitude location [degrees (hh.mmss)]	float	compulsory
z/value_d	z location [m]	float	compulsory
notes_s	any notes about station	string	optional
$datum_s$	"datum for x, y, z location"	string	compulsory
reference_ellipsoid_s	reference ellipsoid	string	compulsory
start_time/value_s	start time of data logging [UTC]	string	compulsory
end_time/value_s	stop time of data logging [UTC]	string	compulsory
num_channels_i	number of channels recording	int	compulsory
channels_recorded_s	"list of channels recorded [EX, EY, HX, HY, HZ]"	string	compulsory
data_type_s	type of data collected [BB LP AMT Combo]	string	compulsory
declination/value_d	declination value	float	compulsory
declination/units_s	declination units [deg radians]	string	compulsory
declination/epoch_s	declination epoch	string	compulsory
declination/model_s	declination model	string	compulsory
station_orientation_s	orientation coordinate system [geographic channel-measurement specific]	string	compulsory
orientation_method_s	[compass differential GPS gyroscope]	string	optional
acquired_by/author_s	person(s) operating station	string	compulsory
acquired_by/email_s	email of lead station operator	string	compulsory

Table 4: Attributes for Survey category continued

Metadata Key	Description	Type	Required
provenance/creation_time_s	creation time of time series data for storing	string	compulsory
provenance/software/name_s	name of software used to store time series	string	compulsory
provenance/software/version_s	version of software used to store time series	string	compulsory
provenance/software/author_s	author of software used to store time series	string	compulsory
provenance/creator/author_s	name of person or group creating archive data	string	compulsory
provenance/creator/organization_s	name of organization or institution creating archive data	string	compulsory
provenance/creator/url_s	url of group creating archive data	string	compulsory
provenance/creator/email_s	email of person or group creating archive data	string	compulsory
provenance/submitter/author_s	name of person or group submitting archive data	string	compulsory
provenance/submitter/organization_s	name of organization or institution submitting archive data	string	compulsory
provenance/submitter/url_s	url of group submitting archive data	string	compulsory
provenance/submitter/email_s	email of person or group submitting archive data	string	compulsory
provenance/notes_s	any notes on the history of the data	string	optional
provenance/log_s	log of any changes made to time series data	string	optional

4.1 Example Station JSON String

```
"sta_code_s": "MNP01",
 "name_s": "Mojave National Preserve Hole-in-the-rock",
 "latitude/value_d":35.0,
 "longitude/value_d": -117.0,
 "z/value_d": 1200,
 "notes_s": "Donkeys chewed both electric channels",
 "datum_s": "WGS84",
 "reference_ellipsoid_s": "reference ellipsoid",
 "start_time/value_s": "2020-01-01T12:00:00.0000 UTC",
 "end_time/value_s": "2020-01-12T12:00:00.0000 UTC",
 "num_channels_i": 5,
 "channels_recorded_s": "[EX, EY, HX, HY, HZ]",
 "data_type_s": "BB & LP",
 "declination/value_d": "11.5",
 "declination/units_s": "degrees",
 "declination/epoch_s": "declination epoch",
 "declination/model_s": "WMM2019-2024",
 "station_orientation_s": "geographic",
 "orientation_method_s": "compass",
 "acquired_by/author_s": "M. Tee and A. Borealis",
 "acquired_by/email_s": "m.tee@guru.com",
 "provenance/creation_time_s": "2020-05-01T12:00:00.0000 UTC",
 "provenance/software/name_s": "MTH5",
 "provenance/software/version_s": "1.0.0",
 "provenance/software/author_s": "IRIS",
 "provenance/creator/author_s": "M. Tee",
 "provenance/creator/organization_s": "MT Gurus",
 "provenance/creator/url_s": "mt_guru.com",
 "provenance/creator/email_s": "m.tee@guru.com",
 "provenance/submitter/author_s": "M. Tee",
 "provenance/submitter/organization_s": "MT Gurus",
 "provenance/submitter/url_s": "mt_guru.com",
 "provenance/submitter/email_s": "m.tee@guru.com",
 "provenance/notes_s": "Electrics are good until 2020-01-10",
 "provenance/log_s": "The data was rotated using an updated declination 2020-05-02."
}
```

5 Run

A run includes data collected at a single station at a single sampling rate. If the dipole length or other such station parameters are changed between runs that is ok, just make a new run. If the station is relocated then a new station should be created.

Table 5: Attributes for Run category

Metadata Key	Description	Type	Required
ID_s	run ID	string	compulsory
notes_s	notes on run	string	optional
start_time/value_s	start time of data logging [UTC]	string	compulsory
end_time/value_s	stop time of data logging [UTC]	string	compulsory
sampling_rate_d	sampling rate of run (samples/second)	float	compulsory
num_channels_i	number of channels recorded	int	compulsory
channels_recorded_s	"list of channels recorded [[EX, EY, HX, HY]]"	string	compulsory
data_type _s	type of data collected [BB LP AMT Combo]	string	compulsory
acquired_by/author_s	person(s) responsible for run	string	compulsory
acquired_by/email_s	email of lead run operator	string	compulsory
provenance/notes_s	any notes on the history of the data	string	optional
provenance/log_s	log of any changes made to time series data	string	optional

5.1 Example Run JSON String

```
"ID_s": "MNPO2b",

"notes_s": "Changed north electrode",

"start_time/value_s": "2020-01-02T15:30:00.0000 UTC",

"end_time/value_s": "2020-01-05T07:05:30.0000 UTC",

"sampling_rate_d": 256,

"num_channels_i": 5,

"channels_recorded_s": "[EX, EY, HX, HY, HZ]",

"data_type _s": "BB",

"acquired_by/author_s": "T. Luric",

"acquired_by/email_s": "t.lurric@guru.com",

"provenance/notes_s": "Near a powerline and HZ is clipped",

"provenance/log_s": "Clipped data in HZ replaced with Nan (2020-05-01 by T. Luric)"
}
```

6 Data Logger

Data logger is a the digital acquisition system used to collect time series data at a single station for a single run. DataLogger metadata includes the type of data logger, timing system, firmware, number of channels, calibrations, and power source.

Table 6: Attributes for DataLogger category

Metadata Key	Description	Type	Required
manufacturer_s	manufacturer name	string	compulsory
model_s	model name	string	compulsory
serial_s	serial number	string	compulsory
notes_s	notes about data logger	string	compulsory
timing_system/type_s	type of timing system [GPS internal]	string	compulsory
$timing_system/drift_d$	any drift in internal clock	float	compulsory
timing_system/uncertainty_d	uncertainty associated with internal clock	float	compulsory
timing_system/notes_s	notes on timing system	string	optional
firmware/version_s	firmware version	string	compulsory
firmware/date_s	date on firmware	string	compulsory
firmware/author_s	author of firmware	string	optional
n_channels_i	number of channels	int	compulsory
n_channels_used_s	number of channels used	int	compulsory
calibration/filename_s	calibration file or link for data logger	string	compulsory
calibration/date_s	calibration date	string	compulsory
calibration/notes_s	notes on calibration	string	optional
power_source/type_s	power source type [Pb-acid battery solar panel Li battery]	string	compulsory
power_source/start_voltage_d	starting voltage of power source	float	compulsory
power_source/end_voltage_d	ending voltage of power source	float	compulsory
power_source/notes_s	notes on power source	string	optional

6.1 Example DataLogger JSON String

```
"manufacturer_s": "MT 'r Us",
"model_s": "Broadband 2000",
"serial_s": "0128947850230",
"notes_s": "Intern dropped the data logger on a shovel.",
"timing_system/type_s": "GPS",
"timing_system/drift_d": 0,
"timing_system/uncertainty_d": .0000016,
"timing_system/notes_s": "only works when sky is clear",
"firmware/version_s": "1.0",
"firmware/date_s": "2020-01-01",
"firmware/author_s": "R. Phase",
"n_channels_i": 5,
"n_channels_used_s": 4,
"calibration/filename_s": "/bb2000.cal",
"calibration/date_s": "2020-01-01",
"calibration/notes_s": "frequency response of the data logger",
"power_source/type_s": "solar panel and battery]",
"power_source/start_voltage_d": 13.1,
"power_source/end_voltage_d": 12.0,
"power_source/notes_s": "Overcast all day reduced recharging"
```

7 Electric Channel

Electric channel refers to a dipole measurement of the electric field for a single station for a single run.

Table 7: Attributes for Electric category

Metadata Key	Description	Type	Required
dipole/length_d	length of dipole [m]	float	compulsory
channel_num_i	channel number [1 2 3 4 5 6]	int	compulsory
$component_s$	[Ex Ey Ez]	string	compulsory
azimuth/value_d	azimuth of dipole $N=0, E=90$ [degrees]	float	compulsory
positive/ID_s	sensor id number	string	compulsory
positive/latitude_d	positive sensor location latitude [degrees (hh.mmss)]	float	optional
positive/longitude_d	positive sensor location longitude [degrees (hh.mmss)]	float	optional
positive/elevation_d	positive sensor location elevation [m]	float	optional
positive/datum_s	"positive datum for x, y, z location [WGS84]"	string	optional
positive/sensor_type_s	type of electric sensor [Ag-AgCl Pb-PbCl]	string	compulsory
positive/sensor_manufacturer_s	electric sensor manufacturer	string	compulsory
positive/sensor_notes_s	notes on electric sensor	string	optional
$ m negative/ID_s$	sensor id number	string	compulsory
$negative/longitude_d$	negative sensor location latitude [degrees (hh.mmss)]	float	optional
$ m negative/latitude_d$	negative sensor location longitude [degrees (hh.mmss)]	float	optional
negative/elevation_d	negative sensor location elevation [m]	float	optional
negative/datum_s	"negative datum for x, y, z location [WGS84]"	string	optional
negative/sensor_type_s	type of electric sensor [Ag-AgCl Pb-PbCl]	string	compulsory
negative/sensor_manufacturer_s	electric sensor manufacturer	string	compulsory
negative/sensor_notes_s	notes on electric sensor	string	optional
$contact_resistance/start_A_d$	contact resistance at beginning of measurement, positive polarity	float	compulsory
$contact_resistance/start_B_d$	contact resistance at beginning of measurement, negative polarity	float	compulsory
$contact_resistance/end_A_d$	contact resistance at end of measurement, positive polarity	float	compulsory
$contact_resistance/end_B_d$	contact resistance at end of measurement, negative polarity	float	compulsory
contact_resistance/units_s	contact resistance units	string	compulsory
ac/start_d	AC at start of measurement [V]	float	compulsory
ac/end_d	AC at end of measurement [V]	float	compulsory
$dc/start_d$	DC at start of measurement [V]	float	compulsory
dc/end_d	DC at end of measurement [V]	float	compulsory

Table 8: Attributes for Electric category continued

Metadata Key	Description	Type	Required
gain_d	gain on electric channel	float	optional
calibration_s	how sensor was calibrated	string	optional
units_s	units of electric field data [counts mV]	string	
sample_rate_d	sample rate of electric channel (samples/second)	float	compulsory
notes_s	notes about electric field measurement	string	
data_quality/rating_d	data quality rating based on some sort of statistic	float	
data_quality/warning_comments_s	any warnings about data quality	string	
data_quality/warning_flags_s	a value flagging bad data	float	
data_quality/author_s	person who did QC/QA on data	string	
filter/type_s	any type of filter used durring recording	string	
filter/parameters_s	filter parameters	string	
filter/notes_s	any notes on the filtering	string	

7.1 Example Electric Channel JSON String

```
"dipole/length_d": 59.7,
 "channel_num_i": 1",
 "component_s": EX,
 "azimuth/value_d": 0,
 "positive/ID_s": "101",
 "positive/latitude_d": 35.5578,
 "positive/longitude_d": -117.38754,
 "positive/elevation_d": 103.4,
 "positive/datum_s": "WGS84",
 "positive/sensor_type_s": "Ag-AgCl"
 "positive/sensor_manufacturer_s": "Zaps",
 "positive/sensor_notes_s": "Sitting on the shelf since last year",
 "negative/ID_s": "102",
 "negative/latitude_d": 35.5588,
 "negative/longitude_d": -117.38754,
 "negative/elevation_d": 105.8,
 "negative/datum_s": "WGS84",
 "negative/sensor_type_s": "Ag-AgCl"
 "negative/sensor_manufacturer_s": "Zaps",
 "negative/sensor_notes_s": "Sitting on the shelf since last year",
 "contact_resistance/start_A_d": 1200.0,
 "contact_resistance/start_B_d": 1210.0,
 "contact_resistance/end_A_d": 1205.0,
 "contact_resistance/end_B_d": 1205.0,
 "contact_resistiance/units_s": "Ohm"
 "ac/start_d": 0.03,
 "ac/end_d": 0.04,
 "dc/start_d": 0.001,
 "dc/end_d": 0.002,
 "gain_d": 1,
 "calibration_s": "no calibrations",
 "units_s": "counts",
 "sample_rate_d": 256,
 "notes_s": "cables chewed on 2020-01-07",
 "data_quality/rating_d": 3,
 "data_quality/warning_comments_s": "cables chewed 2020-01-07",
 "data_quality/warning_flags_s": "Nan",
 "data_quality/author_s": "Q. Sea",
 "filter/type_s": "any type of filter used durring recording",
 "filter/parameters_s": "filter parameters",
 "filter/notes_s": "any notes on the filtering"
}
```

8 Magnetic Channel

A magnetic channel is a recording of one component of the magnetic field at a single station for a single run.

Table 9: Attributes for Magnetic category

Metadata Key	Description	Type	Required
sensor/type_s	type of magnetic sensor [Induction Coil flux gate $\mid \ldots]$	string	
sensor/manufacturer_s	magnetic sensor manufacturer	string	
sensor/notes_s	notes on sensor	string	
channel_num_i	channel number [1 2 3 4 5 6]	int	
component_s	[Hx Hy Hz]	string	
azimuth/value_s	azimuth $N=0$, $E=90$	float	
azimuth/units_s	units on azimuth [degrees radians]	string	
ID_s	sensor id number	string	
longitude_d	sensor longitude degrees	float	
latitude_d	sensor latitude in degrees	float	
elevation_d	sensor elevation in meters	float	
datum_s	datum for location [relative WGS84 UTMZone \ldots]	string	
gain_s	gain on magnetic channel	float	
units_s	units of magnetic field data [counts mV]	string	
sample_rate_d	sample rate of magnetic channel (samples/second)	float	
h_field/min_start_d	minimum h-field value at beginning of measurement	float	
h_{field/max_start_d}	maximum h-field value at beginning of measurement	float	
h_field/min_end_d	minimum h-field value at end of measurement	float	
h_field/max_end_d	maximum h-field value at end of measurement	float	
h_field/units_s	units of h-field measurement [nT]	string	
calibration/file_name_s	name or link to calibration data	string	
calibration/date_s	data of last calibration	string	
calibration/notes_s	any notes on calibration	string	
notes_s	notes on magnetic field measurments	string	
data_quality/rating_d	data quality rating based on some sort of statistic	float	
data_quality/warning_comments_s	any warnings about data quality	string	
data_quality/warning_flags_s	a value flagging bad data	float	
data_quality/author_s	person who did QC/QA on data	string	
filter/type_s	any type of filter used during recording	string	
filter/parameters_s	filter parameters	string	
filter/notes_s	any notes on the filtering	string	

8.1 Example Magnetic Channel JSON String

```
"sensor/type_s": "Induction Coil",
 "sensor/manufacturer_s": "MT 'r Us",
 "sensor/notes_s": "new coil",
 "channel_num_i": 5,
 "component_s": "Hz",
 "azimuth/value_s": 90,
 "azimuth/units_s": "degrees",
 "ID_s": "2149",
 "longitude_d": -117.0,
 "latitude_d": 45.0,
 "elevation_d": 107.4,
 "datum_s": "WGS84",
 "gain_s": "1",
 "units_s": "counts",
 "sample_rate_d": 256,
 "h_field/min_start_d": -10,
 "h_field/max_start_d": 10,
 "h_field/min_end_d": -9,
 "h_field/max_end_d": 9,
 "h_field/units_s": "nT",
 "calibration/file_name_s": "/bb2149.cal",
 "calibration/date_s": "2020-10-01",
 "calibration/notes_s": "Complete sweep of frequencies",
 "notes_s": "not buried all the way ",
 "data_quality/rating_d": 4,
 "data_quality/warning_comments_s": "windy during the day",
 "data_quality/warning_flags_s": "Nan",
 "data_quality/author_s": "Q. Sea",
 "filter/type_s": "any type of filter used during recording",
 "filter/parameters_s": "filter parameters",
 "filter/notes_s": "any notes on the filtering"
}
```