

Chapter02 개발 환경 설정



◎ 목차

1.Java SE 8 설치

2.웹 컨테이너(Apache Tomcat 8.5) 설치

3.종합 개발툴(이클립스) 설치

01. Java SE 8 설치

01 <http://www.oracle.com/technetwork/java/index.html> 에서
Java SE 다운로드



02 라이선스 동의 후 운영체제에 맞는 버전 선택



Java SE Development Kit 8u91			Developer Training
You must accept the Oracle Binary Code License Agreement for Java SE to download this software.			Tutorials
Thank you for accepting the Oracle Binary Code License Agreement for Java SE; you may now download this software.			Java.com
Product / File Description	File Size	Download	
Linux ARM 32 Hard Float ABI	77.72 MB	jdk-8u91-linux-arm32-vfp-hflt.tar.gz	
Linux ARM 64 Hard Float ABI	74.69 MB	jdk-8u91-linux-arm64-vfp-hflt.tar.gz	
Linux x86	154.74 MB	jdk-8u91-linux-i586.rpm	
Linux x86	174.92 MB	jdk-8u91-linux-i586.tar.gz	
Linux x64	152.74 MB	jdk-8u91-linux-x64.rpm	
Linux x64	172.97 MB	jdk-8u91-linux-x64.tar.gz	
Mac OS X	227.29 MB	jdk-8u91-macosx-x64.dmg	
Solaris SPARC 64-bit (SVR4 package)	139.59 MB	jdk-8u91-solaris-sparcv9.tar.Z	
Solaris SPARC 64-bit	98.95 MB	jdk-8u91-solaris-sparcv9.tar.gz	
Solaris x64 (SVR4 package)	140.29 MB	jdk-8u91-solaris-x64.tar.Z	
Solaris x64	96.78 MB	jdk-8u91-solaris-x64.tar.gz	
Windows x86	182.29 MB	jdk-8u91-windows-i586.exe	
Windows x64	187.4 MB	jdk-8u91-windows-x64.exe	

01. Java SE 8 설치

환경변수 설정

- ☞ 자바로 프로그램을 하는데 있어서 필요한 실행 파일들을 어느 위치에서나 실행가능하도록 하는 작업
 - 제어판 -> 시스템 및 보안 -> 시스템 -> 고급시스템 설정
- ☞ 자바의 각 실행 파일들이 존재하는 경로는 다음 그림과 같이 "C:\~\jdk1.8.0_91\bin" 디렉토리이다.





환경 변수

king9에 대한 사용자 변수(U)

변수	값
TEMP	%USERPROFILE%\AppData\Local\Temp
TMP	%USERPROFILE%\AppData\Local\Temp

새로 만들기(N)...

편집(E)...

삭제(D)

시스템 변수(S)

변수	값
ComSpec	C:\WINDOWS\system32\cmd.exe
NUMBER_OF_PRO...	4
OS	Windows_NT
Path	C:\ProgramData\Oracle\Java\javapath;C:...

새로 만들기(W)...

편집(I)...

삭제(L)

확인

취소

새 시스템 변수

변수 이름(N): CLASSPATH


변수 값(V): %JAVA_HOME%\lib

디렉터리 찾아보기(D)...

파일 찾아보기(F)...

확인

취소



설치 확인

- 윈도우 + R
- cmd
- java
- javac

02. 웹 컨테이너(Apache Tomcat 8.0) 설치

웹 컨테이너 설치

☞ <http://tomcat.apache.org> 에서 톰캣 다운로드 및 설치



[tar.gz \(pgp, md5, sha1\)](#)

• [zip \(pgp, md5, sha1\)](#)

Source Code Distributions

• [tar.gz \(pgp, md5, sha1\)](#)

• [zip \(pgp, md5, sha1\)](#)

8.0.46

Please see the [README](#) file for packaging information. It explains what every distribution contains

Binary Distributions

• Core:

• [zip \(pgp, md5, sha1\)](#)

• [tar.gz \(pgp, md5, sha1\)](#)

• [32-bit Windows zip \(pgp, md5, sha1\)](#)

• [64-bit Windows zip \(pgp, md5, sha1\)](#)

• [32-bit/64-bit Windows Service Installer \(pgp, md5, sha1\)](#)

• Full documentation:

• [tar.gz \(pgp, md5, sha1\)](#)



• Deployer:

• [zip \(pgp, md5, sha1\)](#)

• [tar.gz \(pgp, md5, sha1\)](#)

• Extras:

• [JMX Remote jar \(pgp, md5, sha1\)](#)



Apache Tomcat Setup: Configuration Options

Configuration
Tomcat basic configuration.

Server Shutdown Port: 8005

HTTP/1.1 Connector Port: 8088

AJP/1.3 Connector Port: 8009

Windows Service Name: Tomcat8

Create shortcuts for all users: ☐

Tomcat Administrator Login (optional)

User Name	admin
Password	2017
Roles	manager-gui

Nullsoft Install System v3.01

< Back Next > Cancel

Apache Tomcat Setup

Choose Components
Choose which features of Apache Tomcat you want to install.

Check the components you want to install and uncheck the components you don't want to install. Click Next to continue.

Select the type of install: Normal



Or, select the optional components you wish to install:




- ☒ Tomcat
- ☒ Start Menu Items
- ☒ Documentation
- ☒ Manager
- ☐ Host Manager
- ☐ Examples

Space required: 11.4MB


Nullsoft Install System v3.01

< Back Next > Cancel





http://localhost:8088



The screenshot shows a web browser window with the address bar displaying 'http://localhost:8088/'. The page title is 'Apache Tomcat/9.0.0.M26'. The navigation bar includes links for 'Home', 'Documentation', 'Configuration', 'Examples', 'Wiki', and 'Mailing Lists'. The main content area features a green banner with the text 'If you're seeing this, you've successfully installed'. Below this, there is a cartoon illustration of a cat (Tomcat) and a section titled 'Recommended Reading:' which lists three links: 'Security Considerations HOW-TO', 'Manager Application HOW-TO', and 'Clustering/Session Replication HOW-TO'. At the bottom, there is a section titled 'Developer Quick Start'.


http://localhost:8088/ Apache Tomcat/9.0.0.M26

Home Documentation Configuration Examples Wiki Mailing Lists

Apache Tomcat/9.0.0.M26

APACHE SOFTWARE FOUNDATION
http://www.apache.org

If you're seeing this, you've successfully installed



Recommended Reading:

- [Security Considerations HOW-TO](#)
- [Manager Application HOW-TO](#)
- [Clustering/Session Replication HOW-TO](#)

Developer Quick Start

03. 종합 개발툴(이클립스) 설치

01 <http://www.eclipse.org/home/index.php> 에서 운영체제에 맞는 이클립스 다운로드



Register now for EclipseCon Europe | October 24 - 26, 2017 | Ludwigsburg, Germany

Tool Platforms



Get Eclipse OXYGEN

Install your favorite Eclipse packages.

DOWNLOAD 64 BIT

Download Packages



Eclipse Che

Eclipse Che is a develop
workspace server and clou

Find out more  2,166,642 Downloads



Eclipse IDE for Java EE Developers

328 MB 1,072,102 DOWNLOADS

Tools for Java developers creating Java EE and Web applications, including a Java IDE, tools for Java EE, JPA, JSF, Mylyn...



Windows

32 bit

64 bit



Eclipse IDE for Java Developers

178 MB 412,091 DOWNLOADS

The essential tools for any Java developer, including a Java IDE, a Git client,



Windows

32 bit

64 bit

[GETTING STARTED](#)[MEMBERS](#)[PROJECTS](#)[MORE ▾](#)[HOME](#) / [DOWNLOADS](#) / [PACKAGES](#) / [ECLIPSE IDE FOR JAVA EE DEVELOPERS](#)

RELEASES

[Oxygen Packages](#)[Neon Packages](#)[Mars Packages](#)[Luna Packages](#)[Kepler Packages](#)[Juno Packages](#)[Indigo Packages](#)[Helios Packages](#)[Galileo Packages](#)[Ganymede Packages](#)

Eclipse IDE for Java

Package Description

Tools for Java developers creating Java EE applications for Java EE, JPA, JSF, Mylyn, EGit and others.

This package includes:

- Data Tools Platform
- Git integration for Eclipse
- Eclipse Java Development Tools
- Eclipse Java EE Developer Tools

ECTS MORE ▾

DOWNLOAD

ECLIPSE NEON 3 PACKAGES

Eclipse Neon 3 Packages



Eclipse IDE for Java EE Developers

304 MB - Downloaded 1,576,215 Times

Windows **32-bit 64-bit**

Mac Cocoa **64-bit**

Linux **32-bit 64-bit**



Eclipse IDE for Java Developers

161 MB - Downloaded 761,399 Times

Windows **32-bit 64-bit**

Mac Cocoa **64-bit**

Linux **32-bit 64-bit**



Eclipse IDE for C/C++ Developers

182 MB - Downloaded 233,238 Times

Windows **32-bit 64-bit**

Mac Cocoa **64-bit**

Linux **32-bit 64-bit**

All downloads are provided under the terms and conditions of the **Eclipse Foundation Software User Agreement** otherwise specified.

DOWNLOAD

Download from: Japan - Yamagata University (<http://www.yamagata-u.ac.jp/~eclipse/>)


File: **eclipse-jee-neon-3-win32-x86_64.zip** SHA-512

>> Select Another Mirror

03. 종합 개발툴(이클립스) 설치


■ 텍스트 인코딩 설정하기

- 프로그램 개발 시 한글 사용은 여러 문제를 발생시키는 원인이 됨.
- 다국어를 지원하는 프로그램 개발을 위해서는 유니코드 기반인 UTF-8 의 사용이 권장됨.
- 안드로이드 등 모바일 개발에도 유니코드가 기본임.
- [General] → [Workspace] → Text file encoding 항목을 Other 로 변경한 뒤 UTF-8로 설정




03. 종합 개발툴(이클립스) 설치

- 텍스트 인코딩 설정하기
 - 자바 클래스 인코딩 설정 : [General] → [Content Types] → Java Class File에 대한 Default encoding 값을 UTF-8 로 입력 후 <Update> 버튼
 - JSP 파일 인코딩 설정 : [General]→[Content Types] → [Text] → JSP 항목을 UTF-8 로 변경 후 <Update> 버튼




Java 인코딩 설정




JSP 인코딩 설정

03. 종합 개발툴(이클립스) 설치

- HTML / JSP 코드 인코딩 설정 : [Web] → [HTML Files], [JSP Files] 항목을 ISO 10646/Unicode(UTF-8)로 변경




HTML Files 인코딩 설정





JSP Files 인코딩 설정




03. 종합 개발툴(이클립스) 설치

- 이클립스에 톰캣 서버 설정









 New Server Runtime Environment  


Tomcat Server


Specify the installation directory 

Name:

Tomcat installation directory:

JRE:
 





New Server

Define a New Server

Choose the type of server to create

Select the server type:

type filter text

Tomcat v4.1 Server

Tomcat v5.0 Server

Tomcat v5.5 Server

Tomcat v6.0 Server

Tomcat v7.0 Server

Tomcat v8.0 Server

Tomcat v9.0 Server

Publishes and runs J2EE and Java EE Web projects and server configurations to a local Tomcat server.

Server's host name:localhost

Server name:Tomcat v8.0 Server at localhost

Server runtime environment:Apache Tomcat v8.0

[Add...](#)

[Configure runtime environments...](#)

?

< Back

Next >

Finish

Cancel

