



ANÁLISIS ESTÁTICO LOCAL

INFORME DE PROBLEMAS FILMATE

Reporte detallado de incidencias estilo Sonar para accesibilidad, confiabilidad y mantenibilidad en el frontend de usuario.

Campo	Información
Código	IPR-FILMATE-USR-001
Fecha	23 de junio de 2026
Alcance	<code>src/Component/**/*.{js,jsx}</code>
Total de incidencias detectadas	64
Método	Analizador JSX local + reglas equivalentes a Sonar/accesibilidad

1. Resumen general

Este informe enumera problemas detectados mediante análisis estático local. No reemplaza una ejecución oficial de SonarQube, pero reproduce reglas relevantes como `javascript:S6848` y `javascript:S1082`, además de controles de accesibilidad habituales.

Prioridad recomendada: corregir primero `javascript:S6848` y `javascript:S1082`, porque afectan accesibilidad de teclado y uso con tecnologías asistivas.

Regla	Descripción	Ocurrencias	Reliability
<code>javascript:S6848</code>	Non-interactive DOM elements should not have an interactive handler	7	Medium
<code>javascript:S1082</code>	Mouse events should have corresponding keyboard events	9	Low
<code>filmate:A11Y003</code>	Modal overlays should expose dialog semantics	15	Medium
<code>filmate:A11Y002</code>	Icon-only buttons should have an accessible name	30	Medium
<code>filmate:A11Y001</code>	Interactive controls should not be nested	3	Medium

Non-interactive DOM elements should not have an interactive handler (javascript:S6848)

Consistency issue

Not conventional

Maintainability: **Low**

Reliability: **Medium**

Why is this an issue?

Non-interactive elements such as `div`, `span`, `section` or `article` are not designed to be activated by users. Adding click or mouse handlers to them creates behavior that is not naturally keyboard accessible and may be confusing for assistive technologies.

- Keyboard users may not be able to focus or activate the element.
- Screen readers may not announce the element as actionable.
- The markup no longer follows the semantic intent of HTML.

How can I fix it?

Use a native interactive element such as `button` or `a`. If a custom element is unavoidable, add `role`, `tabIndex` and keyboard handling, but prefer native controls.

Occurrences (7)

0. Non-interactive DOM elements should not have an interactive handler

Regla	javascript:S6848
Tipo	Consistency issue / Not conventional
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Cines.jsx:93:19
Elemento	<div>

Problema: `<div>` has an interactive handler but is not a native interactive element.

Fragmento:

```
<div className="cursor-pointer" onClick={() => handleMapClick(cine)}>
```

Recomendacion puntual: Replace it with a button/link or add `role`, `tabIndex` and keyboard handling.

1. Non-interactive DOM elements should not have an interactive handler

Regla	javascript:S6848
Tipo	Consistency issue / Not conventional
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:1341:21
Elemento	<div>

Problema: <div> has an interactive handler but is not a native interactive element.

Fragmento:

```
<div
```

Recomendacion puntual: Replace it with a button/link or add role, tabIndex and keyboard handling.

2. Non-interactive DOM elements should not have an interactive handler

Regla	javascript:S6848
Tipo	Consistency issue / Not conventional
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:1345:25
Elemento	<div>

Problema: <div> has an interactive handler but is not a native interactive element.

Fragmento:

```
<div
```

Recomendacion puntual: Replace it with a button/link or add role, tabIndex and keyboard handling.

3. Non-interactive DOM elements should not have an interactive handler

Regla	javascript:S6848
Tipo	Consistency issue / Not conventional
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:1408:21
Elemento	<div>

Problema: <div> has an interactive handler but is not a native interactive element.

Fragmento:

```
<div className="fixed inset-0 z-50 flex items-center justify-center bg-black/70 backdrop-blur-sm p-4">
```

Recomendacion puntual: Replace it with a button/link or add role, tabIndex and keyboard handling.

4. Non-interactive DOM elements should not have an interactive handler

Regla	javascript:S6848
Tipo	Consistency issue / Not conventional
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:1411:25
Elemento	<div>

Problema: <div> has an interactive handler but is not a native interactive element.

Fragmento:

```
<div
```

Recomendacion puntual: Replace it with a button/link or add role, tabIndex and keyboard handling.

5. Non-interactive DOM elements should not have an interactive handler

Regla	javascript:S6848
Tipo	Consistency issue / Not conventional
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/MenuPrincipal.jsx:387:29
Elemento	<div>

Problema: <div> has an interactive handler but is not a native interactive element.

Fragmento:

```
<div
```

Recomendacion puntual: Replace it with a button/link or add role, tabIndex and keyboard handling.

6. Non-interactive DOM elements should not have an interactive handler

Regla	javascript:S6848
Tipo	Consistency issue / Not conventional
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/MenuPrincipal.jsx:519:33
Elemento	<div>

Problema: <div> has an interactive handler but is not a native interactive element.

Fragmento:

```
<div
```

Recomendacion puntual: Replace it with a button/link or add role, tabIndex and keyboard handling.

Mouse events should have corresponding keyboard events (javascript:S1082)

Intentionality issue

Not complete

Maintainability: **Low**

Reliability: **Low**

Why is this an issue?

Users should be able to perform the same operation with mouse and keyboard. Click or hover behavior without key/focus alternatives leaves keyboard and assistive-technology users behind.

- Keyboard-only navigation cannot trigger the same behavior.
- Assistive technology users may not reach the interaction.
- The component behaves differently depending on the input device.

How can I fix it?

Pair `onClick` with `onKeyDown/onKeyUp` for non-native controls, and pair hover behavior with `onFocus/onBlur`. Prefer native button/link elements.

Occurrences (9)

0. Mouse events should have corresponding keyboard events

Regla	javascript:S1082
Tipo	Intentionality issue / Not complete
Maintainability	Low
Reliability	Low
Ubicacion	src/Component/Cines.jsx:93:19
Elemento	<div>

Problema: <div> handles click events without an equivalent keyboard event.

Fragmento:

```
<div className="cursor-pointer" onClick={() => handleMapClick(cine)}>
```

Recomendacion puntual: Add `onKeyDown/onKeyUp` handling or convert the element to a native button/link.

1. Mouse events should have corresponding keyboard events

Regla	javascript:S1082
Tipo	Intentionality issue / Not complete
Maintainability	Low
Reliability	Low
Ubicacion	src/Component/DetallePelicula.jsx:1341:21
Elemento	<div>

Problema: <div> handles click events without an equivalent keyboard event.

Fragmento:

```
<div
```

Recomendacion puntual: Add onKeyDown/onKeyUp handling or convert the element to a native button/link.

2. Mouse events should have corresponding keyboard events

Regla	javascript:S1082
Tipo	Intentionality issue / Not complete
Maintainability	Low
Reliability	Low
Ubicacion	src/Component/DetallePelicula.jsx:1345:25
Elemento	<div>

Problema: <div> handles click events without an equivalent keyboard event.

Fragmento:

```
<div
```

Recomendacion puntual: Add onKeyDown/onKeyUp handling or convert the element to a native button/link.

3. Mouse events should have corresponding keyboard events

Regla	javascript:S1082
Tipo	Intentionality issue / Not complete
Maintainability	Low
Reliability	Low
Ubicacion	src/Component/DetallePelicula.jsx:1408:21
Elemento	<div>

Problema: <div> handles click events without an equivalent keyboard event.

Fragmento:

```
<div className="fixed inset-0 z-50 flex items-center justify-center bg-black/70 backdrop-blur-sm p-4"
```

Recomendacion puntual: Add onKeyDown/onKeyUp handling or convert the element to a native button/link.

4. Mouse events should have corresponding keyboard events

Regla	javascript:S1082
Tipo	Intentionality issue / Not complete
Maintainability	Low
Reliability	Low
Ubicacion	src/Component/DetallePelicula.jsx:1411:25
Elemento	<div>

Problema: <div> handles click events without an equivalent keyboard event.

Fragmento:

```
<div
```

Recomendacion puntual: Add onKeyDown/onKeyUp handling or convert the element to a native button/link.

5. Mouse events should have corresponding keyboard events

Regla	javascript:S1082
Tipo	Intentionality issue / Not complete
Maintainability	Low
Reliability	Low
Ubicacion	src/Component/MenuPrincipal.jsx:387:29
Elemento	<div>

Problema: <div> handles click events without an equivalent keyboard event.

Fragmento:

```
<div
```

Recomendacion puntual: Add onKeyDown/onKeyUp handling or convert the element to a native button/link.

6. Mouse events should have corresponding keyboard events

Regla	javascript:S1082
Tipo	Intentionality issue / Not complete
Maintainability	Low
Reliability	Low
Ubicacion	src/Component/MenuPrincipal.jsx:519:33
Elemento	<div>

Problema: <div> handles click events without an equivalent keyboard event.

Fragmento:

```
<div
```

Recomendacion puntual: Add onKeyDown/onKeyUp handling or convert the element to a native button/link.

7. Mouse events should have corresponding keyboard events

Regla	javascript:S1082
Tipo	Intentionality issue / Not complete
Maintainability	Low
Reliability	Low
Ubicacion	src/Component/SocialPelicula.jsx:195:21
Elemento	<div>

Problema: <div> uses mouse-leave behavior without a matching blur event.

Fragmento:

```
<div className="mt-2 flex w-fit gap-2" onMouseLeave={() => setHoveredRating(0)}>
```

Recomendacion puntual: Pair mouse-leave behavior with onBlur for keyboard users.

8. Mouse events should have corresponding keyboard events

Regla	javascript:S1082
Tipo	Intentionality issue / Not complete
Maintainability	Low
Reliability	Low
Ubicacion	src/Component/SocialPelicula.jsx:201:27
Elemento	<button>

Problema: <button> uses hover behavior without a matching focus event.

Fragmento:

```
<button
```

Recomendacion puntual: Pair hover behavior with onFocus for keyboard users.

Modal overlays should expose dialog semantics

(filmate:A11Y003)

Accessibility issue

Incomplete dialog semantics

Maintainability: Low

Reliability: Medium

Why is this an issue?

A visual modal implemented only with div elements is not automatically announced as a dialog to assistive technologies.

- Screen reader users may not know that a modal opened.
- Focus management expectations are unclear.
- The overlay may be hard to navigate with keyboard.

How can I fix it?

Add role="dialog" or role="alertdialog", aria-modal="true", a labelled heading via aria-labelledby, and ensure focus is moved into the dialog.

Occurrences (15)

0. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Cines.jsx:151:9
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-50 flex items-center justify-center bg-black/70 p-4">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

1. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:831:13
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-[70] flex items-end justify-center bg-black/75 p-3 sm:items-center sm:p-4">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

2. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:892:13
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-[60] bg-[#020b16] text-white">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

3. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:1341:21
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div>
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

4. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:1408:21
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-50 flex items-center justify-center bg-black/70 backdrop-blur-sm p-4">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

5. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:169:5
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-50 flex items-end justify-center bg-black/70 p-3 sm:items-center sm:p-4">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

6. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:268:5
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-50 flex items-end justify-center bg-black/70 p-3 sm:items-center sm:p-4">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

7. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:393:5
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-[60] flex items-end justify-center bg-black/80 p-3 sm:items-center sm:p-4">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

8. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:440:5
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-[70] flex items-end justify-center bg-black/80 p-3 sm:items-center sm:p-4">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

9. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:481:5
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-50 flex items-end justify-center bg-black/70 p-3 sm:items-center sm:p-4">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

10. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Header.jsx:138:9
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-50 flex items-center justify-center bg-black/70 backdrop-blur-sm animate-fadeIn">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

11. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/IniciarSesion.jsx:114:9
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-50 flex items-center justify-center bg-black/70 backdrop-blur-sm animate-fadeIn">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

12. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Registro.jsx:181:9
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-50 flex items-center justify-center bg-black/70 backdrop-blur-sm animate-fadeIn">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

13. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/SocialEditorPerfil.jsx:531:9
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-[60] flex items-center justify-center bg-black/75 px-4 py-6 backdrop-blur-sm">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

14. Modal overlays should expose dialog semantics

Regla	filmate:A11Y003
Tipo	Accessibility issue / Incomplete dialog semantics
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/SocialEditorPerfil.jsx:612:9
Elemento	<div>

Problema: Visual modal overlay does not expose dialog semantics.

Fragmento:

```
<div className="fixed inset-0 z-[60] flex items-center justify-center bg-black/75 px-4 py-6 backdrop-blur-sm">
```

Recomendacion puntual: Add role="dialog", aria-modal="true" and connect the dialog title with aria-labelledby.

Icon-only buttons should have an accessible name

(filmate:A11Y002)

Accessibility issue

Missing accessible label

Maintainability: Low

Reliability: Medium

Why is this an issue?

A button containing only an icon may be visually understandable but has no text alternative for screen readers.

- Screen readers may announce only "button" without purpose.
- Voice-control users may not know what command to say.
- Automated accessibility checks can flag unnamed controls.

How can I fix it?

Add aria-label or visible text. For repeated controls, include the context, for example "Cerrar modal", "Aumentar cantidad" or "Quitar favorito".

Occurrences (30)

0. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Cines.jsx:155:15
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

<button>

Recomendacion puntual: Add aria-label or visible text that explains the action.

1. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:1104:21
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

2. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:1240:49
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

3. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:1354:33
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

4. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/DetallePelicula.jsx:1417:33
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

5. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:173:11
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

6. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:197:19
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

7. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:204:19
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

8. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:272:11
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

9. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:321:17
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

10. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:375:13
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

11. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:425:13
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

12. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:483:9
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

13. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:504:13
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

14. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:510:13
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

15. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:1208:27
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

16. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Dulceria.jsx:1215:27
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

17. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Footer.jsx:39:19
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

18. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Header.jsx:56:21
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

19. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Header.jsx:108:19
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

20. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/IniciarSesion.jsx:176:11
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

21. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Registro.jsx:316:13
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

22. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Social.jsx:369:21
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

23. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Social.jsx:452:33
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

24. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Social.jsx:518:15
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

25. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/SocialEditorPerfil.jsx:383:19
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

26. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/SocialEditorPerfil.jsx:515:17
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

27. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/SocialEditorPerfil.jsx:655:21
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

28. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/SocialPelicula.jsx:161:17
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

29. Icon-only buttons should have an accessible name

Regla	filmate:A11Y002
Tipo	Accessibility issue / Missing accessible label
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/SocialPelicula.jsx:235:19
Elemento	<button>

Problema: Icon-only button has no accessible name.

Fragmento:

```
<button>
```

Recomendacion puntual: Add aria-label or visible text that explains the action.

Interactive controls should not be nested (filmate:A11Y001)

Accessibility issue

Invalid interactive composition

Maintainability: **Low**

Reliability: **Medium**

Why is this an issue?

A link that contains a button, or a button that contains another interactive element, creates ambiguous focus and activation behavior.

- Browsers and screen readers can expose nested controls inconsistently.
- Keyboard focus order can become confusing.
- Click handling may activate the wrong control.

How can I fix it?

Use only one interactive element. Style the Link directly, or replace the nested button with a span/non-interactive element.

Occurrences (3)

0. Interactive controls should not be nested

Regla	filmate:A11Y001
Tipo	Accessibility issue / Invalid interactive composition
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Header.jsx:55:19
Elemento	<Link>

Problema: <Link> contains another interactive control.

Fragmento:

```
<Link key={item.path} to={item.path}>
```

Recomendacion puntual: Keep only one interactive element; style the outer control directly.

1. Interactive controls should not be nested

Regla	filmate:A11Y001
Tipo	Accessibility issue / Invalid interactive composition
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Header.jsx:103:17
Elemento	<Link>

Problema: <Link> contains another interactive control.

Fragmento:

```
<Link
```

Recomendacion puntual: Keep only one interactive element; style the outer control directly.

2. Interactive controls should not be nested

Regla	filmate:A11Y001
Tipo	Accessibility issue / Invalid interactive composition
Maintainability	Low
Reliability	Medium
Ubicacion	src/Component/Registro.jsx:327:13
Elemento	<Link>

Problema: <Link> contains another interactive control.

Fragmento:

```
<Link to="/">
```

Recomendacion puntual: Keep only one interactive element; style the outer control directly.