

PROJECT : H560
TYPE : FLOATING BARGE
DIMENSION : 144ft X 50ft X 10ft
OWNER :
CLASS / Reg. no : BKI

FILENO : BA26-FB560/G-03
DATE : 13 July 2026
PREPARED : KKH
SHEET : 1 Of 4
REV : 0

NO	ITEMS	WELDED TO	TYPE OF WELD	LESSER THICKNESS OF MEMBER JOINED	CHAIN INTERMITTENT WELD			CONT. FILLET (W)	CONT.BUTT WELD	CONT.LAP WELD (W)	REMARKS
					WLD SPACING	WELD LENGH (L)	FILLET SIZE (W)				
1	BOTTOM SHELL	BOTTOM SHELL	BUTT	12,0 mm	-	-	-	-	SEE DET DWG	-	-
2	BTM SHELL / SIDE SHELL	CHINE BAR	BUTT	12,0 mm	-	-	-	-	SEE DET DWG	-	-
3	BTM GIRDER	BOTTOM SHELL	FILLET	8,0 mm	-	-	-	6,5	-	-	DOUBLE CONTINUOUS
4	BTM TRANSVERSE	BOTTOM SHELL	FILLET	8,0 mm	-	-	-	6,5	-	-	DOUBLE CONTINUOUS
5	BTM LONGDL	BOTTOM SHELL	FILLET	9,0 mm	225	75	8,0	-	-	-	-
6	SIDE SHELL	SIDE SHELL	BUTT	12,0 mm	-	-	-	-	SEE DET DWG	-	-
7	SIDE VERT WEB	SIDE SHELL	FILLET	8,0 mm	-	-	-	6,5	-	-	DOUBLE CONTINUOUS
8	SIDE LONGDL	SIDE SHELL	FILLET	7,0 mm	225	75	8,0	-	-	-	-
9	TRANSOM BKT	TRANSOM PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	DOUBLE CONTINUOUS
10	DECK PLATE	DECK PLATE	BUTT	12,0 mm	-	-	-	-	SEE DET DWG	-	-
11	DECK LONGDL	DECK PLATE	FILLET	10,0 mm	225	75	8,0	-	-	-	-
12	DECK TRV	DECK PLATE	FILLET	10,0 mm	-	-	-	6,5	-	-	DOUBLE CONTINUOUS
13	DECK GIRDER	DECK PLATE	FILLET	10,0 mm	-	-	-	6,5	-	-	DOUBLE CONTINUOUS
14	L.BHD PLATE	L.BHD PLATE	BUTT	8,0 mm	-	-	-	-	SEE DET DWG	-	-
15	L.BHD PLATE	L.BHD LONGDL	FILLET	7,0 mm	225	75	7,5	-	-	-	-
16	L.BHD WEB	L.BHD PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	DOUBLE CONTINUOUS
17	T.BHD PLATE	T.BHD PLATE	BUTT	8,0 mm	-	-	-	-	SEE DET DWG	-	-
18	T.BHD PLATE	T.BHD STIFFENER	FILLET	9,0 mm	225	75	7,5	-	-	-	-
19	T.BHD WEB	T.BHD PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	DOUBLE CONTINUOUS
20	BTM/DK GIRDER	STANCHION	LAP	8,0 mm	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
21	BTM/DK TRANSVERSE	STANCHION	LAP	8,0 mm	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND

PROJECT : H560
TYPE : FLOATING BARGE
DIMENSION : 144ft X 50ft X 10ft
OWNER :
CLASS / Reg. no : BKI

FILENO : BA26-FB560/G-03
DATE : 13 July 2026
PREPARED : KKH
SHEET : 2 Of 4
REV : 0

NO	ITEMS	WELDED TO	TYPE OF WELD	LESSER THICKNESS OF MEMBER JOINED	CHAIN INTERMITTENT WELD			CONT. FILLET (W)	CONT.BUTT WELD	WELD	CONT.LAP WELD (W)	REMARKS
					WLD SPACING	WELD LENGH (L)	FILLET SIZE (W)					
22	BTM/DK GIRDER	DIAGONAL	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
23	BTM/DK TRANSVERSE	DIAGONAL	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
24	BTM/DK TRANSVERSE	SIDE WEB	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
25	BTM/DK TRANSVERSE	L.BHD WEB	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
26	TRANSOM BKT	BTM LONGDL	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
27	TRANSOM BKT	DECK LONGDL	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
28	TRANSOM BKT	BTM/DK GIRDER	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
29	SIDE SHELL PERIPHERS	DECK PL.PERIPHERIES	FILLET	12,0 mm	-	-	-	10,0	-	-	-	DOUBLE CONTINUOUS
30	L.BHD PL. PERIPHERRIES	BOTTOM PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
31	L.BHD PL. PERIPHERRIES	DECK PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
32	L.BHD PL. PERIPHERRIES	TRANSOM PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
33	T.BHD PL. PERIPHERRIES	BOTTOM PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
34	T.BHD PL. PERIPHERRIES	DECK PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
35	T.BHD PL. PERIPHERRIES	SIDE SHELL	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
36	T.BHD PL. PERIPHERRIES	L.BHD PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
37	BOTTOM BRACKET	BTM LONGDL/T.BHD STIFF	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
38	BOTTOM BRACKET	BTM LONGDL	LAP	9,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
39	BOTTOM BRACKET	T.BHD PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
40	BOTTOM BRACKET	BOTTOM PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
41	SIDE BRACKET	SIDE. LONGDL.	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
42	SIDE BRACKET	T.BHD PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
43	DECK BRACKET	T.BHD PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
44	DECK BRACKET	DECK LONGDL.	FILLET	8,0 mm	-	-	-	7,0	-	-	-	CONTINUOUS ALL ROUND
45	DECK BRACKET	DECK CARLING	LAP	8,0 mm	-	-	-	-	-	-	7,0	CONTINUOUS ALL ROUND
46	L. BHD BRACKET	L. BHD LONGDL.	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
47	L. BHD BRACKET	T.BHD PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS


PROJECT : H560
TYPE : FLOATING BARGE
DIMENSION : 144ft X 50ft X 10ft
OWNER :
CLASS / Reg. no : BKI

FILENO : BA26-FB560/G-03
DATE : 13 July 2026
PREPARED : KKH
SHEET : 3 Of 4
REV : 0


NO	ITEMS	WELDED TO	TYPE OF WELD	LESSER THICKNESS OF MEMBER JOINED	CHAIN INTERMITTENT WELD			CONT. FILLET (W)	CONT.BUTT WELD	WELD	CONT.LAP WELD (W)	REMARKS
					WLD SPACING	WELD LENGH (L)	FILLET SIZE (W)					
48	L. BHD BRACKET	BTM PLATE/LONGDL.	FILLET	8,0 mm	-	-	-	5,5	-	-	-	DOUBLE CONTINUOUS
49	L. BHD BRACKET	L. BHD PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
50	T. BHD BRACKET	T.BHD PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
51	T. BHD BRACKET	BTM/DECK GIRGER	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
52	L. BHD BRACKET	BTM/DECK TRANSV.	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
53	COLLISION BHD BKT	BOTTOM PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
54	COLLISION BHD BKT	COLLISION BHD STIFF	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
55	COLLISION BHD BKT	COLLISION BHD PLATE	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
56	TRIP BRACKET	SIDE WEB	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
57	TRIP BRACKET	L. BHD WEB	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
58	TRIP BRACKET	DECK TRANSV.	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
59	TRIP BRACKET	BTM TRANSV.	FILLET	8,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
60	COLLAR PLATE	DECK TRANSV.	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
61	COLLAR PLATE	BOTTOM TRANSV.	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
62	COLLAR PLATE	L. BHD WEB	LAP	8,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
63	SKEG PLATE	BOTTOM SHELL/SKEG SOLE	FILLET	10,0 mm	-	-	-	10,0	-	-	-	DOUBLE CONTINUOUS
64	SKEG FLATBAR	BOTTOM SHELL/SKEG SOLE	FILLET	10,0 mm	-	-	-	6,5	-	-	-	DOUBLE CONTINUOUS
65	SKEG FLATBAR	SKEG FLATBAR	BUTT	10,0 mm	-	-	-	-	SEE DET DWG		-	-
66	SKEG FLATBAR	SKEG CLSG PL. PERIPHERY	LAP	10,0 mm	-	-	-	-	-	-	6,5	CONTINUOUS ALL ROUND
67	SKEG FLATBAR	SKEG CLOSING PL.	SLOT	10,0 mm	-	-	-	-	-	-	6,5	-
68	SKEG WEB PERIPHERY	BTM/SKEG PLATE & SOLE	FILLET	10,0 mm	225	75	9,5	-	-	-	-	-

NOTES :


- 1 The weld sizes specified are for manual arc welding except where otherwise stated
- 2 Where Beams, stiffeners, frames etc., are intermittently welded and pass through slotted girders, transverser and stringers etc., there is to be a pair of matched intermittent welds on each side of each such intersection and beams and frames are to be effeciently attached to girders, transverses and stringers.
- 3 Unbracketed stiffeners of shell, watertight and bulkhead are to have double countinuous welds for one fifteenth of theirs lengths at each end



TYPICAL FILLET




CHINE BAR CONNECTION-1




CHINE BAR CONNECTION-2

($t \leq 6.5\text{mm}$ MANUAL ARC)
($t \leq 16\text{mm}$ SUBMERGED ARC)




DETAIL 'A'

($t > 6.5\text{mm}$ MANUAL ARC)
($t > 16\text{mm}$ SUBMERGED ARC)



DETAIL 'B'


TYPICAL BUTT WELD



TYPICAL STAGGERD INTERMITENT WELD



TYPICAL CHAIN INTERMITENT WELD



TYPICAL LAP WELD