tinybird

📖 **Docs**   📄 **Guides**   ▶ **Screencasts**   ☰ **Changelog**   📦 **Starter Kits**   👥 **Community**

Getting started ^

    Introduction

    Quick start

    Core concepts

    Architecture

Ingest ^

    Overview

    Data Sources API

    Events API

    BigQuery connector

    Confluent connector

    Kafka connector

    RedPanda connector

    Snowflake connector

    S3 connector

Query ^

    Overview

    SQL best practices

    Query parameters

Publish ^

    Overview

    API gateways

    Materialized Views

    Copy Pipes

    S3 Sink

Start building

Sign In

The steps to create a basic Reverse Proxy using Amazon API Gateway are as follows:

- Access the API Gateway console

⌃

Introduction

Quick start

Core concepts

Architecture

⌃

Overview

Data Sources API

Events API

BigQuery connector

Confluent connector

Kafka connector

RedPanda connector

Snowflake connector

S3 connector

⌃

Overview

SQL best practices

Query parameters

⌃

Overview

API gateways

Materialized Views

Copy Pipes

S3 Sink

Start building

Sign In

[Grafbase](#) allows you to create a centralised GraphQL API layer over many source of data. You can use Grafbase with Tinybird to abstract your API Endpoints & Auth Tokens, taking advantage

📖 **Docs**   📄 **Guides**   ▶️ **Screencasts**   ☰ **Changelog**   📦 **Starter Kits**   👥 **Community**

︿

Introduction

Quick start

Core concepts

Architecture

︿

Overview

Data Sources API

Events API

BigQuery connector

Confluent connector

Kafka connector

RedPanda connector

Snowflake connector

S3 connector

︿

Overview

SQL best practices

Query parameters

︿

Overview

API gateways

Materialized Views

Copy Pipes

S3 Sink

Start building

Sign In

```
        }
      }
```

📖 **Docs**   📄 **Guides**   ▶️ **Screencasts**   ≡ **Changelog**   📦 **Starter Kits**   👥 **Community**

⌃

Introduction

Quick start

Core concepts

Architecture

⌃

Overview

Data Sources API

Events API

BigQuery connector

Confluent connector

Kafka connector

RedPanda connector

Snowflake connector

S3 connector

⌃

Overview

SQL best practices

Query parameters

⌃

Overview

API gateways

Materialized Views

Copy Pipes

S3 Sink

Start building

Sign In

- HTTP429: Too many requests
- HTTP500: Internal Server Error

📖 **Docs**   📄 **Guides**   ▶️ **Screencasts**   ☰ **Changelog**   📦 **Starter Kits**   👥 **Community**

˄

Introduction

Quick start

Core concepts

Architecture

˄

Overview

Data Sources API

Events API

BigQuery connector

Confluent connector

Kafka connector

RedPanda connector

Snowflake connector

S3 connector

˄

Overview

SQL best practices

Query parameters

˄

Overview

API gateways

Materialized Views

Copy Pipes

S3 Sink

Start building

Sign In

📖 **Docs**   📄 **Guides**   ▶️ **Screencasts**   ☰ **Changelog**   📦 **Starter Kits**   👥 **Community**

ᐱ

Introduction

Quick start

Core concepts

Architecture

ᐱ

Overview

Data Sources API

Events API

BigQuery connector

Confluent connector

Kafka connector

RedPanda connector

Snowflake connector

S3 connector

ᐱ

Overview

SQL best practices

Query parameters

ᐱ

Overview

API gateways

Materialized Views

Copy Pipes

S3 Sink

Start building

Sign In