

Verified Example URLs for the Analyzer

What to type, what to tick, what the model will say

September 2026

All results below were produced by the shipped checkpoints on 17 Sept 2026 (baseline trained 2026-09-16 21:46, robust 2026-09-16 22:02). The same list is available in the **Load an example** dropdown on the Analyze page, which also pre-ticks the suggested “unavailable” segments.

“Ground truth” is the label in the PhiUSIIL test split (never used for training) or *hand-written* for URLs that are not in the dataset. Strategy names are the radio buttons on the Analyze page:

- **None** = “None (blank the segment)” — baseline model
- **Marker** = “Explicit [MISSING] marker” — baseline model
- **Mitigation** = “Training with incomplete examples” — robust model

Legitimate URLs

URL	Ground truth	Complete	Tick <i>subdomain + scheme</i> → None	→ Mitigation
<code>https://www.wikipedia.org</code>	hand-written	Legitimate 0.1 %	Phishing 99 % (wrong)	Legitimate 2 %
<code>https://www.readersdigest.co.uk</code>	legitimate	Legitimate 0.1 %	Phishing 100 % (wrong)	Legitimate 7 %
<code>https://www.lanazione.it</code>	legitimate	Legitimate 0.1 %	Phishing 100 % (wrong)	Legitimate 3 %
<code>https://www.csas.ed.ac.uk</code>	legitimate	Legitimate 0.1 %	Legitimate 27 %	Legitimate 1 %

These show the research effect in one click: remove `www` and `https` and the baseline model collapses; the robust model does not.

Phishing URLs

URL	Ground truth	Complete	Tick <i>path + scheme</i> → None	→ Mitigation
<code>https://veriify-confirm-info.start.page/</code>	phishing	Phishing 100 %	Phishing 100 %	Phishing 99.9 %

URL	Ground truth	Complete	Tick <i>path + scheme</i> → None	→ Mitigation
<code>http://www.altiusinstitute.in/ss/delvqe&&wpums8/bellzall.php?email=</code>	phishing	Phishing 100 %	Phishing 98 %	Phishing 99.9 %
<code>https://wallets-2mz.pages.dev/</code>	phishing	Phishing 100 %	Phishing 99 %	Phishing 100 %
<code>http://www.kovacekr.ga</code>	phishing	Phishing 100 %	Legitimate 0.1 % (missed)	Phishing 95 %

The last row is the mirror image of the legitimate cases: with path and scheme unavailable the baseline model misses the phishing URL; the robust model catches it.

Hand-written phishing-style URLs

URL	Complete	Any segments unavailable
<code>http://secure-login.paypa1-verify.tk/account/update.php?id=99</code>	Phishing 100 %	Phishing ≥ 99 % with domain+scheme, tld, path+query or subdomain+scheme+path unavailable (both models); the WAF also flags the equivalent request
<code>http://appleid-apple.com-secure-check.xyz/login</code>	Phishing 100 %	Phishing ≥ 97 % under the same masks
<code>http://192.168.10.5/admin/verify.php</code>	Phishing 100 %	Phishing ≥ 95 % under the same masks

Known limitation — show it deliberately

URL	Result	Why
<code>https://www.github.com/login</code>	Phishing 100 % (false positive)	No legitimate URL in the PhiUSIIL training data has a path; the model learned “path $\Rightarrow$ phishing”. Same for <code>https://www.amazon.in/gp/help/customer/display.html</code> .

This is a property of the dataset, documented in `README.md §12`. The training pipeline accepts any other url,label CSV via `scripts/fetch_phishing_dataset.py --from-csv`, which is how this would be fixed in a follow-up.

WAF request examples (bottom of the Analyze page)

Method / path	Query (one per line)	Expected
GET /search	q=<script>alert(1)</script>	Anomalous (score $\approx$ 7.4, threshold 3.06)
GET /login	id=' OR '1'='1	Anomalous ($\approx$ 6.4)
GET /download	file=../../../../etc/passwd	Anomalous ($\approx$ 5.5)
GET /search	q=hello world	Normal ($\approx$ 2.6)
GET /products	page=1 and sort=asc	Normal ($\approx$ 2.2)

The anomaly score is the mean next-token negative log-likelihood under a model trained only on benign requests — “how unusual is this request”, not “is this phishing”.

Invalid inputs (the UI must show an error, not crash)

Input	Expected message
empty box	“Enter a URL to analyze.”
not a url (has a space)	422 — “URL contains whitespace or control characters”
http://	422 — “URL has no host”
3,000-character URL	422 — “URL is longer than 2048 characters”
wrong API key	401 — “Unauthorized”