

Frontend Assignment

Part 1: Web Designing

Part 2: Advance JavaScript

Part 3: ReactJs

Module 1) – Foundation

Do search for web-site, http, URL etc given topics in lecture.

Module 2) Fundamentals of IT


Do search for domain, hosting, SEO etc.

Module 3) HTML

- Are the HTML tags and elements the same thing?
- What are tags and attributes in HTML?
- What are void elements in HTML? With Example.
- What are HTML Entities? With Example.
- What are different types of lists in HTML? With Example.
- What is the 'class' attribute in HTML? With Example.
- What is the difference between the 'id' attribute and the 'class' attribute of HTML elements? With Example.
- What are the various formatting tags in HTML?
- How is Cell Padding different from Cell Spacing? With Example.
- How can we club two or more rows or columns into a single row or column in an HTML table? With Example.
- What is the difference between a block-level element and an inline element?
- How to create a Hyperlink in HTML? With Example.
- What is the use of an iframe tag? With Example.
- What is the use of a span tag? Explain with example?
- How to insert a picture into a background image of a web page? With Example.
- How are active links different from normal links?
- What are the different tags to separate sections of text?
- What is SVG?
- What is difference between HTML and XHTML?
- What are logical and physical tags in HTML?

- Create below example using only HTML tags without CSS.


Home	about	contact	help	store	download app
----------------------	-----------------------	-------------------------	----------------------	-----------------------	------------------------------




contact-us-page

Contact Us

first-name <input type="text" value="Enter your name"/> Email -id <input type="text" value="enter your email id"/> city <input type="text" value="Ahmedabad"/>	last-name <input type="text" value="Enter your name"/> Phone-no <input type="text" value="enter your phone no."/> Gender <input type="radio"/> MALE <input type="radio"/> FEMALE <input type="radio"/> OTHER
--	--







Module 4) CSS and CSS 3

- What are the benefits of using CSS?
- What are the disadvantages of CSS?
- What is the difference between CSS2 and CSS3?
- Name a few CSS style components
- What do you understand by CSS opacity?
- How can the background color of an element be changed?
- How can image repetition of the backup be controlled?
- What is the use of the background-position property?
- Which property controls the image scroll in the background?
- Why should background and color be used as separate properties?
- How to center block elements using CSS1?
- How to maintain the CSS specifications?
- What are the ways to integrate CSS as a web page?
- What is embedded style sheets?
- What are the external style sheets?
- What are the advantages and disadvantages of using external style sheets?
- What is the meaning of the CSS selector?
- What are the media types allowed by CSS?
- What is the rule set?

- Create image gallery using display grid with responsive




- Create below example with the help of clip path




https://github.com/jay-amin-tops/TOPS_WD/blob/main/02CSS/TaskHeader.psd

- Multiple background one side bg-color other side contain image as bg




https://github.com/jay-amin-tops/TOPS_WD/blob/main/02CSS/Services.psd

- Create below example using css waves generator (<https://getwaves.io/>)



https://github.com/jay-amin-tops/TOPS_WD/blob/main/02CSS/Team.psd


- Create Layouts




- Create below example responsive media query (use given link figma file)

[https://www.figma.com/file/THg3uvkrmtFxI49fZyeqki/Web_Mobile-%E2%80%94-Template-Website-\(Community\)?type=design&node-id=263%3A387&t=5kSwj12CLI7djPgW-1](https://www.figma.com/file/THg3uvkrmtFxI49fZyeqki/Web_Mobile-%E2%80%94-Template-Website-(Community)?type=design&node-id=263%3A387&t=5kSwj12CLI7djPgW-1)

Desktop -web



Mobile



Module 5) HTML5

- What are the new tags added in HTML5?
- How to embed audio and video in a webpage?
- Semantic element in HTML5?
- Canvas and SVG tags

Module 6) JAVASCRIPT BASIC & DOM

(Basic logic Question)

- Q.1 What is JavaScript. How to use it?
- Q.2 How many type of Variable in JavaScript?
- Q.3 Define a Data Types in js?
- Q.4 Write a mul Function Which will Work Properly When invoked With Following Syntax.
- Q.5 What the deference between undefined and undeclare in JavaScript?
- Q.6 Using console.log() print out the following statement: The quote 'There is no exercise better for the heart than reaching down and lifting people up.' by John Holmes teaches us to help one another. Using console.log() print out the following quote by Mother Teresa:
- Q.7 Check if typeof '10' is exactly equal to 10. If not make it exactly equal?
- Q.8 Write a JavaScript Program to find the area of a triangle?
- Q.9 Write a JavaScript program to calculate days left until next Christmas?
- Q.10 What is Condition Statement?
- Q.11 Find circumference of Rectangle formula : $C = 4 * a$?
- Q.12 WAP to convert years into days and days into years?
- Q.13 Convert temperature Fahrenheit to Celsius? (Conditional logic Question)
- Q.14 Write a JavaScript exercise to get the extension of a filename.?
- Q.15 What is the result of the expression $(5 > 3 \ \&\& \ 2 < 4)$?
- Q.16 What is the result of the expression $(\text{true} \ \&\& \ 1 \ \&\& \ \text{"hello"})$?
- Q.17 What is the result of the expression $\text{true} \ \&\& \ \text{false} \ || \ \text{false} \ \&\& \ \text{true}$?
- Q.18 What is a Loop and Switch Case in JavaScript define that ?
- Q.19 What is the use of is Nan function?
- Q.20 What is the difference between $\&\&$ and $||$ in JavaScript?
- Q.21 What is the use of Void (0)?
- Q.22 Check Number Is Positive or Negative in JavaScript?
- Q.23 Find the Character Is Vowel or Not ?
- Q.24 Write to check whether a number is negative, positive or zero?
- Q.25 Write to find number is even or odd using ternary operator in JS?
- Q.26 Write find maximum number among 3 numbers using ternary operator in JS?
- Q.27 Write to find minimum number among 3 numbers using ternary operator in JS?

Q.28 Write to find the largest of three numbers in JS?

Q.29 Write to show

- i. Monday to Sunday using switch case in JS?
- ii. Vowel or Consonant using switch case in JS?

(Conditional looping logic Question)

Q.30 What are the looping structures in JavaScript? Any one Example?

Q.31 Write a print 972 to 897 using for loop in JS?

Q.32 Write to print factorial of given number?

Q.33 Write to print Fibonacci series up to given numbers?

Q.34 Write to print number in reverse order e.g.: number = 64728 ---> reverse = 82746 in JS?

Q.35 Write a program make a summation of given number (E.g., 1523 Ans: - 11) in JS?

Q.36 Write a program you have to make a summation of first and last Digit. (E.g., 1234 Ans: - 5) in JS?

Q.37 Use console.log() and escape characters to print the following pattern in JS?

```
1 1 1 1 1
2 1 2 4 8
3 1 3 9 27
4 1 4 16 64
5 1 5 25 125
```

Q.38 Use pattern in console.log in JS?

```
1) 1
    1 0
    1 0 1
    1 0 1 0
    1 0 1 0 1
```

```
2) A
    B C
    D E F
    G H I J
    K L M N O
```

```
3) 1
    2 3
    4 5 6
    7 8 9 10
    11 12 13 14 15
```

```
4) *
    * *
    * * *
    * * * *
    * * * * *
```

Q.39 Accept 3 numbers from user using while loop and check each numbers palindrome?

(Array and object Question)

Q.40 Write a JavaScript Program to display the current day and time in the following format.

Sample Output: Today is Friday. Current Time is 12 PM: 12 : 22 2 ?

Q.41 Write a JavaScript program to get the current date?

Q.42 Write a JavaScript program to compare two objects?

Q.43 Write a JavaScript program to convert an array of objects into CSV string?

Q.44 Write a JavaScript program to capitalize first letter of a string?

Q. 45 Write a JavaScript program to determine if a variable is array?

Q.46 Write a JavaScript program to clone an array?

Q.47 What is the drawback of declaring methods directly in JavaScript objects?

Q.48 Print the length of the string on the browser console using console.log()?

Q.49 Change all the string characters to capital letters using toUpperCase() method?

Q.50 What is the drawback of declaring methods directly in JavaScript objects?

Q.51 Write a JavaScript program to get the current date. Expected Output : mm-dd-yyyy, mm/dd/yyyy or dd-mm-yyyy, dd/mm/yyyy?

Q.52 Use indexOf to determine the position of the first occurrence of a in 30 Days Of JavaScript?

Q.53 Use lastIndexOf to determine the position of the last occurrence of a in 30 Days Of JavaScript?

Q.54 Form Validation in JS?

Q.55 Form in Email, number, Password, Validation?

Q.56 Dynamic Form Validation in JS?

Q.57 how many type of JS Event? How to use it ?

Q.59 What is Bom vs Dom in JS?

Q.60 Array vs object defences in JS?

Q.61 Split the string into an array using split() Method?

Q.62 Check if the string contains a word Script using includes() method?

Q.63 Change all the string characters to lowercase letters using toLowerCase() Method.

Q.64 What is Character at index 15 in '30 Days of JavaScript' string? Use charAt() method.

Q.65 copy to one string to another string in JS?

Q.66 Find the length of a string without using libraryFunction?

- What is JavaScript?
- What is the use of isNaN function?
- What is negative Infinity?
- Which company developed JavaScript?
- What are undeclared and undefined variables?
- Write the code for adding new elements dynamically?
- What is the difference between ViewState and SessionState?
- What is === operator?
- How can the style/class of an element be changed?
- How to read and write a file using JavaScript?
- What are all the looping structures in JavaScript?
- How can you convert the string of any base to an integer in JavaScript?
- What is the function of the delete operator?
- What are all the types of Pop up boxes available in JavaScript?
- What is the use of Void (0)?

- How can a page be forced to load another page in JavaScript?
- What are the disadvantages of using innerHTML in JavaScript?
- Create password field with show hide functionalities

Enter Password :

☐ show password

- Create basic math operation in JS

Maths Operations

Enter 1st number :

Enter 2nd number :

+

-

*

/

%

Answer is : 55

- Create result

Marksheet for Information Technology


Enter Marks

1. C Language	<input type="text" value="34"/>
2. C++ Language	<input type="text" value="44"/>
3. Database	<input type="text" value="22"/>
4. HTML	<input type="text" value="33"/>
5. CSS	<input type="text" value="45"/>
6. php	<input type="text" value="44"/>
7. Core java	<input type="text" value="50"/>

Result


Total is : 272 / 350 Percentage is : 78 %

- Create a slider using JavaScript




Module 7) JQuery Basic, Effects & Advanced

- What is jQuery?
- How to Apply CSS Using JQuery, How to Add Class and Remove Class in JQuery, JQuery Animation?
- How to create slider with animation?
- Event bubbling tickling example



Module 8) Bootstrap Basic & Advanced

- What are the advantages of Bootstrap?
- What is a Bootstrap Container, and how does it work?



- What are the default Bootstrap text settings?
- What do you know about the Bootstrap Grid System?
- What is the difference between Bootstrap 4 and Bootstrap 5
- What is a Button Group, and what is the class for a basic Button Group?
- How can you use Bootstrap to make thumbnails?
- In Bootstrap 4, what is flexbox?
- How can one create an alert in Bootstrap?
- What is a bootstrap card and how would you create one?

Advance JavaScript for Front-End

Introduction and Code Quality

- Write a program to Show an alert
- What will be the result for these expressions?

1. `5 > 4`
2. `"apple" > "pineapple"`
3. `"2" > "12"`
4. `undefined == null`
5. `undefined === null`
6. `null == "\n0\n"`
7. `7. null === +"\n0\n"`

- Will alert be shown?

```
if ("0") { alert( 'Hello'); }
```

- What is the code below going to output? `alert(null || 2 || undefined);`
- The following function returns true if the parameter age is greater than 18. Otherwise it asks for a confirmation and returns its result:

function

checkAge(age)

```
{  
    if (age > 18) { return true; }  
  
    else {  
        // ...return confirm ('did parents allow you?');  
    }  
}
```

- Replace Function Expressions with arrow functions in the code below:

Function

ask(question, yes, no)

```
{ if (confirm(question))yes();  
    else  
    no();  
}  
ask("Do you agree?", function()  
  
    { alert("You agreed."); },  
  
function() {  
  
    alert("You canceled the execution."); }  
  
}
```

Data Types and Objects

- Write the code, one line for each action:
 - a) Create an empty object user.
 - b) Add the property name with the value John.
 - c) Add the property surname with the value Smith.
 - d) Change the value of the name to Pete.
 - e) Remove the property name from the object.

- Is array copied?

```
let fruits = ["Apples", "Pear", "Orange"]; // push a new value into the "copy" let  
shoppingCart = fruits; shoppingCart.push("Banana"); // what's in fruits?
```

```
alert( fruits.length ); // ?
```

- Map to names

```
let john = { name: "John", age: 25 }; let pete = { name: "Pete", age: 30 }; let mary =  
{ name: "Mary", age: 28 }; let users = [ john, pete, mary ]; let names = /* ... your  
code */ alert( names ); // John, Pete, Mary
```

- Map to objects

```
let john = { name: "John", surname: "Smith", id: 1 }; let pete = { name: "Pete",  
surname: "Hunt", id: 2 }; let mary = { name: "Mary", surname: "Key", id: 3 }; let  
users = [ john, pete, mary ]; let usersMapped = /* ... your code ... */
```

```
/*
```

```
usersMapped = [
```

```
  { fullName: "John Smith", id: 1 },
```

```
  { fullName: "Pete Hunt", id: 2 },
```

```
  { fullName: "Mary Key", id: 3 }
```

```
]
```

```
*/ alert( usersMapped[0].id ) // 1 alert( usersMapped[0].fullName ) // John Smith
```

- Sum the properties There is a salaries object with arbitrary number of salaries. Write the function `sumSalaries(salaries)` that returns the sum of all salaries using `Object.values` and the `for..of` loop. If salaries is empty, then the result must be 0.

```
let salaries = {
```

```
  "John": 100,
```

```
  "Pete": 300,
```

```
  "Mary": 250
```

```
};
```

```
alert( sumSalaries(salaries) ); // 650
```

- Destructuring assignment We have an object: Write the Destructuring assignment that reads:
 - a) Name property into the variable name.
 - b) Year's property into the variable age.
 - c) isAdmin property into the variable isAdmin (false, if no such property)
 - d) let user = { name: "John", years: 30};
- Turn the object into JSON and back Turn the user into JSON and then read it back into another variable.

```
user = { name: "John Smith", age: 35};
```

Document, Event and Controls



- Create a program to hide/show the password
- Create a program that will select all the classes and loop over and whenever i click the button the alert should show
- Create a responsive header using proper JavaScript
- Create a form and validate using JavaScript
- Create a modal box using css and Js with three buttons
- Use external js library to show slider
- Prevent the browser when i click the form submit button

New Request

- What is JSON
- What is promises
- Write a program of promises and handle that promises also
- Use fetch method for calling an api <https://fakestoreapi.com/products>
- Display all the product from the api in your HTML page

JavaScript Essentials

- Calculate subtotal price of quantity in JavaScript?


Product Info	Quantity	Price (per unit)	Price (subtotal)	
 Fortunata Window Hardware - Decorative Holdbacks - Mocha	2	\$29.99	\$59.98	Remove
 Woven Trellis Window Hardware - Clip Rings - Bronze	1	\$12.99	\$12.99	Remove
			\$72.97	

- What is JavaScript Output method?
- How to used JavaScript Output method?
- How to used JavaScript Events to do all examples?

ReactJs

MODULE: 9 ReactJs Intro

- What is React Js?
- What is NPM in React Js?
- What is Role of Node Js in react Js?
- What is CLI command In React Js?
- What is Components in React Js?
- What is Header and Content Components in React Js?
- How to install React Js on Windows, Linux Operating System? How to Install NPM and How to check version of NPM?
- How to check version of React Js?
- How to change in components of React Js?
- How to Create a List View in React Js?



- Create Increment decrement state change by button click?




MODULE: 10 List and Hooks

- Explain Life cycle in Class Component and functional component with Hooks

MODULE: 11 Styling & Advance React

- Create Shopping site home page with Styled- component




MODULE: 12 React Router

- Create React app with modules and lazy loading (Admin-user module with child Router and outlet)

MODULE: 13 React – Applying Redux

- What is Redux?
- What is Redux Thunk used for?
- What is Pure Component? When to use Pure Component over Component?
- What is the second argument that can optionally be passed to `setState` and what is its purpose?
- Create a Table and Search data from table using React Js?



The screenshot shows a web browser window with the URL `localhost/php-ajax-crud-level-1.5/`. The page displays a search results interface for 'shirt'. At the top, there is a search bar with the text 'shirt' and a magnifying glass icon. To the right of the search bar is a blue button labeled '+ Create Product'. Below the search bar is a table with the following data:

Name	Price	Category	Action
Amanda Waller Shirt Men	\$333	Fashion	<button>Read</button> <button>Edit</button> <button>Delete</button>
Abercrombie Allen Brook Shirt	\$70	Fashion	<button>Read</button> <button>Edit</button> <button>Delete</button>
Abercrombie Lake Arnold Shirt	\$60	Fashion	<button>Read</button> <button>Edit</button> <button>Delete</button>
Bench Shirt	\$29	Fashion	<button>Read</button> <button>Edit</button> <button>Delete</button>

- Create Login registration with CRUD Application using API (Redux)