

Enhancing Efficiency of Wind Farm Energy using Digital Twin Technology

Jesline Daniel

Dept. of Computing Technologies
School of Computing
SRM Institute of Science and
Technology

Kattankulathur, India
jeslined@srmist.edu.in

Harshit Ravindra Kulkarni

Dept. of Computing Technologies
School of Computing
SRM Institute of Science and
Technology

Kattankulathur, India
hk0534@srmist.edu.in

Sanchi Mahajan

Dept. of Computing Technologies
School of Computing
SRM Institute of Science and
Technology

Kattankulathur, India
sm1586@srmist.edu.in

Sugam Bhardwaj

Dept. of Computing Technologies
School of Computing
SRM Institute of Science and
Technology

Kattankulathur, India
sb6171@srmist.edu.in

Habibur Rahman

Dept. of Computing Technologies
School of Computing
SRM Institute of Science and
Technology

Kattankulathur, India
hr8060@srmist.edu.in

Shikhar Agrawal

Dept. of Computing Technologies
School of Computing
SRM Institute of Science and
Technology

Kattankulathur, India
sa0866@srmist.edu.in

Abstract— Using digital twin technology, the project presents a novel technique for wind farm monitoring and maintenance. This technique seeks to revolutionize wind farm management by assuring optimal performance, efficiency, and lifespan. The use of digital twin technology provides a virtual duplicate of the complete wind farm that is constantly updated with real-time data from sensors located around the facility. This allows for a highly accurate depiction of physical assets and their operating condition, supporting real-time performance evaluation, predictive maintenance, problem detection, energy optimization, and environmental impact reduction. The digital twin provides instantaneous performance evaluations by using sensor data, detecting underperforming turbines and forecasting possible breakdowns. It also plans maintenance tasks based on historical and real-time data, reducing downtime and operational costs while increasing dependability and safety. The digital twin improves defect detection by leveraging modern analytics and machine learning, hence increasing the overall dependability of the wind farm.

Keywords—Time-series, Wind power forecasting, Digital Twin Technology, Wind Farm Monitoring, Predictive Maintenance, Real-time Performance Assessment, Fault Detection, Energy Optimization, Environmental Impact Reduction

I. INTRODUCTION

Wind farms, which harness the natural power of the wind to create clean electricity, are critical contributors to the global transition towards sustainable and renewable energy sources. As the quantity and magnitude of these enormous fields of towering turbines continues to rise, so do the challenges of their management and maintenance. It is becoming increasingly important to ensure the maximum efficiency and lifetime of these key installations. This need has prepared the way for the incorporation of digital twin technology, which offers a viable answer to the complex issues encountered in the wind energy sector. The merging of physical and digital domains has given rise to the unique notion of digital twin technology, which is set to revolutionize wind farm administration and supervision. The virtual duplicates, of current wind farms and their components, are created to allow for real-time monitoring and predictive forecasting of farm operations.

This technology advancement provides wind farm operators and stakeholders with unprecedented access to precise and previously unreachable information about the operation and condition of wind turbines and associated equipment.

This investigation digs at the potential revolution that monitoring and predicting wind farms with digital twin technology provides. This investigation seeks to explore how digital twins significantly influence wind farm management by examining the fundamental principles of digital twin technology, its multifaceted benefits to the wind energy sector, and the profound implications for sustainability and energy efficiency. The adoption of this cutting-edge technology not only promises increased operating efficiency and less downtime, but also a clear path towards a cleaner, more sustainable energy future.

II. CONCEPT OVERVIEW

Despite the inherent complexity of its technology, the implementation of "Monitoring Wind Farm Using Digital Twin" focuses on assuring practical usage. The system is designed with a user-friendly interface that provides a simple dashboard for users to comprehend and visualize data acquired using digital twin technology.

This easy-to-use interface provides wind farm managers and stakeholders with critical information on individual turbine performance, farm status, and possible issues. Furthermore, the platform offers straightforward tools for real-time evaluation, predictive maintenance scheduling, and issue identification. Users may efficiently traverse the data, generating insights that allow for swift decision-making to optimize energy generation and handle maintenance needs. This streamlined system design contributes to successful wind farm management by catering to a wide variety of stakeholders, including technicians, engineers, and decision-makers of all technical backgrounds.

Overall, simplicity of the work originates from its straightforward interface, accessible tools, and simplified data visualization, guaranteeing that the benefits of digital twin technology can be efficiently harnessed for increased wind farm monitoring and maintenance.

III. LITERATURE REVIEW

In recent years, the wind energy industry in Europe has experienced notable expansion and development [1]. The need to switch to renewable energy sources has increased attention on wind energy production's sustainability, dependability, and efficiency. The application of digital twin technology to wind farm forecast and monitoring has drawn interest as a means of meeting these expectations.

Digital twins have the potential to completely transform the wind energy industry since they are sophisticated virtual copies of real-world settings and assets. The increase of renewable energy sources globally is emphasized in IRENA's Renewable Capacity Highlights for 2022, with a particular focus on the growing significance of wind power [2]. This emphasizes how cutting-edge technologies are required to effectively capture wind energy. In line with the objective of optimizing the output of renewable energy, digital twin systems offer a possible option by enabling the understanding of real-time into turbine performance and helps to support maintenance.

Suslov [3] examined how power supply systems have evolved in distant locales, which highlights the difficulty of maintaining a steady supply of energy in these kinds of places. By providing a thorough understanding of power generation and consumption, digital twin technology can be extremely helpful in addressing these issues and facilitating improved management and resource optimization.

Furthermore, the importance of switching to renewable energy sources is emphasized in Russia's Energy Strategy for 2035 [4]. The goals of modernizing the energy industry, improving energy efficiency, and lessening environmental effect are all in line with digital twin technology.

A recent article by Nikitina [5] and other media coverage demonstrate the increasing interest in digital twins, especially in the electric power sector. Digital twins have the power to completely transform maintenance and monitoring procedures, resulting in higher operational effectiveness and lower downtime.

IV. SCOPE OF WORK CONDUCTED

The work intends to revolutionize wind farm management by enabling real-time evaluation, predictive maintenance, defect detection, energy optimization, and contributing to a more sustainable and effective approach to renewable energy generation.

A. Implementation of Digital Twins

The creation of virtual duplicates of complete wind farms, individual turbines, infrastructure, and environmental conditions. These replicas are updated in real time using sensor data to create a very realistic picture of physical assets and their operational state. Immediate examination of turbine performance utilizing sensor data to quickly detect underperforming turbines and forecast possible problems.

B. Predictive Maintenance and Fault Detection

Using historical and real-time data to schedule maintenance proactively depending on turbine status. For enhanced problem identification and diagnostics, advanced analytics and machine learning algorithms are incorporated, with the goal of increasing dependability, ensuring safety, and reducing downtime and operational costs. Analysis of real-

time data to optimize energy output by making appropriate modifications in response to changing weather conditions. This initiative increases turbine lifespan and minimizes operating wear and tear, enhancing energy efficiency and lowering wind farm environmental impact.

C. Sustainability and Environment

Fostering more sustainable and environmentally friendly renewable energy generation by improving operational efficiency, decreasing downtime, and optimizing energy output.

D. User Friendly Interface and Data Visualization

Creating an easy-to-use interface that provides stakeholders with essential information regarding turbine performance, possible issues, and farm status. This accessibility appeals to a wide range of stakeholders, from operators to decision-makers, without requiring substantial technical knowledge.

V. METHODOLOGY

When monitoring wind farms using digital twin technology, several types of data collection methods are employed.

Vibration Sensors: These sensors detect vibrations in wind turbine components (such as blades, gearbox, and generator). Unusual vibrations can indicate faults or wear.

Temperature Sensors: Monitoring temperature helps identify overheating or abnormal conditions.

Pressure Sensors: Used to monitor hydraulic systems, lubrication, and cooling.

Historical Data: Historical data from past turbine performance, maintenance logs, and failure events are essential for training and validating digital twin models.

The "MDLinear" technique is an expansion of the "DLinear" method, which is useful for predicting time series data. DLinear works with single sets of data, creating projections independent of each characteristic. It divides time series into trends and residuals, then uses two linear networks to analyse each component individually before combining the results for the final forecast.

MDLinear shown in Fig. 1. enhances this by introducing additional linear layers to integrate information from all accessible input features. Unlike the original DLinear, which depends only on historical target time series values, MDLinear improves on this by including supplemental information from all input characteristics. This aids in obtaining more extensive data and boosting predicting accuracy.




Fig. 1. Breakdown of MDLinear Method

The Extreme Temporal Gated Network (XTGN) is a system for analyzing complicated patterns in wind power data, with forecasting being treated as a pattern recognition job. It employs a system that uses a Temporal Convolutional Network (TCN) to extract significant patterns from data. Wind power generation data frequently contains abrupt and unpredictable swings, making reliable projections difficult.

TCN is used in this approach, which involves stacked dilated causal convolution layers. TCN, in contrast to typical Recurrent Neural Networks (RNNs), avoids concerns such as the vanishing gradient problem and excessive time consumption, making it more successful in capturing long-term trends in wind power data. It improves the capacity to anticipate wind power output despite its unexpected fluctuations and rapid changes caused by variables by swiftly recognizing and generalizing these patterns.

VI. RESULTS

Design and Implementation of the Digital Twin Platform Architecture: This assignment entails the idea, design, and setup of the digital twin platform's basic architecture. It includes the structural foundation that describes how the digital twin will be organized, how data will be handled, and how the system's components will interact in order to digitally recreate the wind farm.

Sensor and data source integration for real-time data collection: The incorporation of sensors and data sources is crucial for real-time data collecting from the physical wind farm. An array of sensors is linked in this process to monitor factors such as wind speed, temperature, turbine performance, and environmental conditions. These sensors capture current, real-time data indefinitely, establishing the foundation for a realistic depiction of the actual world.

Predictive Maintenance Algorithms and Anomaly Detection: It is critical to develop predictive maintenance algorithms and systems for anomaly detection in order to improve the digital twin's capacity to avoid equipment breakdowns. These algorithms analyze real-time data to predict probable problems or abnormalities in the functioning of the wind farm. Early detection of abnormalities allows for proactive maintenance suggestions, lowering risks and minimizing downtime.




Fig. 2. Theoretical Power vs Wind Power




Fig. 3. Active Power vs Wind Speed

The performance digital twin becomes uncertain because (UPDT) is probabilistic, considering uncertainties. It's trained using sensor data from an actual turbine. The UPDT predicts turbine behavior and provides health assessment results.

Fault Detection Capability: The digital twin detects anomalies by comparing UPDT outputs to the training distribution. If an output has low probability, it's flagged as an anomaly.

Wind Farm Operations Simulation and Identifying Efficiency Improvements: Wind farm operations simulation inside a digital twin environment allows for the research and testing of various scenarios. The system can identify possible efficiency improvements by simulating wind turbines, their interconnections, and environmental variables. These models can help you optimize energy output, respond to issues, and improve overall wind farm performance. The theoretical power curve in Fig. 2. represents the maximum power output a wind turbine can achieve under ideal conditions whereas actual wind power output depends on real-world conditions, including wind speed variations, turbulence, and mechanical losses. Actual power output in Fig 3. may deviate from the theoretical curve due to factors like wake effects and blade pitch adjustments.

VII. CONCLUSION AND FUTURE WORK

The introduction of digital twin technologies into wind farm monitoring and prediction is a significant step towards optimizing, sustaining, and increasing the efficiency of wind energy output. This technology provides real-time perceptions into performance of turbine, predictive preservation capabilities, and widespread data analysis, assuring the safe and responsible operation of wind farms. It contributes to a more ecologically friendly energy landscape by addressing issues in data integration, safety, environmental compliance, and scalability. As the field of wind farm monitoring and prediction utilizing digital twins advances, numerous areas require more investigation and Development.

Advanced Predictive Models: Improving predictive maintenance algorithms to enable more accurate and early identification of equipment faults, resulting in less downtime and lower maintenance costs.

Edge Computing: Investigating the potential of edge computing for on-site data processing, latency reduction, and real-time monitoring.

Cybersecurity: Improving cybersecurity measures to protect sensitive data and guarantee the digital twin system's integrity.

Hybrid Energy Systems: Extending the use of digital twin to include hybrid energy systems, which integrate wind and solar energy sources for a more varied renewable energy portfolio.

Environmental effect Mitigation: Creating more advanced technologies for assessing environmental effect in order to reduce wind farms' ecological footprint.

User-Centered Design: Continuing to enhance user interfaces to better serve the different demands of wind farm operators, maintenance teams, and regulatory agencies, with the goal of eventually increasing user experience and accessibility.

There are also other limitations that can be addressed which include:

Data Volume and Quality: Collecting and processing large volumes of real-time data from sensors can be resource-intensive. Ensuring data accuracy, reliability, and consistency is crucial.

Data Latency: Real-time data transmission and processing introduce latency. Delays can impact decision-making and responsiveness.

Data Integration: Integrating data from diverse sources (e.g., sensors, historical records, environmental data) can be complex.

Model Complexity: Developing accurate digital twin models requires expertise in physics, engineering, and data science. Complex models may be computationally expensive.

REFERENCES

- [1] Ivan, K.; Guy, B.; Daniel, F.; Lizet, R. Wind Energy in Europe-2021 Statistics and the Outlook for 2022–2026. 2022. Available online: <https://windeurope.org/intelligence-platform/product/wind-energy-in-europe-2021-statistics-and-the-outlook-for-2022-2026/#interactive-data> (accessed on 25 March 2022).
- [2] IRENA. IRENA 2022 Renewable Capacity Highlights. 2022. Available online: https://www.irena.org/-/media/Files/IRENA/Agency/Publication/2022/Apr/IRENA_RE_Capacity_Highlights_2022.pdf?hash=6122BF5666A36BECD5AAA2050B011ECE255B3BC7 (accessed on 25 March 2022).
- [3] Suslov, V. Development of power supply systems of Russian isolated territories using renewable energy sources. *Proc. Irkutsk State Tech. Univ.* 2017, 21, 131–142.
- [4] Collection of Legislation of the Russian Federation. Energy Strategy of the Russian Federation for the Period Up to 2035. 2020. Available online: <http://static.government.ru/media/files/w4sigFOiDjGVdYT4lgsApssm6mZRb7wx.pdf> (accessed on 25 March 2022).
- [5] Nikitina, E. Caught in the Net: How Digital Twins Work in the Electric Power Industry. 2022. Available online: <https://pro.rbc.ru/news/5db1b59a9a79474bb142a3fe> (accessed on 25 March 2022).
- [6] Magazine “ISUP”. Digital Twin, Industry 4.0. Informatization and Control Systems in Industry. 2018. Available online: <https://zen.yandex.ru/media/isup/cifrovoi-dvoinik-industrii-40-5b83b7155b279900a96c54e8> (accessed on 25 March 2022).
- [7] Garfinkel, J. Gartner Identifies the Top 10 Strategic Technology Trends for 2019 Gartner Tech. Rep. 2018. Available online: <https://www.gartner.com/en/newsroom/press-releases/2018-10-15-gartner-identifies-the-top-10-strategic-technology-trends-for-2019> (accessed on 25 March 2022).