# Python Programming Interview Questions

#### **INSTRUCTIONS:**

- 1. You can use internet and all the resources at your disposal.
- 2. Please use Python 2.7 to answer all the questions.
- 3. Please do Q1 & Q6 in individual python files. You can do all other questions in one python file.
- 4. To reformat or write your code please feel free to use any external library that can be pip installed.
- 5. Presentation and ease of deployment of your answers matter.
- 6. Please zip and mail or link to your GitHub repo.
- 7. Please do not share these questions on the internet

### TIPS:

- 1. Consider scalability/code re-use
- 2. Questions are open-ended for a purpose, try to think how they could fit in a bigger picture

### QUESTIONS:

- 1. Write a new class with following requirements
  - a. To store a list of items
  - b. A method to return all unique items from the list
  - c. A method to return all items and their frequency
  - d. Should be able to append/insert new items to the list
- 2. Write a function that takes string as input.
  - a. Output to be int/float/string depending if the string can be converted to float or integer type
  - b. Example:

```
def convert(a=''):
.....
return converted_value
>>> type(convert('1'))
<type 'int'>
>>> type(convert('1.0'))
<type 'float'>
>>> type(convert('asd'))
<type 'str'>
```

3. Reformat this code to be more elegant

```
abc = ['dog', 'Fido', 10]

animal = abc[0]

name = abc[1]

age = abc[2]


output = ('{name} the {animal} is {age} years old'.format(

animal=animal, name=name, age=age))
```

- 4. Implement a method that takes 3 numbers as input and finds the minimum of the three without using the built-in min function
- 5. Reformat this code to be more elegant

```
def apply_operation(left_operand, right_operand, operator):
    if operator == '+':
        return left_operand + right_operand
    elif operator == '-':
        return left_operand - right_operand
    elif operator == '*':
        return left_operand * right_operand
    elif operator == '/':
        return left_operand / right_operand
```

- 6. Create a simple GUI of city information of California
  - See attached JSON file (ca.json), which contains information of all cities in California.
  - Use the data abstract from the JSON file to create a simple GUI for it
  - The GUI should have a filter function based on the selection of city name (selectable)
  - Display information of county full name, latitude, longitude
  - Sample GUI is shown below
  - Use any python library as needed



- 7. This is an architecture problem, please send solutions as an image (can be hand drawn) or a word art
  - a. Please see the flow chart given below
  - b. Application 2 is a blocking process

#### c. <u>Problem/Desired Solution:</u>

- i. The *Application 1* has no information on how far *Application 2* has reached.
- ii. We need a solution in a way in which *Application 1* can track and display how far Application 2 has reached

#### d. Constraints:

- i. Application 1 and Application 2 can't exchange variables/information directly once Application
   2 starts
- ii. **Application 1** can exchange any number of variables when it is initializing **Application 2** and vice versa at the end when **Application 2** ends
- iii. We control what code goes in Application 2 and do anything we want

## e. Assumptions

- i. We can assume **Application 1** is a python GUI framework
- ii. Application 2 can be anything, like COM object, another python/C/C++/java application

#### f. Note:

- i. Please justify your solution and why you think it would be the best.
- ii. Also, please elaborate your solution sufficiently.

