Name: Kulvir Singh

Register Number: 19BCE2074

# **IWP Lab Assessment 4**

## Question:

Write an HTML and PHP code to get the students details like Name, Reg No, Course, Course Code, Marks for 5 Subjects (CAT1, CAT2, DA1, DA2 and QUIZ)

- Verify if the CAT marks are greater than 30 and less than zero, show an alert message "Invalid Marks".
- If anyone of the subject mark is less than 15. Display the message via browser as "Slow Learner and Do the Extra Assignment work".
- Calculate the Internal Marks by converting CAT 1 & 2 Marks to 15 each and Add DA1, DA2, and QUIZ marks.
- Display the details in the table format including average marks.
- Sort and display the student details based on the Internal Mark.
- Calculate the CGPA and Display the details.
- Style the webpage using CSS and align the text in the center using margin. Use Different font types.

#### Code:

### Index.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>DA 4</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <h1 id="header">IWP Lab Assessment 4</h1><br>
    <form id="form" action="index.php" method="post">
        <fieldset id="personalDetails">
            <legend>Personal Details</legend>
            <label for="name">Name:</label>
            <input type="text" name="name" id="name" ><br>
            <label for="req">Req No:</label>
            <input type="text" name="reg" id="reg" ><br>
        </fieldset>
        <fieldset id="IWP">
            <leqend>Internet and Web Programming</legend>
            <label for="iwp_course">Course:</label>
            <input type="text" name="iwp_course" id="iwp_course"</pre>
><br>
            <label for="iwp_code">Course Code:</label>
            <input type="text" name="iwp_code" id="iwp_code" ><br>
            <label for="iwp_cat1">CAT 1:</label>
            <input type="number" name="iwp_cat1" id="iwp_cat1"</pre>
max="30" min="0" ><br>
            <label for="iwp_cat2">CAT 2:</label>
            <input type="number" name="iwp_cat2" id="iwp_cat2"</pre>
max="30" min="0" ><br>
            <label for="iwp_da1">DA 1:</label>
            <input type="number" name="iwp_da1" id="iwp_da1"</pre>
max="10" min="0" ><br>
            <label for="iwp_da2">DA 2:</label>
```

```
<input type="number" name="iwp_da2" id="iwp_da2"</pre>
max="10" min="0" ><br>
            <label for="iwp_quiz">Quiz:</label>
            <input type="number" name="iwp_quiz" id="iwp_quiz"</pre>
max="10" min="0" ><br>
        </fieldset>
        <fieldset id="Micro">
             <legend>Microprocessor and Interfacing</legend>
            <label for="micro_course">Course:</label>
            <input type="text" name="micro_course"</pre>
id="micro_course" ><br>
            <label for="micro_code">Course Code:</label>
             <input type="text" name="micro_code" id="micro_code"</pre>
><br>>
            <label for="micro_cat1">CAT 1:</label>
            <input type="number" name="micro_cat1" id="micro_cat1"</pre>
max="30" rmin="0" equired><br>
             <label for="micro_cat2">CAT 2:</label>
             <input type="number" name="micro_cat2" id="micro_cat2"</pre>
max="30" min="0" ><br>
             <label for="micro_da1">DA 1:</label>
            <input type="number" name="micro_da1" id="micro_da1"</pre>
max="10" min="0" ><br>
            <label for="micro_da2">DA 2:</label>
             <input type="number" name="micro_da2" id="micro_da2"</pre>
max="10" min="0" ><br>
            <label for="micro_quiz">Quiz:</label>
             <input type="number" name="micro_quiz" id="micro_quiz"</pre>
max="10" min="0" ><br>
        </fieldset>
        <fieldset id="AI">
             <legend>Artificial Intelligence</legend>
             <label for="ai_course">Course:</label>
            <input type="text" name="ai_course" id="ai_course"</pre>
><br>
            <label for="ai_code">Course Code:</label>
             <input type="text" name="ai_code" id="ai_code" ><br>
             <label for="ai_cat1">CAT 1:</label>
             <input type="number" name="ai_cat1" id="ai_cat1"</pre>
max="30" min="0" ><br>
            <label for="ai_cat2">CAT 2:</label>
```

```
<input type="number" name="ai_cat2" id="ai_cat2"</pre>
max="30" min="0" ><br>
            <label for="ai_da1">DA 1:</label>
            <input type="number" name="ai_da1" id="ai_da1" max="10"</pre>
min="0" ><br>
            <label for="ai_da2">DA 2:</label>
            <input type="number" name="ai_da2" id="ai_da2" max="10"</pre>
min="0" ><br>
            <label for="ai_quiz">Quiz:</label>
            <input type="number" name="ai_quiz" id="ai_quiz"</pre>
max="10" min="0" ><br>
        </fieldset>
        <fieldset id="OS">
            <le><legend>Operating System</legend>
            <label for="os_course">Course:</label>
            <input type="text" name="os_course" id="os_course"</pre>
><br>
            <label for="os_code">Course Code:</label>
            <input type="text" name="os_code" id="os_code" ><br>
            <label for="os_cat1">CAT 1:</label>
            <input type="number" name="os_cat1" id="os_cat1"</pre>
max="30" min="0" ><br>
            <label for="os cat2">CAT 2:</label>
            <input type="number" name="os_cat2" id="os_cat2"</pre>
max="30" min="0" ><br>
            <label for="os_da1">DA 1:</label>
            <input type="number" name="os_da1" id="os_da1" max="10"</pre>
min="0" ><br>
            <label for="os_da2">DA 2:</label>
            <input type="number" name="os_da2" id="os_da2" max="10"</pre>
min="0" ><br>
            <label for="os_quiz">Quiz:</label>
            <input type="number" name="os_quiz" id="os_quiz"</pre>
max="10" min="0" ><br>
        </fieldset>
        <fieldset id="Java">
            <leqend>Java Programming</leqend>
            <label for="java_course">Course:</label>
            <input type="text" name="java_course" id="java_course"</pre>
><br>
            <label for="java_code">Course Code:</label>
```

```
<input type="text" name="java_code" id="java_code"</pre>
><br>
            <label for="java_cat1">CAT 1:</label>
            <input type="number" name="java_cat1" id="java_cat1"</pre>
max="30" min="0" ><br>
            <label for="iava cat2">CAT 2:</label>
            <input type="number" name="java_cat2" id="java_cat2"</pre>
max="30" min="0" ><br>
            <label for="java_da1">DA 1:</label>
            <input type="number" name="java_da1" id="java_da1"</pre>
max="10" min="0" ><br>
            <label for="java_da2">DA 2:</label>
            <input type="number" name="java_da2" id="java_da2"</pre>
max="10" min="0" ><br>
            <label for="java_quiz">Quiz:</label>
            <input type="number" name="java_quiz" id="java_quiz"</pre>
max="10" min="0" ><br>
        </fieldset>
        <input type="submit" value="Submit" name="submit"</pre>
id="submit">
    </form>
    <?php
        if($ SERVER['REQUEST_METHOD'] == 'POST'){
            $name = $_POST['name'];
            $reg = $_POST['reg'];
            if($_POST['iwp_cat1'] < 15 || $_POST['iwp_cat2'] < 15</pre>
|| $_POST['micro_cat1'] < 15 || $_POST['micro_cat2'] < 15 ||
$_POST['ai_cat1'] < 15 || $_POST['ai_cat2'] < 15 ||</pre>
$_POST['nlp_cat1'] < 15 || $_POST['nlp_cat2'] < 15 ||</pre>
$_POST['java_cat1'] < 15 || $_POST['java_cat2'] < 15){</pre>
                echo 'Slow Learner and Do the Extra
Assignment work';
            echo 'Name:', $name,'';
            echo "Registration Number: $reg";
            $IWP = $_POST['iwp_cat1']*0.5 + $_POST['iwp_cat2']*0.5
+ $_POST['iwp_da1'] + $_POST['iwp_da2'] + $_POST['iwp_guiz'];
            $Micro = $_POST['micro_cat1']*0.5 +
$_POST['micro_cat2']*0.5 + $_POST['micro_da1'] +
$_POST['micro_da2'] + $_POST['micro_quiz'];
```

```
$AI = $_POST['ai_cat1']*0.5 + $_POST['ai_cat2']*0.5 +
$_POST['ai_da1'] + $_POST['ai_da2'] + $_POST['ai_quiz'];
          $0S = $_POST['os_cat1']*0.5 + $_POST['os_cat2']*0.5 +
$_POST['os_da1'] + $_POST['os_da2'] + $_POST['os_quiz'];
          $Java = $_POST['java_cat1']*0.5 +
$_POST['java_cat2']*0.5 + $_POST['java_da1'] + $_POST['java_da2'] +
$_POST['java_quiz'];
          savg = (siwP + smicro + sai + sos + sjava)/5;
          echo "IWP: " . ($_POST['iwp_cat1']*0.5 +
POST['iwp_cat2']*0.5 + POST['iwp_da1'] + POST['iwp_da2'] +
$_POST['iwp_quiz']) . "";
          echo "Micro: " . ($_POST['micro_cat1']*0.5 +
$_POST['micro_cat2']*0.5 + $_POST['micro_da1'] +
$_POST['micro_da2'] + $_POST['micro_quiz']) . "";
          echo "AI: " . ($_POST['ai_cat1']*0.5 +
$_POST['ai_cat2']*0.5 + $_POST['ai_da1'] + $_POST['ai_da2'] +
$_POST['ai_quiz']) . "";
          echo "0S: " . ($_POST['os_cat1']*0.5 +
$_POST['os_cat2']*0.5 + $_POST['os_da1'] + $_POST['os_da2'] +
$_POST['os_quiz']) . "";
          echo "Java: " . ($_POST['java_cat1']*0.5 +
$_POST['java_cat2']*0.5 + $_POST['java_da1'] + $_POST['java_da2'] +
$_POST['java_quiz']) . "";
          echo '<br><<p> 
Course Course Code Grade 
           ' . $_POST["iwp_course"] . '  ' .
$_POST["iwp_code"] . ' ' . ($_POST["iwp_cat1"]*0.5 +
$_POST["iwp_cat2"]*0.5 + $_POST["iwp_da1"] + $_POST["iwp_da2"] +
$_POST["iwp_quiz"]) . ' 
           ' . $_POST["micro_course"] . '  ' .
$_POST["micro_code"] . ' >' . ($_POST["micro_cat1"]*0.5 +
$_POST["micro_cat2"]*0.5 + $_POST["micro_da1"] +
$_POST["micro_da2"] + $_POST["micro_quiz"]) . ' 
           ' . $_POST["ai_course"] . '  ' .
$_POST["ai_code"] . ' >' . ($_POST["ai_cat1"]*0.5 +
$_POST["ai_cat2"]*0.5 + $_POST["ai_da1"] + $_POST["ai_da2"] +
$_POST["ai_quiz"]) . ' 
           ' . $_POST["os_course"] . '  ' .
$_POST["os_code"] . ' ' . ($_POST["os_cat1"]*0.5 +
$_POST["os_cat2"]*0.5 + $_POST["os_da1"] + $_POST["os_da2"] +
$_POST["os_quiz"]) . '
```

```
 ' . $_POST["java_course"] . '  ' .
$_POST["java_code"] . ' ' . ($_POST["java_cat1"]*0.5 +
$_POST["java_cat2"]*0.5 + $_POST["java_da1"] + $_POST["java_da2"] +
$_POST["java_quiz"]) . ' 
           Average   ' . ($IWP + $Micro)
+ $AI + $OS + $Java)/5 . '  <br>';
          $marks = array($IWP, $Micro, $AI, $0S, $Java);
          rsort($marks);
          $i=0;
          foreach($marks as $mark){
             echo "Rank:".($i+1)." $mark<br>";
             $i++;
          $GPA = $avq/6;
          echo "GPA: " .number_format((float)$GPA, 2, '.',
'')."";
          if($GPA>=9.0){
             echo "Grade: S";
          else if($GPA>=8.5){
             echo "Grade: A";
          else if($GPA>=8.0){
             echo "Grade: A-";
          else if($GPA>=7.5){
             echo "Grade: B";
          else if($GPA>=7.0){
             echo "Grade: C";
          else if($GPA>=6.0){
             echo "Grade: D";
          }
          else{
             echo "Grade: F";
   ?>
</body>
 /html>
```

#### Style.css

```
body {
    text-align: center;
    background-color: antiquewhite;
form {
    display: inline-block;
    width: 50%;
    background-color:lightgrey;
    color: green;
    font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida
Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif;
#header{
    font-family: Impact, Haettenschweiler, 'Arial Narrow Bold',
sans-serif;
    font-size: x-large;
    color: blue;
#remarks{
    font-size: large;
    color: red;
#details{
    font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial,
sans-serif;
    font-size: larger;
    color: darkcyan;
```

# **Output Screenshots**







