IWP LAB FAT

Name: Kulvir Singh

Register Number : 19BCE2074

Screenshots




1
2
3
4
5
6
7
8
9
0
Emergency
Cancel


localhost/phpmyadmin/index.php?route=/sql&db=19bce2074&table=19bce2074&pos=0
phpMyAdmin
Recent Favorites
New
19bce2074
New
19bce2074
dvwa
information_schema
iwp-da-5
mysql
performance_schema
phpmyadmin
test
Server: 127.0.0.1 » Database: 19bce2074 » Table: 19bce2074
Browse Structure SQL Search Insert Export Import Privileges Operations More
Show all | Number of rows: 25 Filter rows: Search this table
+ Options
pswd validity
1234 Invalid
3456 Invalid
3214 Valid
1222 Invalid
1234 Invalid
6666 Invalid
3214 Valid
7853 Invalid
1238 Invalid
3214 Valid
3214 Valid
Show all | Number of rows: 25 Filter rows: Search this table
Console
Bookmarks Options History Clear
Press Ctrl+Enter to execute query



Index.php

```php
<?php

$servername = "localhost";
$username = "root";
$dbname = "19BCE2074";

$conn = new mysqli($servername, $username, "", $dbname);

?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
```

```
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <link rel="stylesheet" href="style.css">
    <title>Lab Fat</title>
</head>
<body>

    <div>

        <form action="" method="post">
            <input type="password" maxlength=1 id="1" name="w"
required/>
            <input type="password" maxlength=1 id="a" name="x"
required />
            <input type="password" maxlength=1 id="b"
name="y"  required/>
            <input type="password" maxlength=1 id="c" name="z"
required/>
            <br><br><br>
            <button class="btn" onClick="one()">1</button>
            <button class="btn" onClick="two()">2</button>
            <button class="btn" onClick="three()">3</button> <br>
            <button class="btn" onClick="four()">4</button>
            <button class="btn" onClick="five()">5</button>
            <button class="btn" onClick="six()">6</button> <br>
            <button class="btn" onClick="seven()">7</button>
            <button  class="btn" onClick="eight()">8</button>
            <button class="btn" onClick="nine()">9</button>
<br>
            <button class="btn-z" onClick="zero()">0</button>
             <br>
            <br>

            <button class="btn-e" type="submit">Emergency</button>
      
                       
 
                       
 
                       
 
```

```
            <button class="btn-e"
onClick="reload()">Cancel</button>
            <br><br>
            <!-- <input type="submit" class="btn-e" name="submit"
value="emergency"> -->
        </form>
    </div>
    <script src="script.js"></script>
</body>
</html>

<?php
if(isset($_POST['x'])&&isset($_POST['z'])&&isset($_POST['y'])&&isse
t($_POST['w'])){
    $pass =
$_POST['w']."".$_POST['x']."".$_POST['y']."".$_POST['z'];
    if(!empty($pass)){
        $valid_password = "3214";
        $validity="Invalid";
    if($pass==$valid_password) $validity = "Valid";
    $sql = "INSERT INTO 19BCE2074 VALUES ('". $pass . "', '".
$validity . "')";
    $conn->query($sql);
    }
    else{
        $pass="3214";
        $validity="Valid";
        $sql = "INSERT INTO 19BCE2074 VALUES ('". $pass . "', '".
$validity . "')";
        $conn->query($sql);
    }

}
?>
```

Style.css

```
body{
    background-color: grey;
    margin: 10%;
}
```

```css
form{
    margin-top: 10%;
}
input{
    padding-left: 2%;
    margin-left: 3.4%;
    width: 1%;
    height: 2%;
    border: 1px solid black;
    border-radius: 50%;
    border-color: black;
    color: black;
}
.btn{
    width: 10%;
    height: 10%;
    border: 3px solid black;
    border-radius: 50%;
    border-color: black;
    color: black;
}
.btn-z{
    margin-left: 10.3%;
    width: 10%;
    height: 2%;
    border: 3px solid black;
    border-radius: 50%;
    border-color: black;
    color: black;
}
.btn-e{

}
```

Script.js

```js
function reload(){
    location.reload();
}
```

```
function one() {
    document.getElementById("result").value += 1;
}
function two() {
    document.getElementById("result").value += 2;
}
function three() {
    document.getElementById("result").value += 3;
}
function four() {
    document.getElementById("result").value += 4;
}
function five() {
    document.getElementById("result").value += 5;
}
function six() {
    document.getElementById("result").value += 6;
}
function seven() {
    document.getElementById("result").value += 7;
}
function eight() {
    document.getElementById("result").value += 8;
}
function nine() {
    document.getElementById("result").value += 9;
}
function zero() {
    document.getElementById("result").value += 0;
}
```