



△
PROJECT REPORT ON

“My EShoppingWebsite”

Submitted to,

**SHIVAJI UNIVERSITY,
KOLHAPUR.**

Submitted as partial fulfillment of

the of requirement

**“BACHELOR OF COMPUTER
APPLICATIONS”(B.C.A-III) SEM-VI**

Submitted BY-

1. Kumail Abass

2. Abrar Nisar Sayyad

UNDER THE GUIDANCE OF:

Mrs. Komal Chaudhari

THE PRINCIPAL

JANATA SHIKSHAN SANSTHA

KISAN VEER MAHAVIDYALAYA WAI

DEPARTMENT OF BCA

**YEAR
(2023-2024)**

JANATA SHIKSHAN SANSTHA
KISAN VEER MAHA VIDYALAYA WAI



CERTIFICATE

This is to certify that project report entitled “Grocery Shop Managemnet System” Submitted by **Mr. Kumail Abass** , **Mr. Abrar Nisar Sayyad** in partial fulfilment of the requirement for the award of **Bachlor of Computer Application (Sem-VI)** Shivaji University,Kolhapur has been carried out by them under the guidance of **Mrs. Komal Chaudhari**.

To the best my knowledge and belief, this is his original work and the matter presented in this project has not submitted earlier

Project Guide

External Examiner

Declaration

To,
The Principal,
Kisan Veer
Mahavidyala,
Wai.
Respected sir,

We undersigned hereby declare that the project entitled “**MyEShopping Website**”. developed and submitted under the guidance of **Mrs. Komal Chaudhari** **This** is our original work. The empirical finding in this project is based on the data collection by us. while preparing this project. We have not copied from any other project report.


we understand that,any such copying is liable to punished in a way the center university authorities may be deem it.

Date: -

Place:-Wai

Yours sincerely

- 1 **Mr. Kumail Abass**
2. **Mr. Abrar Nisar Sayyad**



ACKNOWLEDGEMENT

It is great immense Satisfaction to express our deepest sense of gratitude and thanks to everyone who has directly or indirectly helped us to complete project successful.

We express our deepest sense of gratitude to **Mrs. ARCHANA KADAM** who is rendered valuable guidance and perceptual encouragement in completing project works successfully in the Schedule time and for providing us all facilities to carry the project work. We are also thankful teaching and non- teaching staff of computer Department.

We sincerely thanks to computer Department faculty members for their time to time help during project work. Without the help of our colleagues and classmates this project would not have been completed.

Last but not least, we indebted to our parents for their encouragement and help in building of our carrier.

Yours sincerely

1 Mr. Kumail Abass

2. Mr. Abrar Nisar Sayyad

INDEX

Sr.no.	Title	Page no
1	Introduction to project: 1.1) Introduction 1.2) Existing System 1.3) Need and scope of computer system	
2	SOFTWARE REQUIREMENTS SPECIFICATION 2.1) Requirement gathering 2.2) proposed System 2.3) Questionnaires	
3	REQUIREMENT 3.1) Hardware 3.2) Software	
4	SYSTEM ANALYSIS 4.1) DFD 4.2) ERD	
5	SYSTEM DESIGN 5.1) Database Design	
6	USER INTERFACE DESIGN 6.1) Forms 6.2) Reports	
7	LIMITATIONS	
8	FUTURE MODIFICATION	
9	CONCLUSION	
10	BIBLIOGRAPHY	

INTRODUCTION

The “MyEShoppingWebsite” has been developed to override the problems prevailing in the practicing manual system. This software is supported to eliminate and, in some cases, reduce the hardships faced by this existing system. Moreover, this system is designed for the particular need of the company to carry out operations in a smooth and effective manner. The application is reduced as much as possible to avoid errors while entering the data. It also provides error message while entering invalid data. Now formal knowledge is needed for the user to use this system. Thus, by this all it proves it is user-friendly. MyEShoppingWebsite, as described above, can need to error free, secure, reliable and fast management system. It can assist the user to concentrate on their other activities rather to concentrate on the record keeping. Thus, it will help organization in better utilization of resources. Every organization, whether big or small, has challenges to overcome and managing the information of item Category, products, Customer, Delivery Address, Order. Every MyEShoppingWebsite has different product needs, therefore we design exclusive user management systems that are adapted to your managerial requirements. This is designed to assist in strategic planning, and will help you ensure that your organization is equipped with the right level of information and details for your future goals. Also, for those busy executive who are always on the go, our systems come with remote access features, which will allow you to manage your workforce anytime, at all times. These systems will ultimately allow you to better manage resources.

INTRODUCTION OF EXISTING SYSTEM

MANUAL SYSTEM: -

Manual system of MyEShoppingWebsite involves customers placing order over the phone or in person at a restaurant

1. Customer visits the Website to place an order.
2. Customer provides their order details and address.
3. Customer provide its address and details.
4. Payment is made either through online payment applications, or cash on delivery.
5. Vendor sends the item to the customer through transportation.
6. Customer picks up the order or has it delivered to their location and pay if it is not prepaid(Cash on delivery).

NEED FOR COMPUTERIZATIAON: -

- 1) Website will be globally access by everyone.
- 2) To provide 24*7 easy access.
- 3) Reduce the work of paper.
- 4) No loss of data as like paper-based data.
- 5) It will help in register online from anywhere no need to come at main office.
- 6) Save time, money and paper
- 7) Use of new technologies.

INTRODUCTION TO ORGANIZATION PROFILE

- Name: - MyEShoppingWebsite
- Address: -Kisan Veer Collage Road Wai.
- Purpose: -ECommerceWebsite.
- Service: -

Welcome to MyEShoppingWebsite, your premier online destination where convenience meets variety, creating a seamless shopping experience tailored just for you! Our mission is to provide an easy-to-navigate, secure, and efficient online platform that caters to your every purchasing need. Whether you are looking to update your wardrobe, redecorate your home, or find the latest gadgets, MyEShoppingWebsite is designed to bring the world's marketplace right to your fingertips.

At MyEShoppingWebsite, we understand that the cornerstone of a great shopping experience is variety. That's why we offer an extensive range of products across multiple categories including fashion, electronics, home appliances, and beauty products, sourced from top brands globally. Our commitment to quality ensures that every product listed on our site meets rigorous standards, providing you with confidence in every purchase you make.

To make your shopping experience hassle-free, MyEShoppingWebsite boasts a user-friendly interface with advanced search filters, making it easier than ever to find exactly what you're looking for. Our customer-centric approach does not stop at our product selection or user experience; we also provide detailed product descriptions, customer reviews, and high-resolution images to help you make informed decisions.

Security is paramount at MyEShoppingWebsite. We employ state-of-the-art security measures to protect your personal information and ensure secure transaction processing. Our customer support team is available around the clock to assist with any inquiries, making your shopping experience smooth and enjoyable.

Furthermore, we understand the importance of fast and reliable delivery. That's why we have partnered with leading logistics providers to ensure timely deliveries across various regions, along with easy tracking of your orders at every step.

Join us at MyEShoppingWebsite, where our goal is to redefine the standards of online shopping by providing you with a platform that is efficient, secure, and responsive to your lifestyle needs. Happy shopping!

PROPOSED SYSTEM

- **Objectives of Proposed System: -**

1. To provide a user-friendly platform where customers can easily place orders from a website.
2. To enable customers to browse through menus, view prices, and customize their orders according to their preferences.
3. To streamline the ordering process by allowing customers to make payments online and track the status of their orders in real-time.
4. To improve efficiency and accuracy in delivery through automated order processing and notification mechanisms.
5. To enhance customer satisfaction by providing timely and reliable delivery services.
6. To facilitate communication between customers and delivery personnel for a seamless ordering experience.
7. To generate detailed reports and analytics for customers to track sales, identify customer preferences, and make informed decisions.
8. To attract more customers and increase revenue by expanding their reach through an online system.

QUESTIONNAIRES

1. How does the food ECommerceWebsite?

The ECommerceWebsite an online platform where customers can browse through a menu, select items they want to order, customize their order (if applicable), and then proceed to check out and pay for their order.

2. What are the benefits of using a ECommerceWebsite?

-Some benefits of using a ECommerceWebsite include convenience, efficiency, and accuracy. Customers can place orders from the comfort of their own homes or on-the-go, without the need to wait in long lines or make phone calls. Orders are also transmitted directly to the home, reducing the chances of miscommunication or errors.

3. Can customers track their orders through the food ECommerceWebsite?

-Yes, most ECommerceWebsite allow customers to track their orders in real-time. Once an order is placed, customers can receive updates on the status of their order, including when it is being prepared, when it is out for delivery, and when it has been delivered.

4. How are payments processed in the ECommerceWebsite?

-Payments in the ECommerceWebsite are typically processed online, either through credit/debit cards, digital wallets, or other online payment methods. Customers can securely enter their payment information during the checkout process.

5. Are there any additional fees associated with using a ECommerceWebsite?

-Some ECommerceWebsite may charge additional fees, such as delivery fees, service fees, or processing fees. These fees vary depending on the platform and the restaurant, so it's important to check the terms and conditions before placing an order.

SOFTWARE REQUIREMENT SPECIFICATION

Feasibility study: -

1) Technical Feasibility:

- **Software requirement (Recommended)**

Operating System	: -	Windows 7/8/10
Programming Language	: -	C#.NET
Designing Tools	: -	Microsoft Visual Studio 2019,

Hardware requirement (Recommended)

Processor	: -	P4 or Higher
Monitor	: -	1024*768 pixel
Hard Disk	: -	500 MB Minimum
RAM	: -	1 GB Minimum
Printer	: -	Cannon Ink jet.
Display	: -	VGA/HDMI

2)Operational Feasibility: -


Operational feasibility ends at checking if the system will be help the user to work in more efficient & accurate manner through all routine operation. The system is made to be comprehensive in nature using a full menu driven system & appropriate user informative message. On the category, the work load on the user will be lessened to a great lessened to a great extent, as the system is aimed at taking care of the complex procedures & automatic calculations. Thus the system is operationally feasible.

Economic Feasibility: -


While considering economic feasibility, it is checked in points like performance, information & outputs for the system. Economic of the system looks at the financial aspect of the project. It determines whether the system is economical feasible, in other world it determines whether the investment that goes into the implementation of the system is recoverable.

Data Flow Diagram: -


0th Level DFD




Admin Side DFD - 1st Level



2nd Level Admin DFD - (3.0)



Entity Relationship Diagram (ERD)



System Design

- **DATABASE DESIGN: -**

Forget Password: -

Column Name	Data Type	Constraint	Description
Id	nvarchar(500)	-	Id
Uid	int	-	UIId
RequistDateTime	datetime	-	RequistDateTime

Brand: -

Column Name	Data Type	Constraint	Description
BrandId	int	-	BrandId
Name	nvarchar(30)	-	Name

Cart: -

Column Name	Data Type	Constraint	Description
CartId	int	-	CartId
CartName	nvarchar(MAX)	-	CartName

Category: -

Column Name	Data Type	Constraint	Description
CatId	int	-	CatId
CatName	nvarchar(MAX)	-	CatName

Gender: -

Column Name	Data Type	Constraint	Description
GenderId	int	-	GenderId
GenderName	Nvarchar(MAX)	-	GenderName

Ordered Products: -

Column Name	Data Type	Constraint	Description
Id	int	-	Id
OrderCode	nvarchar(15)	-	OrderCode
Prod_ID	int	-	Prod_ID
Qty	int	-	Qty
Price	decimal(18,2)	-	Price
TotalAmount	decimal(18,2)	-	TotalAmount

Order Products: -

Column Name	Data Type	Constraint	Description
OrderProID	int	-	OrderProID
OrderId	nvarchar(50)	-	OrderId
UserID	int	-	UserID
PID	int	-	PID
Products	Nvarchar(MAX)	-	Products
Quantity	int	-	Quantity
OrderDate	datetime	-	OrderDate
Status	nvarchar(100)		Status

Table Orders: -

Column Name	Data Type	Constraint	Description
UserId	int	-	UserId
Email	int	-	Email
CartAmount	nvarchar(MAX)	-	CartAmount
CartDiscount	money	-	CartDiscount
TotalPaid	money	-	TotalPaid
PaymentType	money	-	PaymentType
PaymentStatus	nvarchar(50)	-	PaymentStatus
DateofPurchase	datetime	-	DateofPurchase
Name	nvarchar(200)	-	Name
Address	nvarchar(MAX)	-	Address
MobileNumber	nvarchar(50)	-	MobileNumber
OrderStatus	nvarchar(50)	-	OrderStatus
OrderNumber	nvarchar(50)		OrderNumber

Product Images: -

Column Name	Data Type	Constraint	Description
PIMGID	Int	-	PIMGID
PiD	Int	-	PiD
Name	nvarchar(MAX)	-	Name
Extension	nvarchar(500)	-	Extension

Products: -

Column Name	Data Type	Constraint	Description
Pid	int	-	Pid
PName	nvarchar(MAX)	-	PName
PPrice	money	-	PPrice
PSellPrice	money	-	PSellPrice
PBrandId	int	-	PBrandId
PCatagoryId	int	-	PCatagoryId
PSubCatId	int	-	PSubCatId
PGender	int	-	PGender
PDescription	nvarchar(MAX)	-	PDescription
PProductDetails	nvarchar(MAX)	-	PProductDetails
PMaterialCare	nvarchar(MAX)	-	PMaterialCare
FreeDalivery	int	-	FreeDalivery
[30dayRet]	int	-	[30dayRet]
Cod	int	-	Cod



ProductSizeQuantity: -

Column Name	Data Type	Constraint	Description
ProsizeQuantityId		-	
PIId		-	
SizeId		-	
Quantity		-	

Purchase: -

Column Name	Data Type	Constraint	Description
purchaseID	int	-	purchaseID
UserID	int	-	UserID
PIDSizeID	nvarchar(Max)	-	PIDSizeID
CartAmount	money	-	CartAmount
CartDiscount	money	-	CartDiscount
TotalPayed	money	-	TotalPayed
PaymentType	nvarchar(50)	-	PaymentType
PaymentStatus	nvarchar(50)	-	PaymentStatus
DateOfPurchase	datetime	-	DateOfPurchase
Name	nvarchar(200)	-	Name
Address	nvarchar(Max)	-	Address
PinCode	nvarchar(10)	-	PinCode
MobileNumber	nvarchar(50)	-	MobileNumber

Size: -

Column Name	Data Type	Constraint	Description
SizeID	int	-	SizeID
SizeName	nvarchar(500)	-	SizeName
BrandID	int	-	BrandID
CategoryID	int	-	CategoryID
SubCategoryID	int	-	SubCategoryID
GenderID	int	-	GenderID

Subcategory: -

Column Name	Data Type	Constraint	Description
SubCatID	int	-	SubCatID
SubCatName	nvaarchar(MAX)	-	SubCatName
MainCatID	int	-	MainCatID

Users: -

Column Name	Data Type	Constraint	Description
Uid	int	-	Uid
Username	nvarchar(100)	-	Username
Password	nvarchar(100)	-	Password
Email	nvarchar(100)	-	Email
Name	nvarchar(100)	-	Name
UserType	nvarchar(50)	-	UserType

“Forms Design”

Sign in: -

MyEShopping

Home About Contact US Products SignUp SignIn

UserName:
kumail

Password:
...

Confirm Password:
Enter Your Confirm password

Your Full Name:
Enter Your Name

Email:
Enter Your Email

SignUP Label

©kumail & abrar · Home·About·Contact·Products

Admin Login Back to top

Login: -

MyEShopping

Home About Contact US Products SignUp SignIn

Login Form

UserName kumail

Password ...

☒ Remember me

Login» Sign Up

[Forgot Password](#)

©kumail & abrar · Home·About·Contact·Products

Admin Login Back to top

Home:-

MyEShopping

Home

About

Products -

Cart

Sign Out



Mobiles

Featuring a 15.49-cm (6.1) all-screen Liquid Retina LCD and a glass and aluminum design, the iPhone 11 is as beautiful as it gets. Also, the IP68 rating ensures that is water-resistant up to 2 meters for 30 minutes....

[View More »](#)



Footwear

Featuring a 15.49-cm (6.1) all-screen Liquid Retina LCD and a glass and aluminum design, the iPhone 11 is as beautiful as it gets. Also, the IP68 rating ensures that is water-resistant up to 2 meters for 30 minutes....

[View More »](#)



Clothings

Featuring a 15.49-cm (6.1) all-screen Liquid Retina LCD and a glass and aluminum design, the iPhone 11 is as beautiful as it gets. Also, the IP68 rating ensures that is water-resistant up to 2 meters for 30 minutes....

[View More »](#)

BLACK FRIDAY DEAL

macbook.pro01
MACBOOK PRO
macbook pro
~~40,000~~ ₹ 38,000.00 (80,000 off)

one.plus01
1+(PLUS)
one plus
~~4,000,000~~ ₹ 3,20,000.00 (80,000 off)

i.phone.1501
I PHONE 15
i phone 15
~~4,00,000~~ ₹ 3,20,000.00 (80,000 off)

hp.laptop01
HP
hp laptop
~~4,00,000~~ ₹ 3,20,000.00 (80,000 off)



FASHION DEPTH



HIGHLANDER
HIGHLANDER Men Slim Fit
Checkered Spread Collar Casual Shirt
~~4,000~~ ₹ 545.00 (753 off)



BESPOQE
BESPOQE Men Regular Fit Solid
Casual Shirt
~~4,990~~ ₹ 799.00 (1,100 off)

Add Product:-

100%MyEShopping

Add Product

Product Name

Price

SellingPrice

Brand

-Select-

Category

-Select-

SubCategory

Gender

-Select-

Size

Quantity

Description

Product Details

Materials and Care

Upload Image

Choose FileNo file chosen

Upload Image

Choose FileNo file chosen

Upload Image

Choose FileNo file chosen

Upload Image

Choose FileNo file chosen

Upload Image

Choose FileNo file chosen

Free Delivery

30 Days Return

COD

ADD Product

Product Report

S.No.	PName	Price	SellPrice	Brand	Ci
1005	hp laptop	400000.0000	320000.0000	hp	la
1006	hp laptop	400000.0000	320000.0000	hp	la
1007	i phone 15	400000.0000	320000.0000	i phone 15	m
1008	i phone 15	400000.0000	320000.0000	i phone 15	m
1011	macbook pro	10000.0000	98000.0000	macbook pro	la
1010	one plus	400000.0000	320000.0000	1+(plus)	pt


Panel Footer

©2020 Coderbaba.in · Home · About · Contact · Products


User Login

Back to top

Cart:-

[Home](#) [About](#) [Contact US](#) [Products -](#) [Cart 1](#) [Sign Out](#) [Welcome: KUMAIL](#)

My Cart (1 Item(s))



FASHION DEPTH Women Embroidered Rayon Straight Kurta (Pink)

Rs. 649.00 ~~Rs. 1899.00~~ Off Rs.1050

[Remove](#)

Qty:

- 1 +

SubTotal: Rs. 649.00

Price Details

Total

Rs. 1,899.00

Cart Discount

- Rs. 1050.00

Cart Total


Rs. 649.00

[BUY NOW](#)

©2020 Coderbaba.in · [Home](#) · [About](#) · [Contact](#) · [Products](#)


[Admin Login](#) [Back to top](#)

All products:-

[Home](#) [About](#) [Contact US](#) [Products -](#) [Cart 0](#) [Sign Out](#) [Welcome: KUMAIL](#)

Showing All Products [Cart 0](#)


Search Products....



MACBOOK PRO

macbook pro


~~4,89,000~~ ₹ 98,000.00 (88,000 off)



FASHION DEPTH

FASHION DEPTH Women Embroidered Rayon Straight Kurta (Pink)


~~4,899~~ ₹ 649.00 (1,050 off)



1+(PLUS)

one plus


~~4,99,000~~ ₹ 3,20,000.00 (80,000 off)



HIGHLANDER

HIGHLANDER Men Slim Fit Checkered Spread Collar Casual Shirt


~~4,299~~ ₹ 546.00 (753 off)



I PHONE 15

i phone 15


~~4,99,000~~ ₹ 3,20,000.00 (80,000 off)



BESPOQE

BESPOQE Men Regular Fit Solid Casual Shirt

~~4,899~~ ₹ 799.00 (1,100 off)



HP

hp laptop

~~4,99,000~~ ₹ 3,20,000.00 (80,000 off)

©2020 Coderbaba.in · [Home](#) · [About](#) · [Contact](#) · [Products](#)

[Admin Login](#) [Back to top](#)

Add Category:-

My E-Shopping

https://localhost:44399/AddCategory.aspx

HomeAboutContact USProductsManageSign Out

MyEShopping

Add Category

Category Name

Add Category

Categories

All Categories

#	Categories	Edit
1	TShirt	Edit
2	Shirt	Edit
3	Kurtas Kurtis	Edit
4	Top	Edit
5	jeans	Edit
6	shoe	Edit
7	i phone 15	Edit
8	i phone 16	Edit
1006	laptop	Edit

Add Brand:-

My E-Shopping

https://localhost:44399/AddBrand.aspx

HomeAboutContact USProductsManageSign Out

MyEShopping

Add Brand

BrandName

Add

Brands

All Brands

#	Brand	Edit
1	BESPOQUE	Edit
2	HIGHLANDER	Edit
3	FASHION DEPTH	Edit
4	OOMPH	Edit
5	puma	Edit
6	puma	Edit
7	addidas	Edit
8	nike	Edit
9	levis	Edit

Add Sub Category:-

My E-Shopping

https://localhost:44399/SubCategory.aspx

MyEShoppingHomeAboutContact USProductsManageSign Out

Add SubCategory

Main CategoryID

-Select-

SubCategory Name

Add SubCategory

Sub Categories

All Sub Categories

#	Sub-Category	Main Category	Edit
1	Casual	Shirt	Edit
2	Formal	Shirt	Edit
3	Kurtis	Kurtas Kurtis	Edit
4	Casual	Top	Edit
5	cargo	jeans	Edit
6	I phone pro max	I phone 15	Edit
7	fashion	shoe	Edit

Add Gender:-

My E-Shopping

https://localhost:44399/AddGender.aspx

MyEShoppingHomeAboutContact USProductsManageSign Out

Add Gender

Gender

Add

Gender

All Gender

#	Gender	Edit
1	Male	Edit
2	Female	Edit
3	other	Edit
4	large	Edit

Add Size:-

My E-Shopping

https://localhost:44399/AddSize.aspx

MyEShopping

Home

About

Contact US

Products

Manage

Sign Out

Add Size

Size Name

Brand

-Select-

Category

-Select-

Sub Category

Gender

-Select-

Add Size

Size

All Sizes

#	Size	Brand	Category	Sub Category	Gender
1	Large	BESPOQE	Shirt	Casual	Male

Crystil reports:-

Cart:-

15-04-2024

CartID	UID	PID	PNam	PPrice	PSelPrice	SubPAmou	SubSAmo	Qty
1007	3	3	FASHION DEPTH Women Embroidered Rayon Straight Kurta (Pink)	₹ 1699.00	₹ 649.00	₹ 1699.00	₹ 649.00	1

Products:-

15-04-2024

PID	PNam	Price	Price	rand	eqory	bCat	ende	PDescription	PProductDeta	PMaterialCar	elivery	ayRe	CO
1	BESPOQE Men Regular Fit Solid Casual Shirt	####	####	1	2	3	1	For the best fit, buy one size larger than your usual size.	For the best fit, buy one size larger than your usual size.	For the best fit, buy one size larger than your usual size.	1	1	1
2	HIGHLANDER Men Slim Fit Checkered Spread Collar Casual Shirt	####	####	2	2	1	1	Product Details Pack of 1 Style Code HLSH010263 Fit Slim Fabric Cotton Blend Sleeve Full Sleeve Pattern Checkered Reversible No Collar Spread Color Green, Black Fabric Care Gentle Machine Wash Suitable For Western Wear Hem Curved	100% cotton	100% cotton	1	1	1
3	FASHION DEPTH Women Embroidered Rayon Straight Kurta (Pink)	####	####	3	3	4	2	Product Details Ideal For Women Length Type Calf Length Brand Color Pink Occasion Casual Pattern Embroidered Type Straight Fabric Rayon Neck Round Neck	Product Details Ideal For Women Length Type Calf Length Brand Color Pink Occasion Casual Pattern Embroidered Type Straight Fabric Rayon Neck Round Neck	100% cotton	1	1	1
5	iphone 13	####	####	1	7	6	1	ihuhi	ibnlhukhiinkin	ugigikui	0	0	0
6	iphone 13	####	####	1	7	6	1	ihuhi	ibnlhukhiinkin	ugigikui	0	0	0
7	iphone 13	####	####	1	7	6	1	ihuhi	ibnlhukhiinkin	ugigikui	1	1	1
8	iphone 13	####	####	10	4	4	3	ihuhi	ibnlhukhiinkin	ugigikui	1	1	1
9	iphone 13	####	####	10	4	4	3	ihuhi	ibnlhukhiinkin	ugigikui	1	1	1

Orders: -

15-04-2024							
<u>derProdID</u>	<u>OrderID</u>	<u>UserID</u>	<u>PID</u>	<u>Products</u>	<u>Quantity</u>	<u>OrderDat</u>	<u>Status</u>
1	316593	3	3	FASHION DEPTH Women Embroidered Rayon Straight Kurta (Pink)	1	07-02-2024 00:0	Pending
2	646539	3	3	FASHION DEPTH Women Embroidered Rayon Straight Kurta (Pink)	1	07-02-2024 00:0	Pending
3	427339	3	3	FASHION DEPTH Women Embroidered Rayon Straight Kurta (Pink)	1	08-02-2024 00:0	Pending
1003	960975	3	1005	hp laptop	1	05-03-2024 00:0	Pending
1004	577386	3	1007	i phone 15	3	06-03-2024 00:0	Pending
1005	546664	3	1011	macbook pro	1	07-03-2024 00:0	Pending
1006	542346	3	2	HIGHLANDER Men Slim Fit Checkered Spread Collar Casual Shirt	1	08-04-2024 00:0	Pending

Source Code: -

Login: -

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Configuration;
using System.Data;

public partial class SignIn : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {
        if (!IsPostBack)
        {
            if (Request.Cookies["UNAME"] != null && Request.Cookies["UPWD"] != null )
            {
                txtUsername.Text= Request.Cookies["UNAME"].Value ;
                txtPass .Text = Request.Cookies["UPWD"].Value;
                CheckBox1.Checked = true;
            }
        }
    }

    protected void btnLogin_Click(object sender, EventArgs e)
    {
        using (SqlConnection con = new SqlConnection(ConfigurationManager.ConnectionStrings["MyShoppingDB"].ConnectionString))
        {
            con.Open();
            SqlCommand cmd = new SqlCommand("Select * from tblUsers where Username=@username and Password=@pwd", con);
            cmd.Parameters.AddWithValue("@username",txtUsername .Text );

            cmd.Parameters.AddWithValue("@pwd", txtPass .Text);
            SqlDataAdapter sda = new SqlDataAdapter(cmd);
            DataTable dt = new DataTable();
            sda.Fill(dt);
            if (dt.Rows.Count != 0)
            {
                Session["USERID"] = dt.Rows[0]["Uid"].ToString();
                Session["USEREMAIL"] = dt.Rows[0]["Email"].ToString();
                Response.Cookies["UNAME"].Expires = DateTime.Now.AddDays(-1);
                Response.Cookies["UPWD"].Expires = DateTime.Now.AddDays(-1);

                if (CheckBox1 .Checked)
                {
                    Response.Cookies["UNAME"].Value = txtUsername.Text;
                    Response.Cookies["UPWD"].Value = txtPass .Text;
                }
            }
        }
    }
}
```

```

Response.Cookies["UNAME"].Expires = DateTime.Now.AddDays(10);

Response.Cookies["UPWD"].Expires = DateTime.Now.AddDays(10);

}
else
{
Response.Cookies["UNAME"].Expires = DateTime.Now.AddDays(-1);

Response.Cookies["UPWD"].Expires = DateTime.Now.AddDays(-1);
}

string Utype;
Utype = dt.Rows[0][5].ToString().Trim();

if(Utype == "User")
{
Session["Username"] = txtUsername.Text;
Session["USEREMAIL"] = dt.Rows[0]["Email"].ToString();
Session["getFullName"] = dt.Rows[0]["name"].ToString();
//Session["Mobile"] = dt.Rows[0]["Mobile"].ToString();
Session["LoginType"] = "User";
if (Request.QueryString["rurl"] != null)
{
if (Request.QueryString["rurl"] == "cart")
{
Response.Redirect("Cart.aspx");
}

if (Request.QueryString["rurl"] == "PID")
{
string myPID = Session["ReturnPID"].ToString();
Response.Redirect("ProductView.aspx?PID=" + myPID + "");
}
}

else
{
Response.Redirect("UserHome.aspx?UserLogin=YES");
}

}

if (Utype == "Admin")
{
Session["Username"] = txtUsername.Text;
Session["LoginType"] = "Admin";
Response.Redirect("~/AdminHome.aspx");
}
}
else
{
lblError.Text = "Invalid Username and password";
}

//Response.Write("<script> alert('Login Successfully done'); </script>");
clr();
con.Close();

```

```
//lblMsg.Text = "Registration Successfully done";  
//lblMsg.ForeColor = System.Drawing.Color.Green;
```

```
}  
}
```

```
private void clr()  
{  
txtPass.Text = string.Empty;  
txtUsername.Text = string.Empty;  
txtUsername.Focus();  
  
}
```

```
}
```

Signup: -

```
using System;  
using System.Collections.Generic;  
using System.Linq;  
using System.Web;  
using System.Web.UI;  
using System.Web.UI.WebControls;  
using System.Data;  
using System.Data.SqlClient;  
using System.Configuration;
```

```
public partial class SignUp : System.Web.UI.Page  
{  
protected void Page_Load(object sender, EventArgs e)  
{  
  
}
```

```
protected void txtsignup_Click(object sender, EventArgs e)  
{
```

```
if(isformvalid())  
{  
using (SqlConnection con = new SqlConnection(ConfigurationManager.ConnectionStrings  
["MyShoppingDB"].ConnectionString ))  
{  
con.Open();  
SqlCommand cmd = new SqlCommand("Insert into tblUsers(Username,Password,Email,Name,Usertype) Values('"  
+ txtUname.Text + "',''+ txtPass.Text + "',''+ txtEmail.Text + "',''+ txtName.Text + "','User')",  
con);  
cmd.ExecuteNonQuery();
```

```
Response.Write("<script> alert('Registration Successfully done'); </script>");  
clr();  
con.Close();  
lblMsg.Text = "Registration Successfully done";  
lblMsg.ForeColor = System.Drawing.Color.Green;
```

```
}  
Response.Redirect("~/SignIn.aspx");  
}
```

```

else
{
Response.Write("<script> alert('Registration failed'); </script>");
lblMsg.ForeColor = System.Drawing.Color.Red;
}

}

private bool isformvalid()
{
if (txtUname.Text == "")
{
Response.Write("<script> alert('username not valid'); </script>");
txtUname.Focus();

return false;
}
else if(txtPass.Text == "")
{
Response.Write("<script> alert('Password not valid'); </script>");
txtPass.Focus();
return false;
}
else if (txtPass.Text != txtCPass .Text )
{
Response.Write("<script> alert('confirm Password not valid'); </script>");
txtCPass.Focus();
return false;
}
else if (txtEmail .Text == "")
{
Response.Write("<script> alert('Email not valid'); </script>");
txtEmail.Focus();
return false;
}
else if (txtName .Text == "")
{
Response.Write("<script> alert('Name not valid'); </script>");
txtName.Focus();
return false;
}

return true;
}

private void clr()
{
txtName.Text = string.Empty;
txtPass.Text = string.Empty;
txtUname. Text = string.Empty;
txtEmail. Text = string.Empty;
txtCPass.Text = string.Empty;
}
}

```

Admin Home: -

```

using System;
using System.Collections.Generic;
using System.Linq;

```

```

using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class AdminHome : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {

    }
}

```

User home: -

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient;
using System.Configuration;
using System.Globalization;
using System.Threading;

public partial class UserHome : System.Web.UI.Page
{
    public static String CS = ConfigurationManager.ConnectionStrings["MyShoppingDB"].ConnectionString;
    protected void Page_Load(object sender, EventArgs e)
    {
        BindCartNumber22();
        if (Session["Username"] != null)
        {
            btnlogout.Visible = true;
            btnLogin.Visible = false;
            lblSuccess.Text = "Login Success, Welcome <b>" + Session["Username"].ToString() + "</b>";
            Button1.Text = "Welcome: " + Session["Username"].ToString().ToUpper() ;
        }
        else
        {
            btnlogout.Visible = false;
            btnLogin.Visible = true;
            Response.Redirect("SignIn.aspx");
        }
    }

    protected void btnlogout_Click(object sender, EventArgs e)
    {
        //Session.Abandon();
        Session["Username"] = null;
        Response.Redirect("~/Default.aspx");
    }

    protected void btnLogin_Click(object sender, EventArgs e)
    {
        Response.Redirect("~/SignIn.aspx");
    }
}

```

```

}
public void BindCartNumber()
{
    if (Request.Cookies["CartPID"] != null)
    {
        string CookiePID = Request.Cookies["CartPID"].Value.Split('=')[1];
        string[] ProductArray = CookiePID.Split(',');
        int ProductCount = ProductArray.Length;
        pCount.InnerText = ProductCount.ToString();
    }
    else
    {
        pCount.InnerText = 0.ToString();
    }
}

public void BindCartNumber22()
{
    if (Session["USERID"] != null)
    {
        string UserIDD = Session["USERID"].ToString();
        DataTable dt = new DataTable();
        using (SqlConnection con = new SqlConnection(CS))
        {
            SqlCommand cmd = new SqlCommand("SP_BindCartNumberz", con)
            {
                CommandType = CommandType.StoredProcedure
            };
            cmd.Parameters.AddWithValue("@UserID", UserIDD);
            using (SqlDataAdapter sda = new SqlDataAdapter(cmd))
            {
                sda.Fill(dt);
                if (dt.Rows.Count > 0)
                {
                    string CartQuantity = dt.Compute("Sum(Qty)", "").ToString();
                    pCount.InnerText = CartQuantity;
                }
                else
                {
                    //_ = CartBadge.InnerText == 0.ToString();
                    pCount.InnerText = "0";
                }
            }
        }
        using System;
        using System.Collections.Generic;
        using System.Linq;
        using System.Web;
        using System.Web.UI;
        using System.Web.UI.WebControls;
        using System.Data;
        using System.Data.SqlClient;
        using System.Configuration;
        using System.IO;

        public partial class AddProduct : System.Web.UI.Page
        {
            public static String CS = ConfigurationManager.ConnectionStrings["MyShoppingDB"].ConnectionString;

```

```

protected void Page_Load(object sender, EventArgs e)
{
    if(!IsPostBack)
    {
        //when page first time run then this code will execute
        BindBrand();
        BindCategory();
        BindGender();
        ddlSubCategory.Enabled = false;
        ddlGender.Enabled = false;

        BindGridview1();

    }
}

private void BindGender()
{
    using (SqlConnection con = new SqlConnection(CS))
    {
        con.Open();
        SqlCommand cmd = new SqlCommand("Select * from tblGender with(nolock)", con);
        SqlDataAdapter sda = new SqlDataAdapter(cmd);
        DataTable dt = new DataTable();
        sda.Fill(dt);
        if (dt.Rows.Count != 0)
        {
            ddlGender.DataSource = dt;
            ddlGender.DataTextField = "GenderName";
            ddlGender.DataValueField = "GenderID";
            ddlGender.DataBind();
            ddlGender.Items.Insert(0, new ListItem("-Select-", "0"));
        }
    }
}

private void BindCategory()
{
    using (SqlConnection con = new SqlConnection(CS))
    {
        con.Open();
        SqlCommand cmd = new SqlCommand("Select * from tblCategory", con);
        SqlDataAdapter sda = new SqlDataAdapter(cmd);
        DataTable dt = new DataTable();
        sda.Fill(dt);
        if (dt.Rows.Count != 0)
        {
            ddlCategory.DataSource = dt;
            ddlCategory.DataTextField = "CatName";
            ddlCategory.DataValueField = "CatID";
            ddlCategory.DataBind();
            ddlCategory.Items.Insert(0, new ListItem("-Select-", "0"));
        }
    }
}

private void BindBrand()
{

```

```

using (SqlConnection con = new SqlConnection(CS))
{
    con.Open();
    SqlCommand cmd = new SqlCommand("Select * from tblBrands", con);
    SqlDataAdapter sda = new SqlDataAdapter(cmd);
    DataTable dt = new DataTable();
    sda.Fill(dt);
    if (dt.Rows.Count != 0)
    {
        ddlBrand.DataSource = dt;
        ddlBrand.DataTextField = "Name";
        ddlBrand.DataValueField = "BrandID";
        ddlBrand.DataBind();
        ddlBrand.Items.Insert(0, new ListItem("-Select-", "0"));
    }
}

protected void btnAdd_Click(object sender, EventArgs e)
{
    using (SqlConnection con = new SqlConnection(CS))
    {
        SqlCommand cmd = new SqlCommand("sp_InsertProduct", con);
        cmd.CommandType = CommandType.StoredProcedure;
        cmd.Parameters.AddWithValue("@PName", txtProductName.Text );
        cmd.Parameters.AddWithValue("@PPrice", txtPrice.Text );
        cmd.Parameters.AddWithValue("@PSelPrice", txtsellPrice.Text);
        cmd.Parameters.AddWithValue("@PBrandID", ddlBrand.SelectedItem .Value );
        cmd.Parameters.AddWithValue("@PCategoryID", ddlCategory.SelectedItem.Value);
        cmd.Parameters.AddWithValue("@PSubCatID", ddlSubCategory.SelectedItem.Value);
        cmd.Parameters.AddWithValue("@PGender", ddlGender.SelectedItem.Value);
        cmd.Parameters.AddWithValue("@PDescription", txtDescription.Text );
        cmd.Parameters.AddWithValue("@PProductDetails", txtPDetail.Text);
        cmd.Parameters.AddWithValue("@PMaterialCare", txtMatCare.Text);
        if (chFD .Checked ==true )
        {
            cmd.Parameters.AddWithValue("@FreeDelivery", 1.ToString ());
        }
        else
        {
            cmd.Parameters.AddWithValue("@FreeDelivery", 0.ToString());
        }

        if (ch30Ret .Checked == true)
        {
            cmd.Parameters.AddWithValue("@30DayRet", 1.ToString());
        }
        else
        {
            cmd.Parameters.AddWithValue("@30DayRet", 0.ToString());
        }
        if (cbCOD.Checked == true)
        {
            cmd.Parameters.AddWithValue("@COD", 1.ToString());
        }
        else
        {
            cmd.Parameters.AddWithValue("@COD", 0.ToString());
        }
    }
}

```



```

if (con.State == ConnectionState.Closed) { con.Open(); }
Int64 PID = Convert.ToInt64(cmd.ExecuteScalar ());

//Insert size quantity
for(int i=0; i<cblSize .Items .Count;i++)
{
if(cblSize .Items [i].Selected ==true )
{
Int64 SizeID = Convert.ToInt64(cblSize.Items[i].Value);
int Quantity = Convert.ToInt32(txtQuantity.Text);

// SqlCommand cmd2 = new SqlCommand("insert into tblProductSizeQuantity(PID,SizeID,Quantity) values('"
+ PID + "',' + SizeID + "',' + Quantity + "')", con);
SqlCommand cmd2 = new SqlCommand("insert into tblProductSizeQuantity(PID,SizeID,Quantity)
values(@PID,@SizeID,@Quantity)", con);
cmd2.Parameters.AddWithValue("@PID", Convert.ToInt32(PID));
cmd2.Parameters.AddWithValue("@SizeID", Convert.ToInt32(SizeID));
cmd2.Parameters.AddWithValue("@Quantity", Convert.ToInt32(Quantity));
cmd2.ExecuteNonQuery();
}

}
//Insert and upload images
if(fuImg01.HasFile )
{
string SavePath = Server.MapPath("~/Images/ProductImages/") + PID ;
if(!Directory.Exists (SavePath ))
{
Directory.CreateDirectory(SavePath);
}
string Extention = Path.GetExtension(fuImg01.PostedFile.FileName);
fuImg01.SaveAs(SavePath + "\\\" + txtProductName.Text.ToString().Trim() + "01" + Extention);

//SqlCommand cmd3 = new SqlCommand("insert into tblProductImages values('" + PID + "',' +
txtProductName.Text.ToString ().Trim () + "01" + "',' + Extention + "')", con);
SqlCommand cmd3 = new SqlCommand("insert into tblProductImages(PID,Name,Extention)
values(@PID,@Name,@Extention)", con);
cmd3.Parameters.AddWithValue("@PID",Convert.ToInt32(PID));
cmd3.Parameters.AddWithValue("@Name", txtProductName.Text.ToString().Trim() + "01");
cmd3.Parameters.AddWithValue("@Extention", Extention);
cmd3.ExecuteNonQuery();
}
//2nd fileupload
if (fuImg02.HasFile)
{
string SavePath = Server.MapPath("~/Images/ProductImages/") + PID;
if (!Directory.Exists(SavePath))
{
Directory.CreateDirectory(SavePath);
}
string Extention = Path.GetExtension(fuImg02.PostedFile.FileName);
fuImg02.SaveAs(SavePath + "\\\" + txtProductName.Text.ToString().Trim() + "02" + Extention);

//SqlCommand cmd4 = new SqlCommand("insert into tblProductImages values('" + PID + "',' +
txtProductName.Text.ToString().Trim() + "02" + "',' + Extention + "')", con);
SqlCommand cmd4 = new SqlCommand("insert into tblProductImages(PID,Name,Extention)
values(@PID,@Name,@Extention)", con);

```

```

cmd4.Parameters.AddWithValue("@PID", Convert.ToInt32(PID));
cmd4.Parameters.AddWithValue("@Name", txtProductName.Text.ToString().Trim() + "02");
cmd4.Parameters.AddWithValue("@Extention", Extention);
cmd4.ExecuteNonQuery();
}

//3rd file upload
if (fuImg03.HasFile)
{
string SavePath = Server.MapPath("~/Images/ProductImages/") + PID;
if (!Directory.Exists(SavePath))
{
Directory.CreateDirectory(SavePath);
}
string Extention = Path.GetExtension(fuImg03.PostedFile.FileName);
fuImg03.SaveAs(SavePath + "\\\" + txtProductName.Text.ToString().Trim() + "03" + Extention);

//SqlCommand cmd5 = new SqlCommand("insert into tblProductImages values('" + PID + "','" +
txtProductName.Text.ToString().Trim() + "03" + "','" + Extention + "')", con);
SqlCommand cmd5 = new SqlCommand("insert into tblProductImages(PID,Name,Extention)
values(@PID,@Name,@Extention)", con);
cmd5.Parameters.AddWithValue("@PID", Convert.ToInt32(PID));
cmd5.Parameters.AddWithValue("@Name", txtProductName.Text.ToString().Trim() + "03");

cmd5.Parameters.AddWithValue("@Extention", Extention);
cmd5.ExecuteNonQuery();
}

//4th file upload control
if (fuImg04.HasFile)
{
string SavePath = Server.MapPath("~/Images/ProductImages/") + PID;
if (!Directory.Exists(SavePath))
{
Directory.CreateDirectory(SavePath);
}
string Extention = Path.GetExtension(fuImg04.PostedFile.FileName);
fuImg04.SaveAs(SavePath + "\\\" + txtProductName.Text.ToString().Trim() + "04" + Extention);

//SqlCommand cmd6 = new SqlCommand("insert into tblProductImages values('" + PID + "','" +
txtProductName.Text.ToString().Trim() + "04" + "','" + Extention + "')", con);
SqlCommand cmd6 = new SqlCommand("insert into tblProductImages(PID,Name,Extention)
values(@PID,@Name,@Extention)", con);
cmd6.Parameters.AddWithValue("@PID", Convert.ToInt32(PID));
cmd6.Parameters.AddWithValue("@Name", txtProductName.Text.ToString().Trim() + "04");
cmd6.Parameters.AddWithValue("@Extention", Extention);
cmd6.ExecuteNonQuery();
}

//5th file upload
if (fuImg05.HasFile)
{
string SavePath = Server.MapPath("~/Images/ProductImages/") + PID;
if (!Directory.Exists(SavePath))
{
Directory.CreateDirectory(SavePath);
}
string Extention = Path.GetExtension(fuImg05.PostedFile.FileName);

```

```

fuImg05.SaveAs(SavePath + "\\\" + txtProductName.Text.ToString().Trim() + "05" + Extention);

//SqlCommand cmd7 = new SqlCommand("insert into tblProductImages values('" + PID + "',' +
txtProductName.Text.ToString().Trim() + "05" + "',' + Extention + "')", con);
SqlCommand cmd7 = new SqlCommand("insert into tblProductImages(PID,Name,Extention)
values(@PID,@Name,@Extention)", con);
cmd7.Parameters.AddWithValue("@PID", Convert.ToInt32(PID));
cmd7.Parameters.AddWithValue("@Name", txtProductName.Text.ToString().Trim() + "05");
cmd7.Parameters.AddWithValue("@Extention", Extention);
cmd7.ExecuteNonQuery();

BindGridview1();
Response.Redirect("AddProduct.aspx");
}

}

}

protected void ddlCategory_SelectedIndexChanged(object sender, EventArgs e)
{
ddlSubCategory.Enabled = true;
int MainCategoryID = Convert.ToInt32(ddlCategory.SelectedItem.Value);

using (SqlConnection con = new SqlConnection(CS))
{
con.Open();

SqlCommand cmd = new SqlCommand("Select * from tblSubCategory where MainCatID='" +
ddlCategory.SelectedItem.Value + "'", con);
SqlDataAdapter sda = new SqlDataAdapter(cmd);
DataTable dt = new DataTable();
sda.Fill(dt);
if (dt.Rows.Count != 0)
{
ddlSubCategory.DataSource = dt;
ddlSubCategory.DataTextField = "SubCatName";
ddlSubCategory.DataValueField = "SubCatID";
ddlSubCategory.DataBind();
ddlSubCategory.Items.Insert(0, new ListItem("-Select-", "0"));

}
}
}

protected void ddlGender_SelectedIndexChanged(object sender, EventArgs e)
{
using (SqlConnection con = new SqlConnection(CS))
{
if (con.State == ConnectionState.Closed) { con.Open(); }
string qr = "Select * from tblSizes where BrandID=@BrandID AND CategoryID=@CategoryID AND
SubCategoryID=@SubCategoryID AND GenderID=@GenderID ";
// qr = "Select * from tblSizes where BrandID='" + ddlBrand.SelectedValue + "' and CategoryID='" +
ddlCategory.SelectedValue + "' and SubCategoryID='" + ddlSubCategory.SelectedValue + "' and GenderID='"
+ ddlGender.SelectedValue + "'";
SqlCommand cmd = new SqlCommand(qr, con);
cmd.Parameters.AddWithValue("@BrandID", ddlBrand.SelectedValue);
cmd.Parameters.AddWithValue("@CategoryID", ddlCategory.SelectedValue);
cmd.Parameters.AddWithValue("@SubCategoryID", ddlSubCategory.SelectedValue);
cmd.Parameters.AddWithValue("@GenderID", ddlGender.SelectedValue);

```

```

SqlDataAdapter sda = new SqlDataAdapter(cmd);
DataTable dt = new DataTable();
sda.Fill(dt);
con.Close();
if (dt.Rows.Count != 0)
{
    cblSize.DataSource = dt;
    cblSize.DataTextField = "SizeName";
    cblSize.DataValueField = "SizeID";
    cblSize.DataBind();
}
}
}

protected void ddlSubCategory_SelectedIndexChanged(object sender, EventArgs e)
{
    if(ddlSubCategory .SelectedIndex !=0)
    {
        ddlGender.Enabled = true;
    }
    else
    {
        ddlGender.Enabled = false ;
    }
}

private void BindGridView1()
{
    SqlConnection con = new SqlConnection(CS);

    SqlCommand cmd = new SqlCommand(" select distinct t1.PID,t1.PName,t1.PPrice,t1.PSelPrice,t2.Name as
    Brand,t3.CatName,t4.SubCatName, t5.GenderName as gender,t6.SizeName,t8.Quantity from tblProducts as t1
    inner join tblBrands as t2 on t2.BrandID=t1.PBrandID inner join tblCategory as t3 on
    t3.CatID=t1.PCategoryID inner join tblSubCategory as t4 on t4.SubCatID=t1.PSubCatID inner join
    tblGender as t5 on t5.GenderID =t1.PGender inner join tblSizes as t6 on t6.SubCategoryID=t1.PSubCatID
    inner join tblProductSizeQuantity as t8 on t8.PID=t1.PID order by t1.PName",con);
    SqlDataAdapter da = new SqlDataAdapter(cmd);
    DataTable dt = new DataTable();
    da.Fill(dt);
    if (dt.Rows.Count > 0)
    {
        GridView1.DataSource = dt;
        GridView1.DataBind();
    }
    else
    {
        GridView1.DataSource = null;
        GridView1.DataBind();
    }
}
}z
}
}
}
}
}
}

```

product: -

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient;
using System.Configuration;
using System.Globalization;
using System.Threading;

public partial class Products : System.Web.UI.Page
{
    public static String CS = ConfigurationManager.ConnectionStrings["MyShoppingDB"].ConnectionString;
    protected void Page_Load(object sender, EventArgs e)
    {
        if (Session["Username"] != null)
        {
            if (!IsPostBack)
            {
                if (Request.QueryString["BuyNow"]=="YES")
                {
                }
                BindProductRepeater();
                BindCartNumber();
            }
        }
        else
        {
            if (Request.QueryString["BuyNow"] == "YES")
            {
                Response.Redirect("SignIn.aspx");
            }
            else
            {
                Response.Redirect("~/Default.aspx");
            }
        }
    }
    protected override void InitializeCulture()
    {
        CultureInfo ci = new CultureInfo("en-IN");
        ci.NumberFormat.CurrencySymbol = "₹";
        Thread.CurrentThread.CurrentCulture = ci;

        base.InitializeCulture();
    }

    private void BindProductRepeater()
    {
        using (SqlConnection con = new SqlConnection(CS))
        {
            using (SqlCommand cmd = new SqlCommand("procBindAllProducts", con))
        }
    }
}
```

```

{
cmd.CommandType = CommandType.StoredProcedure;
using (SqlDataAdapter sda = new SqlDataAdapter(cmd))
{
DataTable dt = new DataTable();
sda.Fill(dt);
rptrProducts.DataSource = dt;
rptrProducts.DataBind();
if (dt.Rows.Count <= 0)
{
Label1.Text = "Sorry! Currently no products in this category.";
}
else
{
Label1.Text = "Showing All Products";
}
}
}
}

protected void btnCart2_ServerClick(object sender, EventArgs e)
{
Response.Redirect("~/Cart.aspx");
}

public void BindCartNumber()
{
if (Session["USERID"] != null)
{
string UserID = Session["USERID"].ToString();
DataTable dt = new DataTable();
using (SqlConnection con = new SqlConnection(CS))
{
SqlCommand cmd = new SqlCommand("SP_BindCartNumberz", con)
{
CommandType = CommandType.StoredProcedure
};
cmd.Parameters.AddWithValue("@UserID", UserID);
using (SqlDataAdapter sda = new SqlDataAdapter(cmd))
{
sda.Fill(dt);
if (dt.Rows.Count > 0)
{
string CartQuantity = dt.Compute("Sum(Qty)", "").ToString();
CartBadge.InnerText = CartQuantity;
}
else
{
// _ = CartBadge.InnerText == 0.ToString();
CartBadge.InnerText = "0";
}
}
}
}
}

protected void txtFilterGrid1Record_TextChanged(object sender, EventArgs e)

```

```

{
if (txtFilterGrid1Record.Text != string.Empty)
{
SqlConnection con = new SqlConnection(CS);
con.Open();
string qr = "select A.*,B.*,C.Name ,A.PPrice-A.PSelPrice as DiscAmount,B.Name as ImageName, C.Name as
BrandName from tblProducts A inner join tblBrands C on C.BrandID =A.PBrandID cross apply( select top 1
* from tblProductImages B where B.PID= A.PID order by B.PID desc )B where A.PName like '" +
txtFilterGrid1Record.Text + "%' order by A.PID desc";
SqlDataAdapter da = new SqlDataAdapter(qr, con);
string text = ((TextBox)sender).Text;
DataSet ds = new DataSet();
da.Fill(ds);
if (ds.Tables[0].Rows.Count > 0)
{
rpPtrProducts.DataSource = ds.Tables[0];
rpPtrProducts.DataBind();
}
else
{
}
}
else
{
BindProductRepeater();
}
}
}

```

Cart: -

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

using System.Data;
using System.Data.SqlClient;
using System.Configuration;
using System.Globalization;
using System.Threading;

public partial class Cart : System.Web.UI.Page
{
public static String CS = ConfigurationManager.ConnectionStrings["MyShoppingDB"].ConnectionString;
protected void Page_Load(object sender, EventArgs e)
{
divQtyError.Visible = false;
if (!IsPostBack)
{
if (Session["Username"] != null)
{
BindProductCart();
BindCartNumber();
}
else

```

```

{
    Response.Redirect("Signin.aspx");
}
}

}

public void BindCartNumber()
{
    if (Session["USERID"] != null)
    {
        string UserIDD = Session["USERID"].ToString();
        DataTable dt = new DataTable();
        using (SqlConnection con = new SqlConnection(CS))
        {
            SqlCommand cmd = new SqlCommand("SP_BindCartNumberz", con)
            {
                CommandType = CommandType.StoredProcedure
            };
            cmd.Parameters.AddWithValue("@UserID", UserIDD);
            using (SqlDataAdapter sda = new SqlDataAdapter(cmd))
            {
                sda.Fill(dt);
                if (dt.Rows.Count > 0)
                {
                    string CartQuantity = dt.Compute("Sum(Qty)", "").ToString();
                    CartBadge.InnerText = CartQuantity;
                }
            }
        }
        else
        {
            //_ = CartBadge.InnerText == 0.ToString();
            CartBadge.InnerText = "0";
        }
    }
}

private void BindProductCart()
{
    string UserIDD = Session["USERID"].ToString();
    DataTable dt = new DataTable();
    using (SqlConnection con = new SqlConnection(CS))
    {
        SqlCommand cmd = new SqlCommand("SP_BindUserCart", con)
        {
            CommandType = CommandType.StoredProcedure
        };
        cmd.Parameters.AddWithValue("@UserID", UserIDD);
        using (SqlDataAdapter sda = new SqlDataAdapter(cmd))
        {
            sda.Fill(dt);
            RptrCartProducts.DataSource = dt;
            RptrCartProducts.DataBind();
            if (dt.Rows.Count > 0)
            {
                string Total = dt.Compute("Sum(SubSAmount)", "").ToString();
            }
        }
    }
}

```



```

string CartTotal = dt.Compute("Sum(SubPAmount)", "").ToString();
string CartQuantity = dt.Compute("Sum(Qty)", "").ToString();
h4NoItems.InnerText = "My Cart ( " + CartQuantity + " Item(s) )";
int Total1 = Convert.ToInt32(dt.Compute("Sum(SubSAmount)", ""));
int CartTotal1 = Convert.ToInt32(dt.Compute("Sum(SubPAmount)", ""));
spanTotal.InnerText = "Rs. " + string.Format("{0:###.##}", double.Parse(Total)) + ".00";
spanCartTotal.InnerText = "Rs. " + string.Format("{0:###.##}", double.Parse(CartTotal)) + ".00";
spanDiscount.InnerText = "- Rs. " + (CartTotal1 - Total1).ToString() + ".00";
}
else
{
h4NoItems.InnerText = "Your Shopping Cart is Empty.";
divAmountSect.Visible = false;

}

}

}

}

protected void RptrCartProducts_ItemCommand(object source, RepeaterCommandEventArgs e)
{
Int32 UserID = Convert.ToInt32(Session["USERID"].ToString());
//This will add +1 to current quantity using PID
if (e.CommandName == "DoPlus")
{
string PID = (e.CommandArgument.ToString());
using (SqlConnection con = new SqlConnection(CS))
{
SqlCommand cmd = new SqlCommand("SP_getUserCartItem", con)
{
CommandType = CommandType.StoredProcedure
};
cmd.Parameters.AddWithValue("@PID", PID);
cmd.Parameters.AddWithValue("@UserID", UserID);
using (SqlDataAdapter sda = new SqlDataAdapter(cmd))
{
DataTable dt = new DataTable();
sda.Fill(dt);
if (dt.Rows.Count > 0)
{
Int32 updateQty = Convert.ToInt32(dt.Rows[0]["Qty"].ToString());
SqlCommand myCmd = new SqlCommand("SP_UpdateCart", con)
{
CommandType = CommandType.StoredProcedure
};
myCmd.Parameters.AddWithValue("@Quantity", updateQty + 1);
myCmd.Parameters.AddWithValue("@CartPID", PID);
myCmd.Parameters.AddWithValue("@UserID", UserID);
con.Open();
Int64 CartID = Convert.ToInt64(myCmd.ExecuteScalar());
con.Close();
BindProductCart();
BindCartNumber();
}
}
}
}
}

```

```

    }
else if (e.CommandName == "DoMinus")
{
    string PID = (e.CommandArgument.ToString());
    using (SqlConnection con = new SqlConnection(CS))
    {
        SqlCommand cmd = new SqlCommand("SP_getUserCartItem", con)
        {
            CommandType = CommandType.StoredProcedure
        };
        cmd.Parameters.AddWithValue("@PID", PID);
        cmd.Parameters.AddWithValue("@UserID", UserID);
        using (SqlDataAdapter sda = new SqlDataAdapter(cmd))
        {
            DataTable dt = new DataTable();
            sda.Fill(dt);
            if (dt.Rows.Count > 0)
            {
                Int32 myQty = Convert.ToInt32(dt.Rows[0]["Qty"].ToString());
                if (myQty <= 1)
                {
                    divQtyError.Visible = true;
                }
            }
            else
            {
                SqlCommand myCmd = new SqlCommand("SP_UpdateCart", con)
                {
                    CommandType = CommandType.StoredProcedure
                };
                myCmd.Parameters.AddWithValue("@Quantity", myQty - 1);
                myCmd.Parameters.AddWithValue("@CartPID", PID);
                myCmd.Parameters.AddWithValue("@UserID", UserID);
                con.Open();
                Int64 CartID = Convert.ToInt64(myCmd.ExecuteScalar());
                con.Close();
                BindProductCart();
                BindCartNumber();
            }
        }
    }
}
else if (e.CommandName == "RemoveThisCart")
{
    int CartPID = Convert.ToInt32(e.CommandArgument.ToString().Trim());

    using (SqlConnection con = new SqlConnection(CS))
    {
        SqlCommand myCmd = new SqlCommand("SP_DeleteThisCartItem", con)
        {
            CommandType = CommandType.StoredProcedure
        };
        myCmd.Parameters.AddWithValue("@CartID", CartPID);
        con.Open();
        myCmd.ExecuteNonQuery();
        con.Close();
        BindProductCart();
    }
}

```

```
BindCartNumber();  
}  
}  
}
```

```
protected void btnBuyNow_Click(object sender, EventArgs e)  
{  
Response.Redirect("Payment.aspx");  
}
```

```
protected void btnCart2_ServerClick(object sender, EventArgs e)  
{  
Response.Redirect("Cart.aspx");  
}  
}
```

Payment: -

```
using System;  
using System.Collections.Generic;  
using System.Linq;  
using System.Web;  
using System.Web.UI;  
using System.Web.UI.WebControls;  
using System.Data;  
using System.Configuration;  
using System.Data.SqlClient;
```

```
public partial class Payment : System.Web.UI.Page  
{  
public static String CS =  
ConfigurationManager.ConnectionStrings["MyShoppingDB"].ConnectionString;  
public static Int32 OrderNumber = 1;  
protected void Page_Load(object sender, EventArgs e)  
{  
if (Session["USERNAME"] != null)  
{  
if (!IsPostBack)  
{  
BindPriceData2();  
genAutoNum();  
BindCartNumber();  
BindOrderProducts();  
}  
  
}  
else  
{  
Response.Redirect("SignIn.aspx");  
}  
}
```

```

public void BindPriceData()
{
    if (Request.Cookies["CartPID"] != null)
    {
        string CookieData = Request.Cookies["CartPID"].Value.Split('=')[1];
        string[] CookieDataArray = CookieData.Split(',');
        if (CookieDataArray.Length > 0)
        {
            DataTable dtBrands = new DataTable();
            Int64 CartTotal = 0;
            Int64 Total = 0;
            for (int i = 0; i < CookieDataArray.Length; i++)
            {
                string PID = CookieDataArray[i].ToString().Split('-')[0];
                string SizeID = CookieDataArray[i].ToString().Split('-')[1];

                if (hdPidSizeID.Value != null && hdPidSizeID.Value != "")
                {
                    hdPidSizeID.Value += "," + PID + "-" + SizeID;
                }
                else
                {
                    hdPidSizeID.Value = PID + "-" + SizeID;
                }

                using (SqlConnection con = new SqlConnection(CS))
                {
                    using (SqlCommand cmd = new SqlCommand("select A.*,dbo.getSizeName(" + SizeID + ") as SizeNameee,"
                    + SizeID + " as SizeIDD,SizeData.Name,SizeData.Extention from tblProducts A cross apply( select top 1 B.Name,Extention from tblProductImages B where B.PID=A.PID ) SizeData where A.PID="
                    + PID + "'", con))
                    {
                        cmd.CommandType = CommandType.Text;
                        using (SqlDataAdapter sda = new SqlDataAdapter(cmd))
                        {
                            sda.Fill(dtBrands);
                        }
                    }
                }

                CartTotal += Convert.ToInt64(dtBrands.Rows[i]["PPrice"]);
                Total += Convert.ToInt64(dtBrands.Rows[i]["PSelPrice"]);
            }
        }
    }
}

```

```
divPriceDetails.Visible = true;
```

```
spanCartTotal.InnerText = CartTotal.ToString();  
spanTotal.InnerText = "Rs. " + Total.ToString();  
spanDiscount.InnerText = "- " + (CartTotal - Total).ToString();
```

```
hdCartAmount.Value = CartTotal.ToString();  
hdCartDiscount.Value = (CartTotal - Total).ToString();  
hdTotalPayed.Value = Total.ToString();
```

```
}  
else  
{  
//TODO Show Empty Cart  
Response.Redirect("~/Products.aspx");  
}  
}  
else  
{  
//TODO Show Empty Cart  
Response.Redirect("~/Products.aspx");  
}  
}
```

```
private void BindPriceData2()  
{  
string UserID = Session["USERID"].ToString();  
DataTable dt = new DataTable();  
using (SqlConnection con = new SqlConnection(CS))  
{  
SqlCommand cmd = new SqlCommand("SP_BindPriceData", con)  
{  
CommandType = CommandType.StoredProcedure  
};  
cmd.Parameters.AddWithValue("UserID", UserID);  
using (SqlDataAdapter sda = new SqlDataAdapter(cmd))  
{  
sda.Fill(dt);  
if (dt.Rows.Count > 0)  
{  
string Total = dt.Compute("Sum(SubSAmount)", "").ToString();  
string CartTotal = dt.Compute("Sum(SubPAmount)", "").ToString();  
string CartQuantity = dt.Compute("Sum(Qty)", "").ToString();  
int Total1 = Convert.ToInt32(dt.Compute("Sum(SubSAmount)", ""));  
int CartTotal1 = Convert.ToInt32(dt.Compute("Sum(SubPAmount)", ""));  
spanTotal.InnerText = "Rs. " + string.Format("{0:###.##}", double.Parse(Total)) + ".00";  
Session["myCartAmount"] = string.Format("{0:#####}", double.Parse(Total));
```

```

spanCartTotal.InnerText = "Rs. " + string.Format("{0:###.##}", double.Parse(CartTotal)) + ".00";
spanDiscount.InnerText = "- Rs. " + (CartTotal1 - Total1).ToString();
Session["TotalAmount"] = spanTotal.InnerText;
hdCartAmount.Value = CartTotal.ToString();
hdCartDiscount.Value = (CartTotal1 - Total1).ToString() + ".00";
hdTotalPayed.Value = Total.ToString();
}
else
{
Response.Redirect("Products.aspx");
}
}
}
}

protected void btnPaytm_Click(object sender, EventArgs e)
{
if (Session["USERNAME"] != null)
{
string USERID = Session["USERID"].ToString();
string PaymentType = "Paytm";
string PaymentStatus = "NotPaid";
string EMAILID = Session["USEREMAIL"].ToString();
using (SqlConnection con = new SqlConnection(CS))
{
SqlCommand cmd = new SqlCommand("insert into tblPurchase values('" + USERID + "','"
+ hdPidSizeID.Value + "','" + hdCartAmount.Value + "','" + hdCartDiscount.Value + "','"
+ hdTotalPayed.Value + "','" + PaymentType + "','" + PaymentStatus + "',getdate(),'
+ txtName.Text + "','" + txtAddress.Text + "','" + txtPinCode.Text + "','" + txtMobileNumber.Text + "')
select SCOPE_IDENTITY()", con);
if (con.State == ConnectionState.Closed)
{
con.Open();
}
Int64 PurchaseID = Convert.ToInt64(cmd.ExecuteScalar());
}
}
else
{
Response.Redirect("SignIn.aspx");
}
}

public void BindCartNumber()
{
if (Session["USERID"] != null)
{

```

```
string UserIDD = Session["USERID"].ToString();
```

```
DataTable dt = new DataTable();  
using (SqlConnection con = new SqlConnection(CS))  
{  
    SqlCommand cmd = new SqlCommand("SP_BindCartNumberz", con)  
    {  
        CommandType = CommandType.StoredProcedure  
    };  
    cmd.Parameters.AddWithValue("@UserID", UserIDD);  
    using (SqlDataAdapter sda = new SqlDataAdapter(cmd))  
    {  
        sda.Fill(dt);  
        if (dt.Rows.Count > 0)  
        {  
            string CartQuantity = dt.Compute("Sum(Qty)", "").ToString();  
            CartBadge.InnerText = CartQuantity;  
        }  
        else  
        {  
            //_ = CartBadge.InnerText == 0.ToString();  
        }  
    }  
}
```

```
private void genAutoNum()  
{  
    Random r = new Random();  
    int num = r.Next(Convert.ToInt32("231965"),  
        Convert.ToInt32("987654"));  
    string ChkOrderNum = num.ToString();  
    using (SqlConnection con = new SqlConnection(CS))  
    {  
        SqlCommand cmd = new SqlCommand("SP_FindOrderNumber", con)  
        {  
            CommandType = CommandType.StoredProcedure  
        };  
        cmd.Parameters.AddWithValue("@FindOrderNumber", ChkOrderNum);  
        if (con.State == ConnectionState.Closed) { con.Open(); }  
        using (SqlDataAdapter sda = new SqlDataAdapter(cmd))  
        {  
            DataTable dt = new DataTable();  
            sda.Fill(dt);  
            con.Close();  
            if (dt.Rows.Count > 0)
```

```

{
    genAutoNum();
}
else
{

    OrderNumber = Convert.ToInt32(num.ToString());
}
}
}
}

private void BindOrderProducts()
{
    string UserID = Session["USERID"].ToString();
    DataTable dt = new DataTable();
    using (SqlConnection con0 = new SqlConnection(CS))
    {
        SqlCommand cmd0 = new SqlCommand("SP_BindCartProducts", con0)
        {
            CommandType = CommandType.StoredProcedure
        };
        cmd0.Parameters.AddWithValue("@UID", UserID);
        using (SqlDataAdapter sda0 = new SqlDataAdapter(cmd0))
        {
            sda0.Fill(dt);
            if (dt.Rows.Count > 0)
            {
                foreach (DataColumn PID in dt.Columns)
                {
                    using (SqlConnection con = new SqlConnection(CS))
                    {
                        using (SqlCommand cmd = new SqlCommand("SELECT * FROM tblCart C WHERE C.PID=" + PID +
                            " AND UID='" + UserID + "'", con))
                        {
                            cmd.CommandType = CommandType.Text;
                            using (SqlDataAdapter sda = new SqlDataAdapter(cmd))
                            {
                                DataTable dtProducts = new DataTable();
                                sda.Fill(dtProducts);
                                gvProducts.DataSource = dtProducts;
                                gvProducts.DataBind();
                            }
                        }
                    }
                }
            }
        }
    }
}

```



```
}  
}
```

```
protected void btnCart2_ServerClick(object sender, EventArgs e)  
{  
    Response.Redirect("Cart.aspx");  
}
```

```
protected void BtnPlaceNPay_Click(object sender, EventArgs e)  
{  
    if (Session["Username"] != null)  
    {  
        Session["Address"] = txtAddress.Text;  
        Session["Mobile"] = txtMobileNumber.Text;  
        Session["OrderNumber"] = OrderNumber.ToString();  
        Session["PayMethod"] = "Place n Pay";
```

```
        string USERID = Session["USERID"].ToString();  
        string PaymentType = "PnP";  
        string PaymentStatus = "NotPaid";  
        string EMAILID = Session["USEREMAIL"].ToString();  
        string OrderStatus = "Pending";  
        string FullName = Session["getFullName"].ToString();  
        using (SqlConnection con = new SqlConnection(CS))  
        {  
            SqlCommand cmd = new SqlCommand("SP_InsertOrder", con);  
            cmd.CommandType = CommandType.StoredProcedure;  
            cmd.Parameters.AddWithValue("@UserID", USERID);  
            cmd.Parameters.AddWithValue("@Email", EMAILID);  
            cmd.Parameters.AddWithValue("@CartAmount", hdCartAmount.Value);  
            cmd.Parameters.AddWithValue("@CartDiscount", hdCartDiscount.Value);  
            cmd.Parameters.AddWithValue("@TotalPaid", hdTotalPaid.Value);  
            cmd.Parameters.AddWithValue("@PaymentType", PaymentType);  
            cmd.Parameters.AddWithValue("@PaymentStatus", PaymentStatus);  
            cmd.Parameters.AddWithValue("@DateOfPurchase", DateTime.Now);  
            cmd.Parameters.AddWithValue("@Name", FullName);  
            cmd.Parameters.AddWithValue("@Address", txtAddress.Text);  
            cmd.Parameters.AddWithValue("@MobileNumber", txtMobileNumber.Text);  
            cmd.Parameters.AddWithValue("@OrderStatus", OrderStatus);  
            cmd.Parameters.AddWithValue("@OrderNumber", OrderNumber.ToString());  
            if (con.State == ConnectionState.Closed) { con.Open(); }  
            Int64 OrderID = Convert.ToInt64(cmd.ExecuteScalar());  
            InsertOrderProducts();  
        }  
    }  
    else  
    {
```

```
Response.Redirect("SignIn.aspx?RtPP=yes");
}
}
```

```
private void InsertOrderProducts()
```

```
{
string USERID = Session["USERID"].ToString();
using (SqlConnection con = new SqlConnection(CS))
{
foreach (GridViewRow gvr in gvProducts.Rows)
{

SqlCommand myCmd = new SqlCommand("SP_InsertOrderProducts", con)
{
CommandType = CommandType.StoredProcedure
};
myCmd.Parameters.AddWithValue("@OrderID", OrderNumber.ToString());
myCmd.Parameters.AddWithValue("@UserID", USERID);
myCmd.Parameters.AddWithValue("@PID", gvr.Cells[0].Text);
myCmd.Parameters.AddWithValue("@Products", gvr.Cells[1].Text);
myCmd.Parameters.AddWithValue("@Quantity", gvr.Cells[2].Text);
myCmd.Parameters.AddWithValue("@OrderDate", DateTime.Now.ToString("yyyy-MM-dd"));
myCmd.Parameters.AddWithValue("@Status", "Pending");
if (con.State == ConnectionState.Closed) { con.Open(); }
Int64 OrderProID = Convert.ToInt64(myCmd.ExecuteScalar());
con.Close();
EmptyCart();
Response.Redirect("Success.aspx");
}
}
}
```

```
private void EmptyCart()
```

```
{
Int32 CartUIDD = Convert.ToInt32(Session["USERID"].ToString());
using (SqlConnection con = new SqlConnection(CS))
{
SqlCommand cmdU = new SqlCommand("SP_EmptyCart", con)
{
CommandType = CommandType.StoredProcedure
};
cmdU.Parameters.AddWithValue("@UserID", CartUIDD);
if (con.State == ConnectionState.Closed) { con.Open(); }
cmdU.ExecuteNonQuery();
con.Close();
}
}
}
```

LIMITATIONS

Limited menu options:

MyEShoppingWebsite may not offer as wide a range of menu options as a physical grocery shop. This can be limiting for customers who have specific dietary restrictions or preferences.

Lack of Physical Interaction: Unlike traditional brick-and-mortar stores, e-shopping websites sometimes result in dissatisfaction if the product doesn't meet the customer's expectations upon

Shipping Delays and Costs: Depending on the location of the buyer and the seller, shipping times can vary among customers, particularly if they were expecting quick delivery.

Security Concerns: While e-commerce security has significantly improved over the years, there is still a risk of data breaches and cyber-attacks. Customers may be hesitant to share their personal and financial information online, especially if they're not confident in the website's security measures.

Dependency on Technology: E-shopping websites rely heavily on technology, including internet connectivity and electronic devices such as computers, smartphones, and tablets. Technical issues such as website crashes, slow loading times, or compatibility issues can disrupt the shopping experience.

Product Authenticity and Quality: Online shoppers may sometimes encounter counterfeit or low-quality products, especially when purchasing from lesser-known or unverified sellers. Ensuring product authenticity and quality can be challenging for e-commerce platforms, leading to potential trust issues among customers.

FUTURE MODIFICATIONS

To stay competitive and responsive to the evolving needs of the digital marketplace, MyEShoppingWebsite can consider several strategic modifications. These enhancements aim to optimize user experience, expand market reach, and leverage emerging technologies to foster growth and customer satisfaction. Here are some future modifications that could be particularly beneficial

1. **Advanced Personalization:** Enhance user experience by implementing more sophisticated AI-driven algorithms. These can provide personalized shopping experiences, product recommendations, and promotions based on individual customer preferences, behaviour, and purchase history.
2. **Augmented Reality (AR) Integration:** Incorporate AR features to allow customers to visualize products in real-world settings or on themselves (like virtual try-ons for clothing and accessories). This can significantly enhance user engagement and reduce return rates by helping customers make more informed decisions.
3. **Improved Mobile Experience:** With mobile commerce growing rapidly, optimizing the mobile user experience through a dedicated app or a mobile-first website design can increase accessibility and convenience for on-the-go shoppers.
4. **Voice-Activated Shopping:** Integrate voice search capabilities to enable shopping using voice commands through virtual assistants. This feature can make the shopping process more convenient, especially for users with visual impairments or those who prefer hands-free operations.
5. **Block chain for Enhanced Security and Transparency:** Implement block chain technology to secure transactions and improve supply chain transparency. This can build trust, especially in high-value transactions and markets concerned with authenticity, such as luxury goods and collectibles

FUTURE SCOPE MODIFICATION

The future scope of modifications for MyEShoppingWebsite is vast, with ongoing advancements in technology and changing market dynamics shaping the evolution of these systems. Here are some potential areas for future scope modification:

Data Analytics and Business Intelligence:

Advanced data analytics tools can be integrated into MyEShoppingWebsite to provide deeper insights into customer behaviour, market trends, and operational performance.

Predictive analytics algorithms can anticipate demand fluctuations, optimize inventory levels, and improve decision-making processes for grocery store owners and managers.

Artificial Intelligence (AI) and Machine Learning (ML):

AI and ML algorithms can enhance various aspects of MyEShoppingWebsite, such as personalized customer recommendations, fraud detection, and automated inventory management.

Natural Language Processing (NLP) capabilities can enable voice-activated commands for MyEShoppingWebsite, improving user experience and operational efficiency.

Internet of Things (IoT) Integration:

IoT-enabled devices, such as smart shelves, temperature sensors, and inventory trackers, can provide real-time data on product availability, storage conditions, and supply chain logistics.

MyEShoppingWebsite can leverage IoT data for proactive maintenance, demand forecasting, and optimizing store layout and product placement.

CONCLUSION

In conclusion, the digital landscape of e-commerce is both dynamic and expansive, presenting endless opportunities for growth and innovation. Our e-commerce platform, MyEShoppingWebsite, has continuously evolved to meet the diverse and changing needs of consumers across the globe. By embracing cutting-edge technologies and prioritizing customer satisfaction, we have established a robust online marketplace that not only simplifies shopping but also enhances it with a personalized, secure, and efficient service.

As we look to the future, MyEShoppingWebsite is committed to remaining at the forefront of e-commerce trends and innovations. Our focus on integrating advanced features like AI-driven personalization, augmented reality, and sustainable practices reflects our dedication to not just keeping pace with the industry, but leading it. These advancements are aimed at creating more immersive and tailored shopping experiences, building greater trust through enhanced security measures, and promoting responsible consumption.

Moreover, our ongoing investment in optimizing logistics and backend operations will continue to improve our service delivery, ensuring faster and more reliable order fulfillment. As we expand our global footprint, the incorporation of multi-language and multi-currency support will cater to a broader audience, making MyEShoppingWebsite a truly international platform.

Ultimately, MyEShoppingWebsite is more than just a marketplace; it is a community of shoppers, sellers, and innovators. We are dedicated to continuously improving, adapting, and responding to our users' needs and the shifting e-commerce landscape. Our goal is not only to meet expectations but to exceed them, ensuring that every interaction with our platform is seamless, enjoyable, and rewarding. As we move forward, MyEShoppingWebsite will persist in setting benchmarks in the e-commerce sector, fostering an environment where technology and human-centric service converge to create unparalleled shopping experiences.

LIMITATION OF PROJECT

While MyEShoppingWebsite has successfully established itself as a significant player in the online retail space, like all platforms, it faces certain limitations and challenges that can impact its performance and user satisfaction. Addressing these limitations is crucial for continuous improvement and maintaining competitive edge. Here are some of the key limitations that MyEShoppingWebsite might encounter:

1. **User Experience Consistency:** Ensuring a consistently smooth user experience across all devices and platforms can be challenging. Users on older devices or those with slower internet connections may experience slower load times and less responsive site behavior, which can deter user engagement and sales.
2. **Scalability Issues:** As the customer base grows, the platform may face scalability issues. This includes not only handling increased traffic but also managing larger volumes of transactions, customer data, and inventory without compromising performance.
3. **Logistics and Supply Chain Management:** Effective logistics are crucial for e-commerce success. MyEShoppingWebsite may struggle with optimizing supply chain efficiency, especially during high demand periods, leading to delayed deliveries and stock issues which can frustrate customers.
4. **Data Security and Privacy Concerns:** With the rise of data breaches and cyber threats, maintaining robust security measures is critical. Any compromise in protecting user data can lead to significant trust issues and legal ramifications.
5. **Market Saturation and Competition:** The e-commerce sector is highly competitive, with numerous players vying for customer attention. Standing out in a crowded market and attracting new customers without significantly increasing marketing spend can be difficult.
6. **International Expansion Challenges:** Expanding into international markets comes with its set of challenges, such as dealing with different consumer laws, payment methods, and cultural nuances that affect buying behavior.

BIBLIOGRAPHY:-

WEBSITES –

www.Amazon.com

www.Flipkart.com

BOOKS: - ASP.net black book

