res_company

/ id

d SERIAL

name CHARACTER VA

partner_id INTEGER

currency_id INTEGER

sequence INTEGER

create_date TIMESTAMP(6)

parent_id INTEGER

report_header TEXT

report_footer TEXT

logo_web BYTEA


email CHARACTER VA

phone CHARACTER VA

company_registry CHARACTER VA

paperformat_id INTEGER

Powered by y



roduct_product

SERIAL

CHARACTER VARYING

BOOLEAN

INTEGER

CHARACTER VARYING

CHARACTER VARYING

NUMERIC

NUMERIC


omed BOOLEAN

INTEGER

INTEGER

| | external_report_layout_id | INTEGER |
|----|-------------------------------|--------------|
| | base_onboarding_company_state | CHARACTER V |
| | font | CHARACTER V |
| | primary_color | CHARACTER VA |
| | secondary_color | CHARACTER VA |
| | create_uid | INTEGER |
| | write_uid | INTEGER |
| | write_date | TIMESTAMP(6) |
| | resource_calendar_id | INTEGER |
| | partner_gid | INTEGER |
| | snailmail_color | BOOLEAN |
| | snailmail_cover | BOOLEAN |
| | snailmail_duplex | BOOLEAN |
| | fiscalyear_last_day | INTEGER |
| | fiscalyear_last_month | CHARACTER VA |
| 4 | period_lock_date | DATE |
| -1 | | |

Powered by



TIMESTAMP(6) WITHOUT TIME ZONE INTEGER
TIMESTAMP(6) WITHOUT TIME ZONE

eptance_checklist

SERIAL

BOOLEAN

CHARACTER VARYING

CHARACTER VARYING

BOOLEAN

CHARACTER VARYING


INTEGER

INTEGER

id INTEGER

| tiscalyear_lock_date | DATE |
|--|--------------|
| tax_lock_date | DATE |
| transfer_account_id | INTEGER |
| expects_chart_of_accounts | BOOLEAN |
| chart_template_id | INTEGER |
| bank_account_code_prefix | CHARACTER V |
| cash_account_code_prefix | CHARACTER V |
| default_cash_difference_income_account_id | INTEGER |
| default_cash_difference_expense_account_id | INTEGER |
| account_journal_suspense_account_id | INTEGER |
| transfer_account_code_prefix | CHARACTER V |
| account_sale_tax_id | INTEGER |
| account_purchase_tax_id | INTEGER |
| tax_calculation_rounding_method | CHARACTER VA |
| currency_exchange_journal_id | INTEGER |
| income_currency_exchange_account_id | INTEGER |
| expense currency exchange account id | INTEGER |

Powered by y



INTEGER
TIMESTAMP(6) WITHOUT TIME ZONE
INTEGER
TIMESTAMP(6) WITHOUT TIME ZONE

project_project

SERIAL

CHARACTER VARYING

TEXT

BOOLEAN

| anglo_saxon_accounting | BOOLEAN |
|---|--------------|
| property_stock_account_input_categ_id | INTEGER |
| property_stock_account_output_categ_id | INTEGER |
| property_stock_valuation_account_id | INTEGER |
| tax_exigibility | BOOLEAN |
| account_tax_fiscal_country_id | INTEGER |
| incoterm_id | INTEGER |
| qr_code | BOOLEAN |
| invoice_is_email | BOOLEAN |
| invoice_is_print | BOOLEAN |
| account_opening_move_id | INTEGER |
| account_opening_date | DATE |
| account_setup_bank_data_state | CHARACTER VA |
| account_setup_fy_data_state | CHARACTER VA |
| account_setup_coa_state | CHARACTER VA |
| account_onboarding_invoice_layout_state | CHARACTER VA |

Powered by yl

ARYING ARYING ARYING ARYING

sequence partner_id partner_email partner_phone company_id analytic_account_ic label_tasks color user_id alias_id privacy_visibility date_start date subtask_project_id allow_subtasks allow_recurring_tas

INTEGER INTEGER CHARACTER VARYING CHARACTER VARYING **INTEGER INTEGER** CHARACTER VARYING **INTEGER INTEGER INTEGER** CHARACTER VARYING DATE DATE **INTEGER BOOLEAN BOOLEAN** sks

| account_onboarding_create_invoice_state | CHARACTER VA |
|---|--------------|
| account_onboarding_sale_tax_state | CHARACTER VA |
| account_invoice_onboarding_state | CHARACTER V |
| account_dashboard_onboarding_state | CHARACTER VA |
| invoice_terms | TEXT |
| account_setup_bill_state | CHARACTER VA |
| account_default_pos_receivable_account_id | INTEGER |
| expense_accrual_account_id | INTEGER |
| revenue_accrual_account_id | INTEGER |
| automatic_entry_default_journal_id | INTEGER |
| tax_cash_basis_journal_id | INTEGER |
| account_cash_basis_base_account_id | INTEGER |
| payment_acquirer_onboarding_state | CHARACTER V |
| payment_onboarding_payment_method | CHARACTER V |
| invoice_is_snailmail | BOOLEAN |
| portal_confirmation_sign | BOOLEAN |

Powered by y

ARYING ARYING ARYING ARYING ARYING ARYING ARYING

rating_request_dea rating_active rating_status rating_status_perio access_token message_main_att create_uid create_date write_uid write_date sale_line_id sale_order_id allow_timesheets bill_type pricing_type allow_billable timesheet product

Idline TIMESTAMP(6) WITHOUT TIME ZONE **BOOLEAN** CHARACTER VARYING d CHARACTER VARYING CHARACTER VARYING **INTEGER** achment_id **INTEGER** TIMESTAMP(6) WITHOUT TIME ZONE **INTEGER** TIMESTAMP(6) WITHOUT TIME ZONE **INTEGER INTEGER BOOLEAN** CHARACTER VARYING CHARACTER VARYING **BOOLEAN** Ы INTEGER

| ĺ | portal_confirmation_pay | BOOLEAN |
|---|--|---------------|
| l | quotation_validity_days | INTEGER |
| l | sale_quotation_onboarding_state | CHARACTER V |
| l | sale_onboarding_order_confirmation_state | CHARACTER V |
| l | sale_onboarding_sample_quotation_state | CHARACTER V |
| l | sale_onboarding_payment_method | CHARACTER V |
| l | sale_order_template_id | INTEGER |
| l | vat_check_vies | BOOLEAN |
| l | social_twitter | CHARACTER V |
| l | social_facebook | CHARACTER V |
| l | social_github | CHARACTER V |
| l | social_linkedin | CHARACTER V |
| l | social_youtube | CHARACTER V |
| l | social_instagram | CHARACTER V |
| l | po_lead | DOUBLE PRECI |
| | po_lock | CHARACTER V |
| У | no double validation | CHADACTED \// |

Powered by

ARYING SION ARYING ADVING

stage_id start_date end_date street street2 city_id sub_city_id woreda_id kabele_id state_id zip country_id program_manager_ risk_incident

| _14 | HALLOCK | • |
|-----|-------------------|---|
| | INTEGER | 7 |
| | DATE | |
| | DATE | |
| | CHARACTER VARYING | |
| | CHARACTER VARYING | |
| | INTEGER | 7 |
| | CHARACTER VARYING | |
| | INTEGER | 7 |
| _id | INTEGER | 7 |
| | BOOLEAN | |

reject_acceptance_wizard




id SERIAL

rejection_reason TEXT

acceptance_id INTEGER

Powere

| ρυ_αυανι ε _ναιιαατιστι | CHANACTER VI |
|--|--------------|
| po_double_validation_amount | NUMERIC |
| hr_presence_control_email_amount | INTEGER |
| hr_presence_control_ip_list | CHARACTER V |
| project_time_mode_id | INTEGER |
| timesheet_encode_uom_id | INTEGER |
| leave_timesheet_project_id | INTEGER |
| leave_timesheet_task_id | INTEGER |
| create_new_line_at_contract_line_renew | BOOLEAN |
| account_check_printing_layout | CHARACTER V |
| account_check_printing_date_label | BOOLEAN |
| account_check_printing_multi_stub | BOOLEAN |
| account_check_printing_margin_top | DOUBLE PRECI |
| account_check_printing_margin_left | DOUBLE PRECI |
| account_check_printing_margin_right | DOUBLE PRECI |
| nomenclature_id | INTEGER |
| internal_transit_location_id | INTEGER |



project_task_type

SERIAL

BOOLEAN

CHARACTER VARYING

TEXT

INTEGER

ked CHARACTER VARYING

CHARACTER VARYING

nal CHARACTER VARYING

te_id INTEGER

BOOLEAN

late_id INTEGER

create_uid INTEGER

create_date TIMESTAMP(6) WITHOUT TIME ZONE

write_uid INTEGER

write_date TIMESTAMP(6) WITHOUT TIME ZONE

acceptance_inspection_res_users_rel

acceptance_inspection_id INTEGER
res_users_id INTEGER

acceptance_inspection_line id SERIAL inspection_id INTEGER name CHARACTER VARYING product_id INTEGER check_list_line INTEGER

stock_move_email_validation BOOLEAN

stock_mail_confirmation_template_id INTEGER

stock move sms validation BOOLEAN

stock_sms_confirmation_template_id INTEGER

has_received_warning_stock_sms BOOLEAN

days_to_purchase DOUBLE PRECI

sh_auto_add_followers BOOLEAN

sh_portal_user_create BOOLEAN

security_lead DOUBLE PRECI

invoicing_switch_threshold DATE

totals_below_sections BOOLEAN

account_tax_periodicity CHARACTER VA


account_tax_periodicity_reminder_day INTEGER

account_tax_original_periodicity_reminder_day INTEGER

account_tax_periodicity_journal_id INTEGER

account_tax_next_activity_type INTEGER

Powered by



auto_validat
is_closed
create_uid
create_date
write_uid
write_date
set_default

ion_kanban_state BOOLEAN
BOOLEAN
INTEGER
TIMESTAMP(6) WITHOUT TIME ZONE
INTEGER
TIMESTAMP(6) WITHOUT TIME ZONE
BOOLEAN

quantitative_value NUMERIC

qualitative_value INTEGER

notes TEXT

min_value NUMERIC

max_value NUMERIC

check_list_uom_id INTEGER

check_list_uom_category INTEGER

uom_id INTEGER

question_type CHARACTER VARYING

valid_values CHARACTER VARYING

success BOOLEAN

deadline DATE

remarks TEXT


weightage INTEGER

create_uid INTEGER

create_date TIMESTAMP(6) WITHOUT TIME ZONE

.....i.d INITECED

account_revaluation_journal_id INTEGER
account_revaluation_expense_provision_account_id INTEGER
account_revaluation_income_provision_account_id INTEGER



res_users **SERIAL BOOLEAN** CHARACTER VARYING CHARACTER VARYING **INTEGER INTEGER** TIMESTAMP(6) WITHOUT TIME ZONE **TEXT INTEGER BOOLEAN INTEGER** INTEGER TIMESTAMP(6) WITHOUT TIME ZONE

CHARACTER VARYING

CHARACTER VARYING

WITTE_UID IN LEGEK

write_date TIMESTAMP(6) WITHOUT TIME ZONE

criteria_status CHARACTER VARYING

acceptance_inspection_deliverables

id SERIAL

acceptance_inspection_id INTEGER

deliverables CHARACTER VARYING

remarks CHARACTER VARYING

create_uid INTEGER


create_date TIMESTAMP(6) WITHOUT TIME ZONE

write_uid INTEGER

write_date TIMESTAMP(6) WITHOUT TIME ZONE

accentance inspection assurance

| | | acceptance_inspection |
|------------------|----------------|-----------------------|
| ——— | 🎤 id | SERIAL |
| | name | CHARACTER VARYING |
| | date | DATE |
| | object_id | CHARACTER VARYING |
| | product_id | INTEGER |
| | qty | DOUBLE PRECISION |
| | check_list | INTEGER |
| | internal_notes | TEXT |
| | external_notes | TEXT |
| | state | CHARACTER VARYING |
| | success | BOOLEAN |
| | auto_generated | BOOLEAN |
| | company_id | INTEGER |
| | user | INTEGER |
| Powered by yFile | project_id | INTEGER |



CHARACTER VARYING **BOOLEAN INTEGER INTEGER DOUBLE PRECISION** get_closed **DOUBLE PRECISION** get_rating get_success DOUBLE PRECISION CHARACTER VARYING **BOOLEAN BOOLEAN INTEGER INTEGER INTEGER** ced

acceptance_mopertion_assurance

id SERIAL

acceptance_inspection_id INTEGER

activity_name CHARACTER VARYING

remarks CHARACTER VARYING

resource CHARACTER VARYING

create_uid INTEGER

create_date TIMESTAMP(6) WITHOUT TIME ZONE

write_uid INTEGER

write_date TIMESTAMP(6) WITHOUT TIME ZONE

acceptance_approval_wizard

id SERIAL

user_id INTEGER

approval_due_date DATE

acceptance_id INTEGER

project_stage_id INTEGER

subject CHARACTER VARYING

project_acceptance_definition TEXT

is_from_project BOOLEAN

acceptance_ch CHARACTER VARYING

rejection_reason CHARACTER VARYING

acceptance_rejected_by INTEGER

acceptance_approved_by INTEGER

due date DATE

message_main_attachment_id INTEGER


create_uid INTEGER

create_date TIMESTAMP(6) WITHOUT TIME ZON

write uid INTEGER

write_date TIMESTAMP(6) WITHOUT TIME ZON

acceptance_requested_by INTEGER



ir_attachment

id SERIAL

name CHARACTER VARYING

description TEXT

res_model CHARACTER VARYING

res_field CHARACTER VARYING

res_id INTEGER

company_id INTEGER

type CHARACTER VARYING

url CHARACTER VARYING(1024)

public BOOLEAN

| create_uid | INTEGER | 1 |
|-------------|--------------------------------|---|
| create_date | TIMESTAMP(6) WITHOUT TIME ZONE | |
| write_uid | INTEGER | / |
| write_date | TIMESTAMP(6) WITHOUT TIME ZONE | |

access_token CHARACTER VARYING

db_datas BYTEA

store_fname CHARACTER VARYING

file_size INTEGER

checksum CHARACTER VARYING(40)

mimetype CHARACTER VARYING

index_content TEXT

create_uid INTEGER

create_date TIMESTAMP(6) WITHOUT TIME ZONE

write_uid INTEGER

write_date TIMESTAMP(6) WITHOUT TIME ZONE

original_id INTEGER

website_id INTEGER

key CHARACTER VARYING

theme_template_id INTEGER

document_type_id INTEGER

| project_id | INTEGER | / |
|-----------------------|---------|---|
| contract_id | INTEGER | |
| unsigned_contract_id | INTEGER | |
| signed_contract_id | INTEGER | |
| change_request_id | INTEGER | |
| crossovered_budget_id | INTEGER | |