

Welcome

nss-search-upload

Page Designer

Actions (16)

Event Listeners (18)

Events

Types (11)

Variables (27)

JavaScript

JSON

Settings

Filter

+ Event Listener

Lifecycle Event Listeners

vbEnter

→ defaultNoRows [Go to Action Chain](#)

Custom Event Listeners

No Custom Event Listeners defined.

Component Event Listeners

buttonAction

ojAction

→ SearchActionChain

buttonAction2

ojAction

→ SaveActionChain

buttonAction3

ojAction

→ ResetActionChain

buttonAction4

ojAction

→ onClickOkErrorDialog

< vbEnter

Action Chain

≡

Action Chain ID

Create

defaultNoRows

Go to Action Chain

Input Parameters

Assign

No input parameters

Show in Flow Diagram

on

off

Properties

https://eduspark-dev-vb-bmdx7jzxswbt.builder.ap-mumbai-1.ocp.oraclecloud.com/ic/builder/?root=application&application=NSS_Web_Application-1.0.1&artifact=webApps_-_nsswebapp_-_flows_-_nss_-_pages_-_nss-search-upload-page§ion=actions&actionChain=defaultNoR...

Welcome

nss-search-upload x

Page Designer

Actions (16)

Event Listeners (18)

Events

Types (11)

Variables (27)

JavaScript

JSON

Settings

< Action Chains

defaultNoRows

Diagram

Variables

Tests

Design

Code

Search

Start

Call Function

createBufferingDP

Assign Variables

getGetnssdetailsListSDP, v

+

Call Function

ID *

callFunctionCreateBufferingDP

Label

Description

Function Name *

createBufferingDP

Go to Module Function

Input Parameters

* baseDP

Return Type

Create

Create

Mapped

Create

Audits

Find in Files

Logs

Tests

Trace

Assign Input Parameters

- ▶ {} getGetnssayserviceListSDP
- ▼ {} getGetnssdetailsListSDP
 - ⌵ endpoint
 - ⌵ fetchChain
 - ⌵ fetchChainId
- ▶ {} filterCriterion
- ▶ headers (nss-search-upload-page) +
 - ⌵ idAttribute
 - ⌵ itemsPath
 - ⌵ mergeTransformOptions
- ▶ {} pagingCriteria
 - {} responseType
- ▶ [] sortCriteria
- ▶ {} transforms
- ▶ uriParameters (nss-search-upload-page) +
- ▶ {} getGetnssheaderdetails2ListSDP

Target

🔍 Filter

Parameters

✱ baseDP

Cancel

Save

Assign Variables

Sources

- ▼ **Action Chain** *(defaultNoRows)* +
 - ▶ results *(nss-search-upload-page)* +
- ▼ **Page** *(nss-search-upload-page)* +
 - ▼ Variables
 - * approvals_info_id
 - # batch_id
 - ▶ {} currentRowBuffer
 - ▢ disableRowEditExit
 - * editRow

SDP

{ }

- ▶ {} getGetcategoryserviceListSDP
- ▶ {} getGetnssayserviceListSDP
- ▼ {} getGetnssdetailsListSDP
 - △ endpoint
 - △ fetchChain
 - △ fetchChainId
 - ▶ {} filterCriterion
 - ▶ headers *(nss-search-upload-page)* +
 - △ idAttribute
 - △ itemsPath
 - △ mergeTransformOptions

{ } \$page.variables.getGetnssdetailsListSDP.filterCriterion

Builder

Code

Include items ☒ Match All ☐ Match Any

IF **nss_detail_id** equals -1

Cancel

Save

ORACLE
Visual Builder

NSS Web Application

STAGE 1.0.1

Welcome

nss-search-upload

Page Designer

Actions (16)

Event Listeners (18)

Events

Types (11)

Variables (27)

JavaScript

JSON

Settings

Filter

+ Variable

Constants

No constants defined.

Variables

* approvals_info_id

batch_id

{ } currentRowBuffer getGetnssdetails

disableRowEditExit

* editRow

SDP errorDetailsSDP

formDisable

SDP getGetcategoryserviceListSDP

SDP getGetnssayserviceListSDP

SDP getGetnssdetailsListSDP

SDP getGetnssheaderdetails2ListSDP

SDP getGetnssschoolserviceListSDP

SDP getGettermnssserviceListSDP

isCurrentRowBeingDeleted

makeDisabled

makeDisabledUploadButton

makeRequired

Variable

General

Capabilities

Service Data Provider

Input Parameter

Disabled

Enabled

Required

Endpoint *

Select

getGetnssdetails

Header Parameters

Assign

AY

Not Mapped

category_info

Not Mapped

id

Not Mapped

school

Not Mapped

term

Not Mapped

version

Not Mapped

Parameters

Assign

{ } filterCriterion

Not Mapped

A mergeTransformOptions

Not Mapped

{ } pagingCriteria

Not Mapped

{ } sortCriteria

Not Mapped

Type *

Create

getGetnssdetailsResponse

Go to Type

Items Path

items

Key Attributes

nss_detail_id

Audits

Find in Files

Logs

Tests

Trace

Welcome

nss-search-upload

Page Designer

Actions (16)

Event Listeners (18)

Events

Types (11)

Variables (27)

JavaScript

JSON

Settings

Components

Data

Structure

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

<!-- <div class="oj-flex">

<oj-collapsible class="oj-flex-item oj-sm-12 oj-md-12">

<h6 class="oj-header" slot="header">NSS Header</h6>

<oj-table scroll-policy="loadMoreOnScroll" class="oj-flex-item oj-sm-12 oj-md-12" display="grid"

data="[\$variables.varFileHeaderADP]"

columns='[{ "headerText": "File Header Id", "field": "file_header_id"}, { "headerText": "File Name", "field": "file_name"}, { "headerText": "File Status", "field": "file_status"}]

</oj-table>

</oj-collapsible>

</div> -->

<div class="oj-flex">

<oj-collapsible class="oj-flex-item oj-sm-12 oj-md-12" expanded="{ { \$variables.varExpanded } }">

<h6 class="oj-header" slot="header">NSS Details</h6>

<oj-table scroll-policy="loadMoreOnScroll" class="oj-flex-item oj-sm-12 oj-md-12" display="grid"

data="[\$variables.varNssDetailsBDP]" style="height: 50vh"

columns='[{ "headerText": "Sno", "field": "nss_detail_id"}, { "headerText": "AY", "field": "ay"}, { "headerText": "School", "field": "school"}, { "headerText": "Category", "field": "category"}]

on-oj-before-row-edit="[\$listeners.tableBeforeRowEdit]"

on-oj-before-row-edit-end="[\$listeners.tableBeforeRowEditEnd]" edit-mode="rowEdit"

scroll-position="{ { \$variables.scrollPosition } }" selection-mode.row="single">

<template slot="lccount">

<oj-bind-if test='[[\$current.mode === "navigation"]]'>

<oj-input-number value='[[typeof \$current.data === "number" ? \$current.data : null]]' readonly="true"

style="text-align: right;" :id='[["lccount" + \$current.key]]'></oj-input-number>

</oj-bind-if>

<oj-bind-if test='[[\$current.mode === "edit"]]'>

<oj-input-number :id='[["lccount" + \$current.key]]' value="{ { \$variables.currentRowBuffer.lc_count } }"

required="true" style="text-align: right;">

</oj-input-number>

</oj-bind-if>

</template>

<template slot="STD">

Live

Design

Code

< Table

General

Data

Events (2)

All

Quick Start

ID

Selection Mode, Row

Multiple

None

Single

Selection Mode, Column

Multiple

None

Single

☐ Selection Required

Edit Mode

None

Row Edit

Display

Grid

List

Horizontal Grid Visible

Auto

Disabled

Enabled

Vertical Grid Visible

Auto

Disabled

Enabled

Styling

☐ Hide Vertical Scrollbar

☐ No Padding

☐ Padding

☐ Stretch

Class

oj-flex-item ×

oj-sm-12 ×

oj-md-12 ×

Slots

Audits

Find in Files

Logs

Tests

Trace

Visual Builder Studio | NSS_Web_

eduspark-dev-vb-bmdx7jzxsibt.builder.ap-mumbai-1.ocp.oraclecloud.com/ic/builder/?root=application&application=NSS_Web_Application-1.0.1&artifact=webApps_-_nsswebapp...

Incognito

Other bookmarks

MailQuar mailViva Engage4i VBS4iVBS-prodGitHubGrammarQuillBot AILearn - OneDrivee-services@4iOracle Vis

varNssDetailsBDP2/2

ORACLE Visual BuilderNSS Web ApplicationSTAGE 1.0.1

Page DesignerActions (16)Event Listeners (18)EventsTypes (11)Variables (27)JavaScriptJSONSettings

Filter

makeDisabled

getGetcategoryserviceListSDP

getGetnssayserviceListSDP

getGetnssdetailsListSDP

getGetnssheaderdetails2ListSDP

getGetnssschoolserviceListSDP

getGettermnssserviceListSDP

isCurrentRowBeingDeleted

makeDisabled

makeDisabledUploadButton

makeRequired

newUpdateSchoolValue

noChangesToSave

readyToSubmit

schoolRole

scrollTop

varExpanded

varFileHeaderADP

varNssDetailsBDP

varNssSearchPayload

versionSDP

+ Variable

Variable

General

Events

ID

varNssDetailsBDP

Description

Type

Any

Create

Input Parameter

DisabledEnabledRequired

Pass On URL

Default Value

undefined

Dirty Data Behavior

None

Persisted

None

Rate Limit

Usages

nsswebapp / nss / nss-search-upload

defaultNoRows

SaveActionChain

TableBeforeRowEditEndChain

AuditsFind in FilesLogsTestsTrace

Mobile

Page Designer

Components

Data

Structure

nss-search-upload

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

<template slot="lccount">
<oj-bind-if test='[[\$current.mode === "navigation"]]'>
<oj-input-number value='[[typeof \$current.data === "number" ? \$current.data : null]]' readonly="true"
style="text-align: right;" :id='[["lccount" + \$current.key]]'></oj-input-number>
</oj-bind-if>

<oj-bind-if test='[[\$current.mode === "edit"]]'>
<oj-input-number :id='[["lccount" + \$current.key]]' value="{{ \$variables.currentRowBuffer.lc_count }}"
required="true" style="text-align: right;">
</oj-input-number>
</oj-bind-if>

</template>

<template slot="lccount">
 <oj-bind-if test='[[\$current.mode === "navigation"]]'>
 <oj-input-number value='[[typeof \$current.data === "number" ? \$current.data : null]]' readonly="true"
 style="text-align: right;" :id='[["lccount" + \$current.key]]'></oj-input-number>
 </oj-bind-if>
 <oj-bind-if test='[[\$current.mode === "edit"]]'>
 <oj-input-number :id='[["lccount" + \$current.key]]' value="{{ \$variables.currentRowBuffer.lc_count }}"
 required="true" style="text-align: right;">
 </oj-input-number>
 </oj-bind-if>
</template>

 <template slot="STD">
 <oj-bind-if test='[[\$current.mode === "navigation"]]'>
 <oj-input-number value='[[typeof \$current.data === "number" ? \$current.data : null]]' readonly="true"
 style="text-align: right;" :id='[["STD" + \$current.key]]'></oj-input-number>
 </oj-bind-if>
 <oj-bind-if test='[[\$current.mode === "edit"]]'>

Full Template

oj-As

Template Name

int

Template is used by column:

int

State content: Bind If , Bind If

Audits

Find in Files

Logs

Tests

Trace

Saved 1:05 AM