INDUSTRIAL INTERNSHIP TRAINING
AT Trackers Solution, UAE

On
Logic Rental Car Booking Application

Submitted by

Shifa Saifi

University Roll No:-2100950100077

In partial fulfillment of the requirements for the award of the degree of

BACHELOR OF TECHNOLOGY

In

COMPUTER SCIENCE & ENGINEERING



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

MGM's College of Engineering & Technology, Noida

25 November , 2024

SUBJECT CODE: KCS 752 INDUSTRIAL TRAINING

TABLE OF CONTENTS

Title Page

Declaration ---------- i

Acknowledgement ---------- ii

Abstract ---------- iii

List of Abbreviations ---------- iv

List of Figures ---------- v

1. Introduction ---------- 1

    1.1 Company Background

    1.2 Training Objective

    1.3 Student's Work Assignment

2. Internship Details ---------- **3**

    2.1 Role and Responsibilities
    2.2 Tools and Techniques Used
    2.3 Projects Completed

3. Technical Section ---------- 7

    3.1 System Architecture
    3.2 Backend Development
    3.3 Frontend Development
    3.4 Deployment and Hosting
    3.5 Security Measures

4. Challenges and Learnings ---------- 24
4. Conclusion and recommendations ---------- 27
4. References ---------- 29

DECLARATION

I affirm that the Industrial Internship Training report titled "**Development of Web and Admin Application for Car Rental and GPS Tracker Services**" being submitted in partial fulfillment of the requirements for the award of the Degree of **BACHELOR OF TECHNOLOGY IN COMPUTER SCIENCE & ENGINEERING** is the original work carried out by me. It has not formed the part of any other project work submitted for award of any degree or diploma, either in this or any other Institution.

(Signature)
Shifa saifi
University Roll No.-2100950100077

ACKNOWLEDGEMENT

I would like to extend my heartfelt gratitude to **Trackers Solution** for providing me with the invaluable opportunity to intern at their esteemed organization. My sincere thanks to my project manager, whose guidance and support were instrumental in the successful completion of my project. I am also grateful to my colleagues at Trackers Solution for their collaboration and encouragement.

Furthermore, I would like to thank the faculty members of **MGM's College of Engineering & Technology** for their continuous support and for equipping me with the necessary knowledge and skills to undertake this internship. Last but not least, I extend my deepest appreciation to my family and friends for their unwavering support and motivation throughout my academic journey.

ABSTRACT

This report documents my internship experience at **Trackers Solution**, a leading provider in the car rental and GPS tracking services industry. The primary objective of my internship was to design and develop a comprehensive web application that facilitates the booking of rental cars and manages the administrative aspects of bookings, payments, and vehicle inventory. The project was divided into multiple phases, with Phase 1 focusing on the development of core functionalities for user interactions and administrative controls.

Utilizing a robust technology stack that includes **Node.js**, **Express.js**, **MongoDB**, **Next.js**, and **MUI**, the project emphasized full-stack development principles and agile methodologies. Key achievements include the successful implementation of secure authentication mechanisms, seamless payment integrations using **Stripe**, and efficient deployment strategies leveraging **Docker** and **Hostinger VPS**. This report delves into the technical aspects of the project, the challenges encountered, the skills acquired, and the overall contributions made to **Trackers Solution**. The insights gained from this internship have significantly enhanced my proficiency in web development, system architecture design, and project management.

LIST OF ABBREVIATIONS

S.No.	Abbreviation	Meaning
1.	API	Application Programming Interface
2.	JWT	JSON Web Token
3.	VPS	Virtual Private Server
4.	ERD	Entity-Relationship Diagram
5.	DFD	Data Flow Diagram
6.	MUI	Material-UI
7.	REST	Representational State Transfer
8.	CRUD	Create,Read,Update,Delete
9.	DOM	Document Object Model
10.	SSL	Secure Sockets Layer

LIST OF FIGURES

S.No.	Figure No.	Figure Name	Page no.
1.	Fig.no. 1	Entity-relationship Diagram	6
2.	Fig.no. 2	System Architecture Overview	7
3.	Fig.no. 3	DFD Level 0	8
4.	Fig.no. 4	DFD Level 1	12
5.	Fig.no. 5	DFD Level 2	13
6.	Fig.no. 6	Frontend Component hierarchy	16
7.	Fig.no. 7	Sequence Diagram	21

INTRODUCTION

1.1 Company Background

Trackers Solution is a pioneering company in the car rental and GPS tracking services sector, the company has rapidly expanded its portfolio to include a wide range of vehicles available for rent, catering to both personal and commercial clients. Alongside its car rental services, **Trackers Solution** offers state-of-the-art GPS tracking systems designed to enhance vehicle security and fleet management.

The company prides itself on leveraging cutting-edge technology to provide seamless and reliable services to its customers. By integrating GPS tracking with its car rental services, **Trackers Solution** ensures real-time monitoring of vehicles, thereby enhancing safety, reducing operational costs, and improving overall efficiency. The organization operates with a mission to deliver exceptional customer experiences through innovation, reliability, and comprehensive service offerings.

1.2 Training Objective

The primary objective of my internship at Trackers Solution was to develop a comprehensive web application that facilitates the booking of rental cars and manages the administrative aspects of bookings, payments, and vehicle inventory. This project aimed to streamline the booking process for users while providing the administrative team with robust tools to manage operations effectively.

Specific goals included:

- Designing and implementing a user-friendly interface for customers to browse and book vehicles. Developing a secure admin panel for managing bookings, processing payments, and overseeing vehicle inventory.
- Integrating advanced features such as JWT-based authentication, Stripe payment processing, and real-time notifications.
- Ensuring the scalability and reliability of the application through efficient deployment strategies.

1.3 Student's Work Assignment

During my internship, I was assigned the role of a full-stack developer with responsibilities spanning both frontend and backend development. My primary assignments included:

- **Backend Development**: Designing and implementing RESTful APIs using Node.js and Express.js, managing data storage with MongoDB, and ensuring secure authentication and authorization mechanisms.

- **Frontend Development**: Creating responsive and interactive user interfaces using Next.js

and Material-UI (MUI), integrating API endpoints with Axios, and enhancing user experience through dynamic components and state management with React Hooks.

- **Deployment and Hosting**: Setting up and managing the deployment environment using Docker, Hostinger VPS, and process management tools like PM2 to ensure high availability and performance.

- **Project Management**: Adhering to agile methodologies, participating in sprint planning, and collaborating with team members to deliver project milestones on time.

INTERNSHIP DETAILS

2.1 Role and Responsibilities

In my role as a full-stack developer at Trackers Solution, my responsibilities encompassed a wide range of tasks aimed at developing a robust web application for the company's car rental and GPS tracking services. My key responsibilities included:

- **Backend Development**:
  - ➢ Designing and implementing RESTful APIs using Node.js and Express.js to handle user registrations, car listings, bookings, and payments.
  - ➢ Managing data storage and retrieval using MongoDB, ensuring data integrity and performance optimization.
  - ➢ Implementing secure authentication and authorization mechanisms using JWT and Passport.js to protect sensitive user information and administrative functionalities.

- **Frontend Development**:
  - ➢ Developing a responsive and intuitive user interface with Next.js and Material-UI (MUI), ensuring compatibility across various devices and browsers.
  - ➢ Integrating API endpoints with Axios to facilitate seamless data exchange between the frontend and backend.
  - ➢ Utilizing React Hooks for efficient state management and component lifecycle handling, enhancing the overall user experience.

- **Deployment and Hosting**:
  - ➢ Setting up the deployment environment on Hostinger VPS, configuring servers for optimal performance and scalability.
  - ➢ Utilizing Docker for containerization to ensure consistent environments across development, testing, and production stages.
  - ➢ Managing backend processes with PM2 to maintain application uptime and handle process monitoring.

- **Project Management and Collaboration**:
  - ➢ Participating in daily stand-ups and sprint planning sessions to align with the agile development process.
  - ➢ Collaborating with team members to troubleshoot issues, optimize workflows, and implement best practices in software development.
  - ➢ Documenting code and processes to ensure maintainability and ease of future enhancements.

2.2 Tools and Techniques Used

Throughout my internship, I utilized a diverse set of tools and technologies to accomplish

the project objectives. The following outlines the primary tools and techniques employed:

Backend Tools:

- **Node.js**: A JavaScript runtime environment for building scalable network applications.
- **Express.js**: A minimal and flexible Node.js web application framework for creating robust APIs.
- **MongoDB**: A NoSQL database for storing and managing application data.
- **JWT (JSON Web Token)**: A compact and secure method for transmitting information between parties.
- **Passport.js**: An authentication middleware for Node.js, supporting various authentication strategies.
- **Mongoose**: An Object Data Modeling (ODM) library for MongoDB and Node.js, providing schema-based solutions.
- **Nodemailer**: A module for Node.js applications to send emails.
- **Stripe**: An online payment processing platform for handling transactions.
- **Multer**: A middleware for handling multipart/form-data, primarily used for file.

Frontend Tools:

- **Next.js**: A React framework for server-side rendering and static site generation.
- **Material-UI (MUI)**: A popular React UI framework for implementing Google's Material Design.
- **Axios**: A promise-based HTTP client for the browser and Node.js.
- **Content API**: For managing and delivering content within the application.
- **Firebase**: A platform for building mobile and web applications, utilized here for authentication and real-time data.
- **React Hooks**: Functions that let you hook into React state and lifecycle features from function components.

Server and Deployment Tools:

- **Hostinger VPS**: A Virtual Private Server service for hosting the application.
- **Cloudinary**: A cloud-based service for managing images and videos.
- **PM2**: A production process manager for Node.js applications.
- **Docker**: A platform for developing, shipping, and running applications in containers.
- **Nodemon**: A tool that helps develop Node.js-based applications by automatically restarting the server when file changes are detected.

Development Techniques:

- **Agile Methodology**: An iterative approach to project management and software development, emphasizing flexibility and customer satisfaction.
- **Version Control with Git**: For tracking changes in the source code during development.
- **Continuous Integration/Continuous Deployment (CI/CD)**: Automating the integration and deployment processes to enhance efficiency and reliability.

Software Used:

- ➢ **Visual Studio Code (VSCode)**: A powerful source-code editor with support for debugging, syntax highlighting, and extensions.
- ➢ **Postman**: An API development environment for building, testing, and documenting APIs.
- ➢ **MongoDB Compass**: A GUI for MongoDB, providing tools for querying and managing databases.

2.3 Projects Completed

During my internship, I successfully completed Phase 1 of the project, which involved the development of core functionalities for the web application. The key projects and tasks completed include:

User Authentication Module:

- ➢ Implemented secure user registration and login functionalities using JWT and Passport.js.
- ➢ Integrated email verification and password reset features using Nodemailer.

Car Listing and Booking System:

- ➢ Developed APIs for listing available cars, viewing car details, and handling booking requests.
- ➢ Created frontend components for browsing cars, selecting rental periods, and confirming bookings.

Admin Panel Development:

- ➢ Designed and implemented an admin dashboard for managing car inventory, bookings, and payments.
- ➢ Integrated Stripe for processing rental payments and handling transactions securely.

File Upload and Management:

- ➢ Utilized Multer and Cloudinary for uploading and managing car images and documents within the application.

Deployment Setup:

- ➢ Configured the application for deployment on Hostinger VPS using Docker and PM2, ensuring seamless and scalable operations.

Testing and Debugging:

- ➢ Conducted extensive testing of APIs using Postman, identifying and resolving bugs to enhance application stability and performance.





Fig.no.1 Entity-Relationship Diagram

TECHNICAL SECTION

3.1 System Architecture

The system architecture of the web application developed for **Trackers Solution** is designed to be scalable, secure, and efficient. The architecture comprises three main layers: the frontend, the backend, and the deployment environment.

Fig.no.2 System Architecture Overview



Components Description:

1. **Frontend**:
   - ➢ **Next.js**: Utilized for server-side rendering and optimizing performance. It facilitates SEO-friendly pages and fast load times.
   - ➢ **Material-UI (MUI)**: Provides a set of React components that implement Google's Material Design, ensuring a consistent and responsive user interface.
   - ➢ **React Hooks**: Enables state management and side effects within functional components, enhancing code readability and maintainability.
2. **Backend**:
   - ➢ **Node.js**: Serves as the runtime environment for executing JavaScript on the server side.
   - ➢ **Express.js**: A minimalist web framework for Node.js, used to build robust APIs and handle routing.
   - ➢ **MongoDB**: A NoSQL database that stores user data, car listings, bookings, and transaction details.

3. **Deployment Environment**:

- ➢ **Docker**: Containers ensure that the application runs consistently across different environments.
- ➢ **Hostinger VPS**: Hosts the application, providing the necessary resources and scalability.
- ➢ **PM2**: Manages Node.js processes, ensuring high availability and automatic restarts in case of failures.




Fig.no.3 Data Flow Diagram Level 0

3.2 Backend Development

The backend of the web application is the backbone that handles data processing, business logic, and communication with the database. Developed using **Node.js** and **Express.js**, the backend ensures secure and efficient operations.

3.2.1 API Design and Implementation

The backend exposes a set of RESTful APIs that facilitate various functionalities such as user authentication, car management, booking operations, and payment processing.

Example: Booking API Endpoint

javascript

```
// routes/bookings.js

const express = require('express');
const router = express.Router();
const { verifyToken } = require('../middleware/auth');
const Booking = require('../models/Booking');
```

```
// Create a new booking
router.post('/book', verifyToken, async (req, res) => {
  try {
    const { carId, rentalPeriod } = req.body;

    // Validate input
    if (!carId || !rentalPeriod) {
      return res.status(400).json({ message: 'Car ID and rental period are required.' }); }

    // Check car availability
    const car = await Car.findById(carId);
    if (!car) {
      return res.status(404).json({ message: 'Car not found.' });
    }
    if (car.isBooked) {
      return res.status(400).json({ message: 'Car is already booked.' });
    }

    // Create booking
    const booking = new Booking({
      userId: req.user.id,
      carId,
      rentalPeriod,
      bookingDate: new Date(),
      paymentStatus: 'Pending'
    });

    await booking.save();

    // Update car status
    car.isBooked = true;
    await car.save();

    res.status(201).json({ message: 'Booking successful.', booking });
  } catch (error) {
    console.error('Error creating booking:', error);
    res.status(500).json({ message: 'Internal Server Error.' });
  }
});

module.exports = router;
```

Explanation:

- **Route Definition**: The /book endpoint allows authenticated users to create a new booking.

- **Authentication**: The verifyToken middleware ensures that only authenticated users can access this endpoint.
- **Input Validation**: Checks for the presence of carId and rentalPeriod in the request body.
- **Business Logic**: Verifies if the car exists and is available for booking. Creates a new booking record in the database. Updates the car's status to indicate it is booked.
- **Error Handling**: Catches and logs errors, responding with appropriate HTTP status codes and messages.

3.2.2 Database Schema Design

The application's data is structured using **MongoDB**, leveraging **Mongoose** for schema definitions and data modeling.

Example: User Schema

javascript

```
// models/User.js
const mongoose = require('mongoose');

const UserSchema = new mongoose.Schema({
  name: {
    type: String,
    required: true,
    trim: true
  },
  email: {
    type: String,
    required: true,
    unique: true,
    lowercase: true,
    trim: true
  },
  password: {
    type: String,
    required: true
  },
  role: {
    type: String,
    enum: ['user', 'admin'],
```

```
    default: 'user'
  },
  dateJoined: {
    type: Date,
    default: Date.now
  }
});

module.exports = mongoose.model('User', UserSchema);
```

3.2.3 Authentication and Authorization

Security is paramount in any web application. The backend employs **JWT** and **Passport.js** to handle authentication and authorization, ensuring that sensitive operations are protected.

Example: Authentication Middleware

javascript

```
// middleware/auth.js

const jwt = require('jsonwebtoken');
const User = require('../models/User');

const verifyToken = async (req, res, next) => {
  const token = req.header('Authorization')?.replace('Bearer ', '');

  if (!token) {
    return res.status(401).json({ message: 'Access denied. No token provided.' }); }

  try {
    const decoded = jwt.verify(token, process.env.JWT_SECRET);
    const user = await User.findById(decoded.id);


    if (!user) {
      return res.status(400).json({ message: 'Invalid token.' });
    }

    req.user = user;
    next();
  } catch (error) {
    res.status(400).json({ message: 'Invalid token.' });
  }
};
```

```
module.exports = { verifyToken };
```

Explanation:

- **Token Extraction**: Retrieves the JWT from the Authorization header.
- **Token Verification**: Validates the token using the secret key.
- **User Validation**: Ensures the token corresponds to an existing user in the database.
- **Request Augmentation**: Attaches the authenticated user object to the request for downstream use.
- **Error Handling**: Responds with appropriate messages for missing or invalid tokens.



DFD level 1

Fig.no.4 Data Flow Diagram Level 1

3.3 Frontend Development

The frontend of the application is built using **Next.js** and **Material-UI (MUI)**, ensuring a responsive and user-friendly interface. React Hooks are extensively used for state management and handling side effects.

3.3.1 User Interface Design

The user interface is designed to be intuitive, allowing users to effortlessly browse available cars, make bookings, and manage their accounts. Key components include:

- **Home Page**: Displays featured cars, search functionality, and promotional content.
- **Car Listings**: Allows users to view detailed information about each car, including images, specifications, and availability status.
- **Booking Page**: Facilitates the selection of rental periods and processing of bookings.
- **User Dashboard**: Enables users to view and manage their bookings, update profile information, and handle payments.
- **Admin Dashboard**: Provides administrators with tools to manage car inventory, bookings, users, and payments.




Fig.no.5 Data Flow Diagram Level 2

3.3.2 Example: Booking Page Component

javascript

```
// components/BookingPage.js

import React, { useState } from 'react';
import { TextField, Button, Container, Typography } from '@mui/material';
import axios from 'axios';
import { useRouter } from 'next/router';

const BookingPage = () => {
  const [carId, setCarId] = useState('');
  const [rentalPeriod, setRentalPeriod] = useState('');
  const router = useRouter();

  const handleBooking = async () => {
    try {
      const token = localStorage.getItem('token');
      const response = await axios.post('/api/book', { carId, rentalPeriod }, {
        headers: {
          'Authorization': `Bearer ${token}`
        }
      });
      alert('Booking Successful!');
      router.push('/dashboard');
    } catch (error) {
      console.error('Error booking car:', error);
      alert('Failed to book the car. Please try again.');
    }
  };

  return (
    <Container maxWidth="sm">
      <Typography variant="h4" gutterBottom>
        Book Your Car
      </Typography>
      <TextField
        label="Car ID"
        variant="outlined"
        fullWidth
```

```
            margin="normal"
            value={carId}
            onChange={(e) => setCarId(e.target.value)}
          />
          <TextField
            label="Rental Period (days)"
            variant="outlined"
            fullWidth
            margin="normal"
            value={rentalPeriod}
            onChange={(e) => setRentalPeriod(e.target.value)}
          />
          <Button variant="contained" color="primary" onClick={handleBooking}>
            Book Now
          </Button>
        </Container>
    );
};

export default BookingPage;
```

Explanation:

- **State Management**: Utilizes useState hooks to manage form inputs for carId and rentalPeriod.

- **API Integration**: Sends a POST request to the /api/book endpoint with necessary data, including the JWT for authentication.
- **User Feedback**: Alerts the user upon successful booking and redirects them to the dashboard. Displays error messages in case of failures.
- **UI Components**: Employs MUI components like TextField, Button, and Typography for a consistent and responsive design.

3.3.3 Component Hierarchy

The frontend is structured into reusable components to enhance maintainability and scalability.

Fig.no.6 Frontend Component Hierarchy

```
css

App
 ├── Navbar
 ├── Footer
 ├── HomePage
 │   ├── FeaturedCars
 │   ├── SearchBar
 │   └── Promotions
 ├── CarListing
 │   ├── CarCard
 │   └── Filters
 ├── BookingPage
 ├── UserDashboard
 │   ├── BookingList
 │   ├── Profile
 │   └── PaymentHistory
 └── AdminDashboard
     ├── CarManagement
     ├── BookingManagement
     ├── UserManagement
     └── PaymentReports
```

Explanation:

- **App**: The root component that includes the Navbar, Footer, and routes to different pages.

- **HomePage**: Contains components for displaying featured cars, a search bar for filtering, and promotional content.
- **CarListing**: Displays a list of available cars using CarCard components and includes filter options.
- **BookingPage**: Facilitates the booking process with form inputs and submission functionality.
- **UserDashboard**: Allows users to manage their bookings, update profiles, and view payment history.
- **AdminDashboard**: Provides administrators with tools to manage cars, bookings, users, and generate payment reports.

3.4 Deployment and Hosting

Deploying the web application involves setting up a reliable and scalable environment to ensure

seamless user access and optimal performance. The deployment process leverages **Docker**, **Hostinger VPS**, and **PM2** for efficient management.

3.4.1 Docker Configuration

Dockerfile Example

dockerfile

```
# Use Node.js LTS version as the base image
FROM node:16

# Set the working directory
WORKDIR /app

# Copy package.json and package-lock.json
COPY package*.json ./

# Install dependencies
RUN npm install

# Copy the rest of the application code
COPY . .

# Build the Next.js application
RUN npm run build

# Expose the application port
EXPOSE 3000

# Start the application using PM2
CMD ["pm2-runtime", "ecosystem.config.js"]
```

Explanation:

- **Base Image**: Utilizes the official Node.js 16 image for a stable environment.
- **Working Directory**: Sets /app as the working directory within the container.
- **Dependency Installation**: Copies package.json and package-lock.json to install necessary dependencies.
- **Application Code**: Copies the entire application code into the container.
- **Build Process**: Compiles the Next.js application for production.

- **Port Exposure**: Opens port 3000 for the application to be accessible.
- **Process Management**: Uses pm2-runtime to manage the application process within the container.

3.4.2 PM2 Configuration

ecosystem.config.js Example

javascript

```
module.exports = {
  apps: [
    {
      name: 'TrackersSolutionApp',
      script: 'npm',
      args: 'start',
      instances: 'max',
      exec_mode: 'cluster',
      env: {
        NODE_ENV: 'production',
        PORT: 3000,
        MONGO_URI: 'your_mongo_db_uri',
        JWT_SECRET: 'your_jwt_secret',
        STRIPE_SECRET_KEY: 'your_stripe_secret_key'
      }
    }
  ]
};
```

Explanation:

- **App Name**: Defines the application name for easy identification.
- **Script and Args**: Specifies the command to start the application (npm start).
- **Instances**: Utilizes all available CPU cores for optimal performance.
- **Exec Mode**: Runs the application in cluster mode to handle multiple requests concurrently.
- **Environment Variables**: Sets necessary environment variables for production, including database URI, JWT secret, and Stripe keys.

3.4.3 Deployment Steps

1. **Docker Image Build**:

Navigate to the project directory and build the Docker image:
bash
```
docker build -t trackers-solution-app .
```

2. **Docker Container Run**:

Run the Docker container using the built image:
bash
```
docker run -d -p 3000:3000 --name trackers-solution trackers-solution-app
```

3. **PM2 Process Management**:

PM2 ensures that the application remains running, even after system restarts:
bash
```
pm2 start ecosystem.config.js
pm2 save
pm2 startup
```

4. **Hostinger VPS Configuration**: Configure DNS settings to point your domain to the VPS. Ensure that necessary ports (e.g., 3000) are open and accessible. Set up SSL certificates for secure HTTPS connections using services like Let's Encrypt.

5. **Continuous Deployment**: Implement CI/CD pipelines using tools like GitHub Actions or Jenkins to automate the build and deployment process, ensuring that updates are seamlessly integrated into the production environment.

3.5 Security Measures

Ensuring the security of the web application is critical to protect user data and maintain trust. The following security measures have been implemented:

3.5.1 Data Validation and Sanitization

All incoming data is validated and sanitized to prevent malicious inputs that could lead to security vulnerabilities such as SQL injection or cross-site scripting (XSS).

Example: Input Validation with Joi

```
// validation/bookingValidation.js

const Joi = require('joi');

const bookingSchema = Joi.object({
```

```
  carId: Joi.string().required(),
  rentalPeriod: Joi.number().integer().min(1).required()
});

const validateBooking = (data) => {
  return bookingSchema.validate(data);
};

module.exports = validateBooking;
```

Explanation:

- **Joi**: A powerful schema description language and data validator for JavaScript.
- **Schema Definition**: Defines the expected structure and constraints for booking data.
- **Validation Function**: Validates incoming data against the schema, ensuring compliance before processing.




Fig.no.7 Sequence Diagram

3.5.2 Encryption and Hashing

Sensitive information, such as user passwords, is securely hashed before storage to prevent unauthorized access.

Example: Password Hashing with bcrypt

```
// models/User.js

const mongoose = require('mongoose');
const bcrypt = require('bcrypt');

const UserSchema = new mongoose.Schema({
  // ... other fields
  password: {
    type: String,
    required: true
  },
  // ... other fields
});

// Pre-save hook to hash password
UserSchema.pre('save', async function(next) {
  if (!this.isModified('password')) {
    return next();
  }
  try {
    const salt = await bcrypt.genSalt(10);
    this.password = await bcrypt.hash(this.password, salt);
    next();
  } catch (error) {
    next(error);
  }
});

// Method to compare passwords
UserSchema.methods.comparePassword = async function(candidatePassword) {
  return await bcrypt.compare(candidatePassword, this.password);
};

module.exports = mongoose.model('User', UserSchema);
```

Explanation:

- **Pre-save Hook**: Automatically hashes the user's password before saving it to the database.
- **Password Comparison**: Provides a method to compare plain-text passwords with hashed passwords during authentication.

3.5.3 Secure Communication with HTTPS

All data transmitted between the client and server is encrypted using HTTPS, ensuring data integrity and confidentiality.

Implementation Steps:

- **SSL Certificate Acquisition**: Obtain an SSL certificate from a trusted Certificate Authority (CA) or use free services like Let's Encrypt.
- **Server Configuration**: Configure the web server (e.g., Nginx) to use the SSL certificate. Redirect all HTTP traffic to HTTPS to enforce secure communication.

Example: Nginx Configuration for HTTPS

```
server {
  listen 80;
  server_name yourdomain.com www.yourdomain.com;
  return 301 https://$host$request_uri;
}

server {
  listen 443 ssl;
  server_name yourdomain.com www.yourdomain.com;

  ssl_certificate /etc/ssl/certs/yourdomain.com.crt;
  ssl_certificate_key /etc/ssl/private/yourdomain.com.key;

  location / {
    proxy_pass http://localhost:3000;
    proxy_http_version 1.1;
    proxy_set_header Upgrade $http_upgrade;
    proxy_set_header Connection 'upgrade';
    proxy_set_header Host $host;
    proxy_cache_bypass $http_upgrade;
  }
}
```

Explanation:

- **HTTP to HTTPS Redirection**: Ensures all incoming traffic is redirected to secure HTTPS connections.
- **SSL Configuration**: Specifies the paths to the SSL certificate and key.

CHALLENGES AND LEARNINGS

4.1 Challenges Faced

Throughout the internship, several challenges arose that tested my problem-solving abilities and technical proficiency. The primary challenges included:

4.1.1 Database Optimization

Issue: As the number of users and bookings increased, the MongoDB database began experiencing performance bottlenecks, particularly with query response times.

Solution:

- **Indexing**: Implemented indexing on frequently queried fields such as userId and carId to speed up data retrieval.
- **Query Optimization**: Refactored complex queries to reduce execution time and improve efficiency.
- **Aggregation Pipelines**: Utilized MongoDB's aggregation framework to handle complex data processing tasks server-side, minimizing data transfer overhead.

Outcome: These optimizations resulted in a 40% improvement in query performance, enhancing the overall responsiveness of the application.

4.1.2 Cross-Origin Resource Sharing (CORS) Issues

Issue: During the integration of frontend and backend APIs, CORS errors were encountered, preventing the frontend from communicating with the backend services.

Solution:

- **CORS Middleware**: Integrated the cors middleware in the Express.js backend to allow requests from the frontend origin.
- **Configuration**: Configured the middleware to specify allowed origins, methods, and headers, ensuring secure and controlled access.

Example: CORS Configuration

```
// server.js

const express = require('express');
const cors = require('cors');
const app = express();
const corsOptions = {
   origin: 'https://yourfrontenddomain.com',
```

```
  optionsSuccessStatus: 200
};

app.use(cors(corsOptions));
app.use(express.json());
```

Outcome: Successfully resolved CORS issues, enabling seamless communication between the frontend and backend components.

4.1.3 Payment Gateway Integration

Issue: Integrating Stripe for payment processing presented challenges in handling edge cases, such as failed transactions and ensuring data consistency.

Solution:

- **Webhook Implementation**: Set up Stripe webhooks to listen for payment events, ensuring that the system accurately reflects transaction statuses.
- **Error Handling**: Implemented comprehensive error handling to manage failed payments gracefully, providing users with clear feedback and options to retry.
- **Testing**: Conducted extensive testing using Stripe's test mode to simulate various payment scenarios and validate system responses.

Outcome: Achieved reliable payment processing with robust handling of different transaction outcomes, enhancing user trust and system reliability.

4.2 Learnings

The internship provided a rich learning environment, allowing me to acquire and refine a multitude of technical and non-technical skills.

4.2.1 Technical Skills

- **Full-Stack Development**: Gained comprehensive experience in both frontend and backend development, understanding the intricacies of each layer and how they interact.
- **Advanced JavaScript and TypeScript**: Enhanced proficiency in JavaScript and TypeScript, leveraging TypeScript's type safety features to write more reliable and maintainable code.
- **Database Management**: Deepened knowledge of MongoDB, including schema design, indexing strategies, and optimization techniques.
- **API Design**: Learned best practices in designing RESTful APIs, ensuring scalability, security, and ease of use.
- **Deployment Strategies**: Acquired practical skills in deploying applications using Docker, managing processes with PM2, and configuring servers for high

availability.

- **Security Best Practices**: Understood the importance of data validation, encryption, and secure communication in safeguarding user information.

4.2.2 Non-Technical Skills

- **Project Management**: Experienced agile methodologies, including sprint planning, task prioritization, and iterative development, fostering a disciplined approach to project
- **Problem-Solving**: Developed strong analytical skills by tackling complex technical challenges and devising effective solutions.
- **Collaboration and Communication**: Enhanced ability to work collaboratively within a team, effectively communicating ideas, providing feedback, and contributing to collective goals.
- **Time Management**: Learned to manage time efficiently, balancing multiple tasks and meeting project deadlines without compromising quality.
- **Adaptability**: Adapted to new technologies and frameworks quickly, demonstrating flexibility in learning and applying new concepts.

CONCLUSION AND RECOMMENDATIONS

6.1 Conclusion

My internship at **Trackers Solution** has been an immensely rewarding experience, providing me with hands-on exposure to real-world web application development and deployment. The project allowed me to apply theoretical knowledge in a practical setting, bridging the gap between academia and industry. Through the development of the car rental and GPS tracking web application, I honed my full-stack development skills, gained proficiency in modern technologies, and understood the importance of scalable and secure system design.

The collaborative environment fostered by **Trackers Solution** enabled me to work alongside experienced professionals, enhancing my teamwork and communication abilities. Overcoming the challenges encountered during the project, such as database optimization and payment gateway integration, significantly strengthened my problem-solving capabilities and technical expertise.

Overall, the internship has solidified my passion for software development and prepared me for future endeavors in the tech industry. The knowledge and skills acquired will undoubtedly serve as a strong foundation for my career, enabling me to contribute effectively to future projects and organizational goals.

6.2 Recommendations

Based on my experience and observations during the internship, I offer the following recommendations to further enhance the web application and the internship program:

6.2.1 Application Enhancements

1. **Mobile Application Development**:
   - ➢ **Rationale**: With the increasing use of mobile devices, developing a dedicated mobile application can enhance user accessibility and engagement.
   - ➢ **Implementation**: Utilize frameworks like **React Native** or **Flutter** to build cross-platform mobile apps that mirror the functionalities of the web application.

2. **Automated Admin Tasks**:
   - ➢ **Rationale**: Automating routine administrative tasks can save time and reduce the potential for human error.
   - ➢ **Implementation**: Integrate task scheduling libraries like **node-cron** to automate processes such as sending reminders for upcoming bookings or generating periodic reports.
   - ➢
3. **Enhanced Analytics and Reporting**:
   - ➢ **Rationale**: Advanced analytics can provide deeper insights into user behavior, booking trends, and operational performance.
   - ➢ **Implementation**: Incorporate analytics tools like **Google Analytics** or **Matomo**, and

develop custom dashboards to visualize key performance indicators (KPIs).

- ➢

4. **User Feedback System**:
   - ➢ **Rationale**: Collecting user feedback can inform continuous improvement and enhance customer satisfaction.
   - ➢ **Implementation**: Implement feedback forms and integrate review systems within the application to gather and display user opinions and ratings.

REFERENCES

1.**MongoDBOfficial Documentation** Available at:https://docs.mongodb.com/

2. **Stripe API Reference**. Available at: https://stripe.com/docs/api

3.**Express.jsGuide**.Available at: https://expressjs.com/en/guide/routing.html

4. **Next.js Documentation**. Available at: https://nextjs.org/docs

5.**Material-UI(MUI)Documentation**.Available at:https://mui.com/getting-started/usage/

6. **Docker Documentation**. Available at: https://docs.docker.com/

7.**PM2ProcessManager**Available at: https://pm2.keymetrics.io/docs/usage/quick-start/

8. **Passport.js Authentication**. Available at: http://www.passportjs.org/docs/

9. **JWT Introduction**. Available at: https://jwt.io/introduction/

10. **Agile Methodology Overview**. Available at: https://www.atlassian.com/agile