

```
-> (107,'Kearthi','Vijayawada','Withdrawal',1000,'2024-01-13',NULL),
-> (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14',NULL),
-> (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15',NULL),
-> );
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near ')' at line 11
mysql> INSERT INTO bank_transactions VALUES
-> (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05',NULL),
-> (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06',NULL),
-> (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08',NULL),
-> (104,'Anil','Vizag','Deposit',8000,'2024-01-10',NULL),
-> (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11',NULL),
-> (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12',NULL),
-> (107,'Kearthi','Vijayawada','Withdrawal',1000,'2024-01-13',NULL),
-> (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14',NULL),
-> (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15',NULL),
-> (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16',NULL);
Query OK, 10 rows affected (0.01 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM bank_transactions;
+-----+-----+-----+-----+-----+-----+-----+
| txn_id | customer_name | branch_name | transaction_type | amount | transaction_date | account_no |
+-----+-----+-----+-----+-----+-----+-----+
| 101 | Ravi | Hyderabad | Deposit | 5000.00 | 2024-01-05 | NULL |
| 102 | Sita | Hyderabad | Withdrawal | 2000.00 | 2024-01-06 | NULL |
| 103 | Kiran | Vijayawada | Deposit | 12000.00 | 2024-01-08 | NULL |
| 104 | Anil | Vizag | Deposit | 8000.00 | 2024-01-10 | NULL |
| 105 | Priya | Hyderabad | Withdrawal | 3500.00 | 2024-01-11 | NULL |
| 106 | Ramesh | Vizag | Deposit | 15000.00 | 2024-01-12 | NULL |
| 107 | Kearthi | Vijayawada | Withdrawal | 1000.00 | 2024-01-13 | NULL |
| 108 | Rahul | Hyderabad | Deposit | 9000.00 | 2024-01-14 | NULL |
| 109 | Sneha | Vizag | Withdrawal | 4000.00 | 2024-01-15 | NULL |
| 110 | Madhu | Vijayawada | Deposit | 11000.00 | 2024-01-16 | NULL |
+-----+-----+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> INSERT INTO bank_transactions
-> VALUES
-> (111,'Venu','Vizag','Deposit',7000,'2024-01-18',NULL);
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM bank_transactions;
+-----+-----+-----+-----+-----+-----+-----+
| txn_id | customer_name | branch_name | transaction_type | amount | transaction_date | account_no |
+-----+-----+-----+-----+-----+-----+-----+
| 101 | Ravi | Hyderabad | Deposit | 5000.00 | 2024-01-05 | NULL |
| 102 | Sita | Hyderabad | Withdrawal | 2000.00 | 2024-01-06 | NULL |
| 103 | Kiran | Vijayawada | Deposit | 12000.00 | 2024-01-08 | NULL |
| 104 | Anil | Vizag | Deposit | 8000.00 | 2024-01-10 | NULL |
| 105 | Priya | Hyderabad | Withdrawal | 3500.00 | 2024-01-11 | NULL |
| 106 | Ramesh | Vizag | Deposit | 15000.00 | 2024-01-12 | NULL |
| 107 | Kearthi | Vijayawada | Withdrawal | 1000.00 | 2024-01-13 | NULL |
| 108 | Rahul | Hyderabad | Deposit | 9000.00 | 2024-01-14 | NULL |
| 109 | Sneha | Vizag | Withdrawal | 4000.00 | 2024-01-15 | NULL |
| 110 | Madhu | Vijayawada | Deposit | 11000.00 | 2024-01-16 | NULL |
| 111 | Venu | Vizag | Deposit | 7000.00 | 2024-01-18 | NULL |
+-----+-----+-----+-----+-----+-----+-----+
11 rows in set (0.00 sec)
```

```
mysql> UPDATE bank_transactions
-> SET amount=5000
-> WHERE txn_id=105;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> SELECT * FROM bank_transactions
-> WHERE txn_id=105;
+-----+-----+-----+-----+-----+-----+-----+
| txn_id | customer_name | branch_name | transaction_type | amount | transaction_date | account_no |
+-----+-----+-----+-----+-----+-----+-----+
| 105 | Priya | Hyderabad | Withdrawal | 5000.00 | 2024-01-11 | NULL |
+-----+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

mysql>



student_no	int	NO	PRI	NULL	
name	varchar(50)	YES		NULL	
age	int	YES		NULL	
marks	decimal(5,2)	YES		NULL	

4 rows in set (0.00 sec)

```
mysql> CREATE VIEW student_view AS
-> SELECT student_no, name
-> FROM student;
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> SELECT * FROM student_view;
```

student_no	name
80047	Harsha

1 row in set (0.01 sec)

```
mysql> CREATE VIEW student_view AS
-> SELECT student_no, name, age, marks
-> FROM student;
ERROR 1050 (42S81): Table 'student_view' already exists
mysql> SELECT * FROM student_view;
```

student_no	name
80047	Harsha

1 row in set (0.00 sec)

```
mysql> INSERT INTO student (student_no, name, age, marks)
-> VALUES
-> (5, 'Anjali', 19, 91.00),
-> (6, 'Kiran', 21, 76.50),
-> (7, 'Suresh', 20, 88.00),
-> (8, 'Priya', 19, 94.50);
Query OK, 4 rows affected (0.00 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM student;
```

student_no	name	age	marks
5	Anjali	19	91.00
6	Kiran	21	76.50
7	Suresh	20	88.00
8	Priya	19	94.50
80047	Harsha	18	8.73

5 rows in set (0.00 sec)

```
mysql> CREATE VIEW student_view AS
-> SELECT student_no, name
-> FROM student;
ERROR 1050 (42S81): Table 'student_view' already exists
mysql> CREATE VIEW student_view AS
-> SELECT student_no, name
-> FROM student;
ERROR 1050 (42S81): Table 'student_view' already exists
mysql> SELECT * FROM student_view;
```

student_no	name
5	Anjali
6	Kiran
7	Suresh
8	Priya
80047	Harsha

5 rows in set (0.00 sec)

```
mysql> █
```

student_no	int	NO	PRI	NULL	
name	varchar(50)	YES		NULL	
age	int	YES		NULL	
marks	decimal(5,2)	YES		NULL	

4 rows in set (0.00 sec)

```
mysql> CREATE VIEW student_view AS
-> SELECT student_no, name
-> FROM student;
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> SELECT * FROM student_view;
```

student_no	name
80047	Harsha

1 row in set (0.01 sec)

```
mysql> CREATE VIEW student_view AS
-> SELECT student_no, name, age, marks
-> FROM student;
ERROR 1050 (42S81): Table 'student_view' already exists
mysql> SELECT * FROM student_view;
```

student_no	name
80047	Harsha

1 row in set (0.00 sec)

```
mysql> INSERT INTO student (student_no, name, age, marks)
-> VALUES
-> (5, 'Anjali', 19, 91.00),
-> (6, 'Kiran', 21, 76.50),
-> (7, 'Suresh', 20, 88.00),
-> (8, 'Priya', 19, 94.50);
Query OK, 4 rows affected (0.00 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM student;
```

student_no	name	age	marks
5	Anjali	19	91.00
6	Kiran	21	76.50
7	Suresh	20	88.00
8	Priya	19	94.50
80047	Harsha	18	8.73

5 rows in set (0.00 sec)

```
mysql> CREATE VIEW student_view AS
-> SELECT student_no, name
-> FROM student;
ERROR 1050 (42S81): Table 'student_view' already exists
mysql> CREATE VIEW student_view AS
-> SELECT student_no, name
-> FROM student;
ERROR 1050 (42S81): Table 'student_view' already exists
mysql> SELECT * FROM student_view;
```

student_no	name
5	Anjali
6	Kiran
7	Suresh
8	Priya
80047	Harsha

5 rows in set (0.00 sec)

```
mysql> █
```