Armstrong number:

```java
package kumaranapplicaion;

import java.util.Scanner;

public class Amstrong {

    public static void main(String[] args) {
    Scanner ss=new Scanner(System.in);
    int temp=0;
    int count=0;
    int a=ss.nextInt();
    temp=a;
    int on=a;
    while(a>0) {
        a/=10;
        count++;

    }
    System.out.println(count);
    int r,s=0;
    while(temp>0) {
        r=temp%10;
        s+=Math.pow(r, count);
        temp/=10;
    }
    if(on==s)
    {

    System.out.println("armstrong");
    }
    else
    {
        System.out.println("not");
    }

    }

}
```

```
<terminated> Amstrong [Java Application] C:\Users\KUMARAN\.p2\pool\plugins\org.eclipse.justj.openj
153
3
armstrong
```

Palindrom number:

```java
package kumaranapplicaion;
import java.util.Scanner;
public class palindrom {

    public static void main(String[] args) {
        int r,rev=0,temp;
        Scanner ss=new Scanner(System.in);
        System.out.println("enter the number");
        int a=ss.nextInt();
        temp=a;
        while (a>0){
            r=a%10;
            rev=rev*10+r;
            a/=10;

        }
        if(temp==rev) {
            System.out.println("the given number is palindrom");
        }
        else {
            System.out.println("not a palindrom");
        }

    }

}
```

```
<terminated> palindrom [Java Application] C:\Users\KUMARAN\.p2\pool\plugins\org.e
enter the number
151
the given number is palindrom
```

Ternary operator:

```java
package kumaranapplicaion;
import java.util.Scanner;
public class Ternary1 {

    public static void main(String[] args) {
        Scanner ss=new Scanner(System.in);
        System.out.println("enter the 1st number:");
        int a=ss.nextInt();
        System.out.println("enter the 2nd number:");
        int b=ss.nextInt();
        int result=(a>b)?a:b;
        System.out.println("the greatest number is:"+result);


    }

}
```

```
<terminated> Ternary1 [Java Application] C:\Users\KUMARAN\.p2\pool\p
enter the 1st number:
33
enter the 2nd number:
44
the greatest number is:44
```

Conditional statement

1st question:

```java
package kumaranapplicaion;

import java.util.Scanner;

public class shape {

    public static void main(String[] args) {
        Scanner ss= new Scanner(System.in);
        System.out.println("enter the length:");
        int length=ss.nextInt();
        System.out.println("enter the breadth:");
        int breadth=ss.nextInt();
        if(length==breadth) {
            System.out.println("it is rectangle");
        }
        else {
            System.out.println("it s rectangle");
        }


    }

}
```

```
<terminated> shape [Java Application] C:\Users\KUMARAN\.p
enter the length:
55
enter the breadth:
77
it s rectangle
```

2nd question:

```java
package kumaranapplicaion;

import java.util.Scanner;

public class Square {

    public static void main(String[] args) {
        // TODO Auto-generated method stub
Scanner ss=new Scanner(System.in);
System.out.print("enter the number:");
int a=ss.nextInt();
int b=a*a;
if (b>50) {
    System.out.println("the given number square is above 50");
}
else {
    System.out.println("the givenn number square is  below 50");
}

    }

}
```

```
<terminated> Square [Java Application] C:\Users\KUMARAN\.p2\pool\plugins\org.eclipse.justj.openjdk.ho
enter the number:7
the givenn number square is  below 50
```