Date:
Exp No.-3

Study of Packet Tracer Installation and User Interface Overview

AIM:-

To understand environment of CISCO PACKET TRACER to design simple network and analyse the behaviour of network devices.

⇒ Download Packet tracer, go to https://www.netcad.com and log in with your Cisco Networking Academy Credentials. Click on Packet Tracer graphic and download the package appropriate for your operating system.


⇒ The layout of Packet Tracer is divided into several components


1. Menu bar
2. Main toolbar
3. Logical / Physical workspace tabs
4. workspace
5. Common tools bar
6. Real-time / Simulation tabs
7. Network component tabs
8. User-created Packet box.

1. From the network component box, click and drag the below components

a) 4 Generic PCs and one HVB

b) 4 Generic PCs and one switch.





2) Click on connections :-

a) Click on copper straight - Through cable

b) Select one of the PC and connect it to HVB using the cable. the link LED should glow in green, indicating that link is up. Similarly connect remaining 3 PCs to the HVB.

c) Similarly connect 4PCs to the switch using copper straight - through cable.

3. Click on the PCs connected to hub, go to the Desktop tab, click on IP configuration and enter an IP address and subnet mask. Here, the default gateway and DNS server information is not needed as there are only two end devices on the network.


Click on the PDV from the common tool bar.


a) Drag and drop it on one of PC and then drop it on another PC connected to the HVB.


4. Observe the flow of PDV from source PC to destination PC by selecting the Realtime mode of simulation.

5. Repeat step 3 to step 5 for the PC's connected to the switch.

6. Observe how HVB and switch are forwarding the PDV and write your observation and conclusion about the behaviors of switch and HVB.




Logical
Physical
PC-PT PC1
PC-PT PC2
PC-PT PC3


PC1
PC0
Hub
PC2
PC0
PC1
Switch
PC2
PC3

Result :-

Thus the study of Packet tracer tool Installation and user Interface was done successfully.