

ONLINE VOTING SYSTEM

A PROJECT REPORT

Submitted By

Anand Kumar Gupta
(University Roll No : 2100290140026)

Ayushi Dixit
(University Roll No : 2100290140050)

**Submitted in partial fulfilment of the
Requirements for the Degree of**

MASTER OF COMPUTER APPLICATION

**Under the Supervision of
Miss Divya Singhal
(Assistant Professor)**



Submitted to

**DEPARTMENT OF COMPUTER APPLICATIONS
KIET Group of Institutions, Ghaziabad
Uttar Pradesh-201206**

(FEB 2023)

CERTIFICATE

Certified that **Anand Kr. Gupta (2100290140026)**, **Ayushi Dixit(2100290140050)** has carried out the project work having “**Online Voting System**” for Master of Computer Applications from Dr. A.P.J. Abdul Kalam Technical University (AKTU) (formerly UPTU), Technical University, Lucknow under my supervision. The project report embodies original work, and studies are carried out by the student himself/herself and the contents of the project report do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University/Institution.

Date:

Anand Kr. Gupta (2100290140026)

Ayushi Dixit (2100290140050)

This is to certify that the above statement made by the candidate is correct to the best of my knowledge.

Date:

Miss Divya Singhal
(Assistant Professor)
Department of Computer Applications
KIET Group of Institutions, Ghaziabad

Signature of Internal Examiner

Signature of External Examiner

Dr. Arun Tripathi
Head, Department of Computer Applications
KIET Group of Institutions, Ghaziabad

ABSTRACT

The word “vote” means to choose from a list, to elect or to determine. The main goal of voting (in a scenario involving the citizens of a given country) is to come up with leaders of the people’s choice.

Most countries, India not an exception have problems when it comes to voting. Some of the problems involved include rigging votes during election, insecure or inaccessible polling stations, inadequate polling materials and also inexperienced personnel.

This online voting/polling system seeks to address the above issues. It should be noted that with this system in place, the users, citizens in this case shall be given ample time during the voting period. They shall also be trained on how to vote online before the election time.

ACKNOWLEDGEMENTS

Success in life is never attained single handedly. My deepest gratitude goes to my thesis supervisor, Miss Divya Singhal (Assistant Professor) for his guidance, help and encouragement throughout my research work. Their enlightening ideas, comments, and suggestions.

Words are not enough to express my gratitude to Dr. Arun Tripathi ,Professor and Head, Department of Computer Applications, for his insightful comments and administrative help at various occasions.

Fortunately, I have many understanding friends, who have helped me a lot on many critical conditions.

Finally, my sincere thanks go to my family members and all those who have directly and indirectly provided me moral support and other kind of help. Without their support, completion of this work would not have been possible in time. They keep my life filled with enjoyment and happiness.

Anand Kr. Gupta (2100290140026)

Ayushi Dixit (2100290140050)

TABLE OF CONTENTS

Certificate	i
Abstract	ii
Acknowledgements	iii
Table of Contents	iv
Chapter 1 –Introduction	1-4
1.1 Project Description	2
1.2 Project Scope	2-3
1.3 Hardware/software used in Project	3
Chapter 2 –Feasibility Study	4-5
2.1 Technical feasibilty	4
2.2 Operational feasibility	4
2.3 Behavioural feasibility	4-5
Chapter 3 –Database Design	6-9
3.1 Flow Chart	7
3.2 Use Case Diagram	8
3.3 Sequence Diagram	9
Chapter 4–Form Design	10-17
4.1 Input/output Form (Screenshot)	11-17
Chapter 5–Coding	18-48
5.1 Coding Modules	18-48
Chapter 6 –Testing	49-50
6.1 Test Case-1	49
6.2 Test Case-2	50
Chapter 7–Maintenance	51
Chapter 8-Literature Review	52-53
Conclusion	54
Bibliography	55

LIST OF FIGURES

Figure No.	Name of Figure	Page No.
3.1	Flow Chart	7
3.2	Use Case Diagram	8
3.3	Sequence Diagram	9
4.0	Form Design	10
4.1	Landing Page	11
4.2	Admin Login	12
4.3	Admin Welcome	13
4.4	Registration Page	14
4.5	User Login	15
4.6	Voter modules	16
4.7	Submit Page	17

CHAPTER 1

INTRODUCTION

“ONLINE VOTING SYSTEM” is an online voting technique. In this system people who have citizenship of India and whose age is above 18 years of age and any sex can give his\her vote online without going to any physical polling station. There is a database which is maintained in which all the names of voters with complete information are stored.

In “ONLINE VOTING SYSTEM” a voter can use his\her voting right online without any difficulty. He\She has to be registered first for him/her to vote. Registration is mainly done by the system administrator for security reasons. The system Administrator registers the voters on a special site of the system visited by him only by simply filling a registration form to register voter. Citizens seeking registration are expected to contact the system administrator to submit their details. After the validity of them being citizens of India has been confirmed by the system administrator by comparing their details submitted with those in existing databases such as those as the Registrar of Persons, the citizen is then registered as a voter.

After registration, the voter is assigned a secret Voter ID with which he/she can use to log into the system and enjoy services provided by the system such as voting. If invalid/wrong details are submitted, then the citizen is not registered to vote.

1.1 PROJECT DESCRIPTION

Online voting system project is implemented in Android Studio platform using SQLite database as back end. Main aim of online voting system is to develop an online application like online reservation system, for citizens who are above 18 years of age to vote through online. Using these system citizens of India can vote through online without visiting polling booth. A centralized database is maintained by election commission of India where citizens information is maintained whenever citizen is using online voting system his/her information is authenticated with the data present in database if user is not in the list, he cannot use online voting system.

1.2 PROJECT SCOPE

The project scope for an online voting application includes the following:

- User registration: Users should be able to register themselves on the platform by providing their basic details such as name, email address, and phone number.
- Secure login: The system should have a secure login mechanism to ensure that only registered users can access the voting features.
- Candidate registration: Candidates for the election should be able to register themselves by providing their basic details and the position they are running for.
- Voting process: The system should have a user-friendly interface for the voting process. Users should be able to select the candidate of their choice and submit their vote securely.
- Vote counting: The system should have an automated vote counting process to ensure accurate results.
- Security and privacy: The online voting application should be highly secure to prevent any fraudulent activities or hacking attempts. It should also ensure the privacy of voters to maintain confidentiality.
- Accessibility: The online voting application should be accessible to all eligible voters irrespective of their location, device, or ability.
- Administration: The system should have an administration panel to manage and monitor the voting process, including user and candidate registration, vote counting, and result declaration.

The ONLINE VOTING SYSTEM-INDIA shall reduce the time spend making long queues at the polling stations during voting. It shall also enable the voters to vote from any part of the globe as explained since this is an online application available on the internet. Cases of vote miscounts shall also be solved since at the backend of this system resides a well-developed database using MYSQL that can provide the correct data once it's correctly queried. Since the voting process shall be open as early as possible, the voters shall have ample time to decide when and whom to vote for.

1.3 HARDWARE / SOFTWARE USED IN PROJECT

Hardware Requirement

- System: Pentium i3 Processor
- Hard Disk :500 GB minimum
- Monitor: 15'' LED
- Input Devices: Keyboard, Mouse
- Ram: 2 GB

Software Requirement

- Windows 7/8/10 (32- bit or 64-bit)
- ANDROID STUDIO
- 4GB RAM Minimum Processor i3 or i5

Technology Used

- JAVA
- SQLite

CHAPTER 2

FEASIBILITY STUDY

2.1 TECHNICAL FEASIBILITY

An online voting (E-voting) system is a voting system in which the election data is recorded, stored, and processed primarily as digital information. The research on electronic voting is a very important topic for the progress of democracy. If a secure and convenient electronic voting system is provided, it will be used more frequently to collect people's opinion through cyberspace.

Traditional paper-based voting can be time consuming and inconvenient. E-voting not only accelerates the whole process but makes it less expensive and more comfortable for the voters and the authorities as well. It also reduces the chances of the errors. E-voting system should provide all basic features that conventional voting does, further should furnish more services to make the process more trusted and secure.

It Maintains all The Information of all the Candidates and Votes.

- 1.It checks Voter have Voted or Not
- 2.You can see All the Information Related to any Voting System Online.
3. It Increase the Voting Percentage.
- 4.Finally It makes Easy Voting by Avoiding problems like Security and Booth capturing.

2.2 OPERATIONAL FEASIBILITY

Electronic voting promises to greatly improve the general experience of voting and democratic participation. However, the security of electronic elections is of prime importance. Our paper deals with the question which organizational and technical requirements an institution must satisfy to provide a secure operational environment to carry out secure electronic elections. Our findings provide a basis for design and evaluation of such a secure operational environment to provide secure electronic elections. Hence our results are of great value for all institutions which want to perform secure electronic elections.

2.3 BEHAVIOURAL FEASIBILITY

In this user who is above 18 year's register his/her information on the database and when he/she want to vote he/she has to login by his id and password and can vote to any party only single time. Voting detail store in database and the result is displayed by calculation. By online voting system percentage of voting is increases. It decreases the cost and time of voting process. It is very easy to use and it is vary less time consuming. It is very easy to debug. Old method of Voting include:

- Paper-based voting:

The voter gets a blank ballot and use a pen or a marker to indicate he want to vote for which candidate. Hand counted ballots is a time and labour consuming process, but it is easy to manufacture paper ballots and the ballots can be retained for verifying, this type is still the most common way to vote.

- Lever voting machine:

Lever machine is peculiar equipment, and each lever is assigned for a corresponding candidate. The voter pulls the lever to poll for his favourite candidate. This kind of voting machine can count the ballots automatically. Because its interface is not user friendly enough, giving some training to voters is necessary.

- Optical voting machine:

After each voter fills a circle correspond to them favourite candidate on the blank ballot, this machine selects the darkest mark on each ballot for the vote then computes the total result. This kind of machine counts ballots rapidly. However, if the voter fills over the circle, it will lead to the error result of optical scan. Recent years, a considerable number of countries has adopted E-voting for their official elections. These countries include America, Belgium, Japan, and Brazil.

Provision of improved voting services to the voters through fast, timely and convenient voting.

Reduction of the costs incurred by the Kenyan Electoral Commission during voting time in paying the very many clerks employed for the sake of the success of the manual system. Check to ensure that the members who are registered are the only ones to vote. Cases of “Dead People” voting are also minimized. Online voting system (OVS) will require being very precise or cost cutting to produce an effective election management system.

CHAPTER 3

DATABASE DESIGN

SQLite Database is an open-source database provided in Android which is used to store data inside the user's device in the form of a Text file. We can perform so many operations on this data such as adding new data, updating, reading, and deleting this data. SQLite is an offline database that is locally stored in the user's device, and we do not have to create any connection to connect to this database.

Data is stored in the SQLite database in the form of tables. When we stored this data in our SQLite database it is arranged in the form of tables that are similar to that of an excel sheet. Below is the representation of our SQLite database which we are storing in our SQLite database.

3.1 FLOW CHART




Figure 3.1: Flow Chart

3.2 USE CASE DIAGRAM




Figure 3.2: Use Case Diagram

3.3 SEQUENCE DIAGRAM




Figure 3.3: Sequence Diagram

CHAPTER 4

FORM DESIGN




Figure 4.0: Form Design

4.1 INPUT / OUTPUT FORM (SCREENSHOT)




Figure 4.1 Landing Page




Figure 4.2 Admin Login





Figure 4.3 Admin Welcome



A mobile application registration page titled "Register". The page features a purple status bar at the top with the time 6:36, signal strength, and battery level. The background is a light blue gradient with a faint, stylized image of the Indian national flag (saffron, white, and green) and the Ashoka Chakra. The registration form consists of five white rounded rectangular input fields stacked vertically, each with a black border and placeholder text: "Name", "Aadhar Number", "Voter ID", "Password", and "Confirm Password". Below these fields is a dark grey rounded rectangular "Submit" button with white text. The bottom of the screen shows a black navigation bar with three white icons: a back arrow, a home circle, and a recent apps square.

6:36

Register

Name

Aadhar Number

Voter ID

Password

Confirm Password

Submit

Figure 4.4 Registration Page




Figure 4.5 User Login




Figure 4.1.6 Voter modules




Figure 4.1.7 Submit Page

CHAPTER 5

CODING

1.Add Party

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/white"
    tools:context=".AddParty">

    <Button
        android:id="@+id/addpartyb"
        android:layout_width="300dp"
        android:layout_height="68dp"
        android:layout_marginBottom="294dp"
        android:background="@drawable/custombutton"
        android:fontFamily="@font/raleway"
        android:gravity="center"
        android:text="Add Party"
        android:textAlignment="center"
        android:textAllCaps="false"
        android:textAppearance="@style/TextAppearance.AppCompat.Large"
        android:textColor="#FDFDFD"
        android:textSize="22sp"
        android:textStyle="bold"
        android:typeface="sans"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.494"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/cname"
        app:layout_constraintVertical_bias="1.0" />
```



```

<EditText
    android:id="@+id/pname"
    android:layout_width="wrap_content"
    android:layout_height="51dp"
    android:layout_marginBottom="66dp"
    android:background="@drawable/customet"
    android:ems="10"
    android:fontFamily="@font/nunito_sans"
    android:hint="Party Name"
    android:inputType="textPersonName"
    android:textAlignment="center"
    android:textColorHint="#6A6464"
    android:textColor="#090909"
    android:textSize="18sp"
    android:typeface="sans"
    app:layout_constraintBottom_toTopOf="@+id/addpartyb"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/cname" />

```

```

<EditText
    android:id="@+id/cname"
    android:layout_width="wrap_content"
    android:layout_height="51dp"
    android:layout_marginBottom="36dp"
    android:background="@drawable/customet"
    android:ems="10"
    android:fontFamily="@font/nunito_sans"
    android:hint="Candidate name"
    android:inputType="textPersonName"
    android:textAlignment="center"
    android:textColorHint="#6A6464"
    android:textColor="#090909"
    android:textSize="18sp"
    android:typeface="sans"
    app:layout_constraintBottom_toTopOf="@+id/pname"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView2" />

```

```

<TextView
    android:id="@+id/textView2"

```

```

        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="43dp"
        android:layout_marginTop="54dp"
        android:fontFamily="@font/raleway"
        android:letterSpacing="0.1"
        android:text="Add Party"
        android:textAlignment="center"
        android:textAllCaps="false"
        android:textAppearance="@style/TextAppearance.AppCompat.Large"
        android:textColor="#112D4E"
        android:textSize="30sp"
        android:textStyle="bold"
        android:typeface="sans"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintBottom_toTopOf="@+id/cname"/>

```

```
</androidx.constraintlayout.widget.ConstraintLayout>
```

2.Add Voter

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/white"
    tools:context=".AddParty">

    <Button
        android:id="@+id/addpartyb"
        android:layout_width="300dp"
        android:layout_height="68dp"
        android:layout_marginBottom="294dp"
        android:background="@drawable/custombutton"
        android:fontFamily="@font/raleway"
        android:gravity="center"
        android:text="Add Party"

```

```

        android:textAlignment="center"
        android:textAllCaps="false"
        android:textAppearance="@style/TextAppearance.AppCompat.Large"
        android:textColor="#FDFDFD"
        android:textSize="22sp"
        android:textStyle="bold"
        android:typeface="sans"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.494"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/cname"
        app:layout_constraintVertical_bias="1.0" />

```

<EditText

```

        android:id="@+id/pname"
        android:layout_width="wrap_content"
        android:layout_height="51dp"
        android:layout_marginBottom="66dp"
        android:background="@drawable/customet"
        android:ems="10"
        android:fontFamily="@font/nunito_sans"
        android:hint="Party Name"
        android:inputType="textPersonName"
        android:textAlignment="center"
        android:textColorHint="#6A6464"
        android:textColor="#090909"
        android:textSize="18sp"
        android:typeface="sans"
        app:layout_constraintBottom_toTopOf="@+id/addpartyb"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/cname" />

```

<EditText

```

        android:id="@+id/cname"
        android:layout_width="wrap_content"
        android:layout_height="51dp"
        android:layout_marginBottom="36dp"
        android:background="@drawable/customet"
        android:ems="10"
        android:fontFamily="@font/nunito_sans"

```

```

        android:hint="Candidate name"
        android:inputType="textPersonName"
        android:textAlignment="center"
        android:textColorHint="#6A6464"
        android:textColor="#090909"
        android:textSize="18sp"
        android:typeface="sans"
        app:layout_constraintBottom_toTopOf="@+id/pname"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/textView2" />

<TextView
    android:id="@+id/textView2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="43dp"
    android:layout_marginTop="54dp"
    android:fontFamily="@font/raleway"
    android:letterSpacing="0.1"
    android:text="Add Party"
    android:textAlignment="center"
    android:textAllCaps="false"
    android:textAppearance="@style/TextAppearance.AppCompat.Large"
    android:textColor="#112D4E"
    android:textSize="30sp"
    android:textStyle="bold"
    android:typeface="sans"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintBottom_toTopOf="@+id/cname"/>

</androidx.constraintlayout.widget.ConstraintLayout>

```

3.Admin Home

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout

```

```
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:background="@color/white"
tools:context=".AdminHome">
```

```
<Button
    android:id="@+id/button5"
    android:layout_width="300dp"
    android:layout_height="68dp"
    android:layout_marginTop="44dp"
    android:background="@drawable/custombutton"
    android:fontFamily="@font/raleway"
    android:gravity="center"
    android:text="Add Voter"
    android:textAlignment="center"
    android:textAllCaps="false"
    android:textAppearance="@style/TextAppearance.AppCompat.Large"
    android:textColor="#FDFDFD"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="sans"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView4" />
```

```
<Button
    android:id="@+id/button11"
    android:layout_width="300dp"
    android:layout_height="68dp"
    android:layout_marginTop="32dp"
    android:background="@drawable/custombutton"
    android:fontFamily="@font/raleway"
    android:gravity="center"
    android:text="View Votes"
    android:textAlignment="center"
    android:textAllCaps="false"
    android:textAppearance="@style/TextAppearance.AppCompat.Large"
    android:textColor="#FDFDFD"
    android:textSize="22sp"
```

```
android:textStyle="bold"
android:typeface="sans"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/button12" />
```

<Button

```
android:id="@+id/button13"
android:layout_width="300dp"
android:layout_height="68dp"
android:layout_marginTop="36dp"
android:background="@drawable/custombutton"
android:fontFamily="@font/raleway"
android:gravity="center"
android:text="Logout"
android:textAlignment="center"
android:textAllCaps="false"
android:textAppearance="@style/TextAppearance.AppCompat.Large"
android:textColor="#FDFDFD"
android:textSize="22sp"
android:textStyle="bold"
android:typeface="sans"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.505"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/button11" />
```

<TextView

```
android:id="@+id/textView4"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginTop="64dp"
android:fontFamily="@font/raleway"
android:letterSpacing="0.1"
android:text="Welcome Admin"
android:textAlignment="center"
android:textAllCaps="false"
android:textAppearance="@style/TextAppearance.AppCompat.Large"
android:textColor="#112D4E"
android:textSize="30sp"
android:textStyle="bold"
android:typeface="sans"
```

```

app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent" />

<Button
    android:id="@+id/button12"
    android:layout_width="300dp"
    android:layout_height="68dp"
    android:layout_marginTop="32dp"
    android:background="@drawable/custombutton"
    android:fontFamily="@font/raleway"
    android:gravity="center"
    android:text="Add Party"
    android:textAlignment="center"
    android:textAllCaps="false"
    android:textAppearance="@style/TextAppearance.AppCompat.Large"
    android:textColor="#FDFDFD"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="sans"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.505"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/button5" />
</androidx.constraintlayout.widget.ConstraintLayout>

```

4.Activity Login

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/white"
    tools:context=".AdminLogin">

    <Button
        android:id="@+id/button2"
        android:layout_width="300dp"

```

```

android:layout_height="68dp"
android:layout_marginBottom="294dp"
android:background="@drawable/custombutton"
android:fontFamily="@font/raleway"
android:gravity="center"
android:text="Admin Login"
android:textAlignment="center"
android:textAllCaps="false"
android:textAppearance="@style/TextAppearance.AppCompat.Large"
android:textColor="#FDFDFD"
android:textSize="22sp"
android:textStyle="bold"
android:typeface="sans"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.494"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/apass" />

```

<EditText

```

android:id="@+id/apass"
android:layout_width="wrap_content"
android:layout_height="51dp"
android:layout_marginBottom="66dp"
android:background="@drawable/customet"
android:ems="10"
android:fontFamily="@font/nunito_sans"
android:hint="Password"
android:inputType="textPassword"
android:textAlignment="center"
android:textColorHint="#6A6464"
android:textColor="#090909"
android:textSize="18sp"
android:typeface="sans"
app:layout_constraintBottom_toTopOf="@+id/button2"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/auser" />

```

<EditText

```

android:id="@+id/auser"
android:layout_width="wrap_content"

```



```

android:layout_height="51dp"
android:layout_marginBottom="36dp"
android:background="@drawable/customet"
android:ems="10"
android:fontFamily="@font/nunito_sans"
android:hint="User ID"
android:inputType="textPersonName"
android:textAlignment="center"
android:textColorHint="#6A6464"
android:textColor="#090909"
android:textSize="18sp"
android:typeface="sans"
app:layout_constraintBottom_toTopOf="@+id/apass"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/textView2" />

```

<TextView

```

android:id="@+id/textView2"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginBottom="43dp"
android:layout_marginTop="54dp"
android:fontFamily="@font/raleway"
android:letterSpacing="0.1"
android:text="Admin Login"
android:textAlignment="center"
android:textAllCaps="false"
android:textAppearance="@style/TextAppearance.AppCompat.Large"
android:textColor="#112D4E"
android:textSize="30sp"
android:textStyle="bold"
android:typeface="sans"
app:layout_constraintBottom_toTopOf="@+id/auser"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent" />

```

</androidx.constraintlayout.widget.ConstraintLayout>

5.Home

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/white"
    tools:context=".Home">

    <Button
        android:id="@+id/button6"
        android:layout_width="300dp"
        android:layout_height="0dp"
        android:layout_marginBottom="12dp"
        android:background="@drawable/custombutton"
        android:fontFamily="@font/raleway"
        android:gravity="center"
        android:text="Vote"
        android:textAlignment="center"
        android:textAllCaps="false"
        android:textAppearance="@style/TextAppearance.AppCompat.Large"
        android:textColor="#FDFDFD"
        android:textSize="22sp"
        android:textStyle="bold"
        android:typeface="sans"
        app:layout_constraintBottom_toTopOf="@+id/button7"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/textView" />

    <Button
        android:id="@+id/button7"
        android:layout_width="300dp"
        android:layout_height="0dp"
        android:layout_marginBottom="13dp"
        android:background="@drawable/custombutton"
        android:fontFamily="@font/raleway"
        android:gravity="center"
        android:text="View Parties"
        android:textAlignment="center"
        android:textAllCaps="false"

```

```

        android:textAppearance="@style/TextAppearance.AppCompat.Large"
        android:textColor="#FDFDFD"
        android:textSize="22sp"
        android:textStyle="bold"
        android:typeface="sans"
        app:layout_constraintBottom_toTopOf="@+id/button8"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/button6" />

```

<Button

```

        android:id="@+id/button8"
        android:layout_width="300dp"
        android:layout_height="0dp"
        android:layout_marginBottom="8dp"
        android:background="@drawable/custombutton"
        android:fontFamily="@font/raleway"
        android:gravity="center"
        android:text="Result"
        android:textAlignment="center"
        android:textAllCaps="false"
        android:textAppearance="@style/TextAppearance.AppCompat.Large"
        android:textColor="#FDFDFD"
        android:textSize="22sp"
        android:textStyle="bold"
        android:typeface="sans"
        app:layout_constraintBottom_toTopOf="@+id/button9"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/button7" />

```

<Button

```

        android:id="@+id/button9"
        android:layout_width="300dp"
        android:layout_height="0dp"
        android:layout_marginBottom="276dp"
        android:background="@drawable/custombutton"
        android:fontFamily="@font/raleway"
        android:gravity="center"
        android:text="View Profile"
        android:textAlignment="center"
        android:textAllCaps="false"

```

```

        android:textAppearance="@style/TextAppearance.AppCompat.Large"
        android:textColor="#FDFDFD"
        android:textSize="22sp"
        android:textStyle="bold"
        android:typeface="sans"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/button8" />

```

<ImageView

```

        android:id="@+id/imageView3"
        android:layout_width="395dp"
        android:layout_height="347dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.0"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/button9"
        app:layout_constraintVertical_bias="1.0"
        app:srcCompat="@drawable/flag1" />

```

<TextView

```

        android:id="@+id/textView"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="32dp"
        android:layout_marginTop="16dp"
        android:fontFamily="@font/raleway"
        android:letterSpacing="0.1"
        android:text="Vote, thats what makes us free"
        android:textAlignment="center"
        android:textAllCaps="false"
        android:textAppearance="@style/TextAppearance.AppCompat.Large"
        android:textColor="#112D4E"
        android:textSize="30sp"
        android:textStyle="bold"
        android:typeface="serif"
        app:layout_constraintBottom_toTopOf="@+id/button6"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

```

```

<Button
    android:id="@+id/button14"
    android:layout_width="300dp"
    android:layout_height="65dp"
    android:layout_marginTop="16dp"
    android:background="@drawable/custombutton"
    android:fontFamily="@font/raleway"
    android:gravity="center"
    android:text="Logout"
    android:textAlignment="center"
    android:textAllCaps="false"
    android:textAppearance="@style/TextAppearance.AppCompat.Large"
    android:textColor="#FDFDFD"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="sans"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.505"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/button9" />

```

```

</androidx.constraintlayout.widget.ConstraintLayout>

```

6. User Login

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/white"
    tools:context=".Login">

    <Button
        android:id="@+id/button2"
        android:layout_width="300dp"
        android:layout_height="68dp"

```

```

android:layout_marginBottom="294dp"
android:background="@drawable/custombutton"
android:fontFamily="@font/raleway"
android:gravity="center"
android:text="Login"
android:textAlignment="center"
android:textAllCaps="false"
android:textAppearance="@style/TextAppearance.AppCompat.Large"
android:textColor="#FDFDFD"
android:textSize="22sp"
android:textStyle="bold"
android:typeface="sans"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/avoter" />

```

<EditText

```

android:id="@+id/avoter"
android:layout_width="wrap_content"
android:layout_height="51dp"
android:layout_marginBottom="66dp"
android:background="@drawable/customet"
android:ems="10"
android:fontFamily="@font/nunito_sans"
android:hint="Password"
android:inputType="textPassword"
android:textAlignment="center"
android:textColorHint="#6A6464"
android:textColor="#090909"
android:textSize="18sp"
android:typeface="sans"
app:layout_constraintBottom_toTopOf="@+id/button2"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/aaadhar" />

```

<EditText

```

android:id="@+id/aaadhar"
android:layout_width="wrap_content"
android:layout_height="51dp"
android:layout_marginBottom="36dp"

```

```

        android:background="@drawable/customet"
        android:ems="10"
        android:fontFamily="@font/nunito_sans"
        android:hint="Voter ID"
        android:inputType="textPersonName"
        android:textAlignment="center"
        android:textColorHint="#6A6464"
        android:textColor="#090909"
        android:textSize="18sp"
        android:typeface="sans"
        app:layout_constraintBottom_toTopOf="@+id/avoter"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/textView2" />

```

<ImageView

```

        android:id="@+id/imageView4"
        android:layout_width="376dp"
        android:layout_height="275dp"
        android:layout_marginBottom="4dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.47"
        app:layout_constraintStart_toStartOf="parent"
        app:srcCompat="@drawable/vote" />

```

<TextView

```

        android:id="@+id/textView2"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="43dp"
        android:layout_marginTop="54dp"
        android:fontFamily="@font/raleway"
        android:letterSpacing="0.1"
        android:text="Login"
        android:textAlignment="center"
        android:textAllCaps="false"
        android:textAppearance="@style/TextAppearance.AppCompat.Large"
        android:textColor="#112D4E"
        android:textSize="30sp"
        android:textStyle="bold"
        android:typeface="sans"

```

```

        app:layout_constraintBottom_toTopOf="@+id/aaadhar"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>

```

7.Main

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/white"
    tools:context=".MainActivity">

    <Button
        android:id="@+id/button3"
        android:layout_width="300dp"
        android:layout_height="70dp"
        android:background="@drawable/custombutton"
        android:fontFamily="@font/raleway"
        android:gravity="center"
        android:letterSpacing="0.1"
        android:text="New User,Register"
        android:textAlignment="center"
        android:textAllCaps="false"
        android:textColor="#FDFDFD"
        android:textSize="22sp"
        android:textStyle="bold"
        android:typeface="sans"
        app:layout_constraintBottom_toTopOf="@+id/button4"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.494"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/textView3" />

    <Button

```



```

android:id="@+id/button4"
android:layout_width="300dp"
android:layout_height="70dp"
android:background="@drawable/custombutton"
android:fontFamily="@font/raleway"
android:gravity="center"
android:text="Login"
android:textAlignment="center"
android:textAllCaps="false"
android:textAppearance="@style/TextAppearance.AppCompat.Large"
android:textColor="#FDFDFD"
android:textSize="22sp"
android:textStyle="bold"
android:typeface="sans"
app:layout_constraintBottom_toTopOf="@+id/imageView"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.494"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/button3" />

```

<TextView

```

android:id="@+id/textView3"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:fontFamily="@font/raleway"
android:text="VOTE "
android:textAlignment="center"
android:textAppearance="@style/TextAppearance.AppCompat.Body1"
android:textColor="#112D4E"
android:textSize="40sp"
android:textStyle="bold"
android:typeface="sans"
app:layout_constraintBottom_toTopOf="@+id/button3"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.496"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent" />

```

<ImageView

```

android:id="@+id/imageView"
android:layout_width="444dp"
android:layout_height="344dp"

```

```

        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:srcCompat="@drawable/flag" />

<Button
    android:id="@+id/button10"
    android:layout_width="300dp"
    android:layout_height="70dp"
    android:background="@drawable/custombutton"
    android:fontFamily="@font/raleway"
    android:gravity="center"
    android:letterSpacing="0.1"
    android:text="Admin Login"
    android:textAlignment="center"
    android:textAllCaps="false"
    android:textColor="#FDFDFD"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="sans"
    app:layout_constraintBottom_toBottomOf="@+id/imageView"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.494"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/button4"
    app:layout_constraintVertical_bias="0.177" />
</androidx.constraintlayout.widget.ConstraintLayout>

```

8.Registration

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:background="@color/white"
    android:layout_height="match_parent"
    tools:context=".Registration">

```

```

<Button
    android:id="@+id/button"
    android:layout_width="300dp"
    android:layout_height="70dp"
    android:layout_marginBottom="80dp"
    android:layout_marginEnd="42dp"
    android:layout_marginStart="42dp"
    android:background="@drawable/custombutton"
    android:fontFamily="@font/raleway"
    android:gravity="center"
    android:letterSpacing="0.1"
    android:text="Submit"
    android:textAlignment="center"
    android:textAllCaps="false"
    android:textColor="#FDFDFD"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="sans"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/cpass" />

```

```

<TextView
    android:id="@+id/textView"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="56dp"
    android:layout_marginTop="16dp"
    android:fontFamily="@font/raleway"
    android:letterSpacing="0.1"
    android:text="Register"
    android:textAlignment="center"
    android:textAllCaps="false"
    android:textAppearance="@style/TextAppearance.AppCompat.Large"
    android:textColor="#112D4E"
    android:textSize="30sp"
    android:textStyle="bold"
    android:typeface="sans"
    app:layout_constraintBottom_toTopOf="@+id/name"
    app:layout_constraintEnd_toEndOf="parent"

```

```

        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

<androidx.constraintlayout.widget.Group
    android:id="@+id/group"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    app:layout_constraintBottom_toTopOf="parent"
    app:layout_constraintEnd_toStartOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />

<!--app:layout_constraintTop_toTopOf="@+id/imageView4"-->

<com.google.android.material.textfield.TextInputEditText
    android:id="@+id/voter"
    android:layout_width="0dp"
    android:layout_height="0dp"
    android:layout_marginBottom="31dp"
    android:layout_marginEnd="51dp"
    android:layout_marginStart="51dp"
    android:background="@drawable/customet"
    android:fontFamily="@font/nunito_sans"
    android:hint="Voter ID"
    android:textAlignment="center"
    android:textColorHint="#6A6464"
    android:textColor="#090909"
    android:textSize="18sp"
    android:typeface="sans"
    app:layout_constraintBottom_toTopOf="@+id/password"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/aadhar" />

<com.google.android.material.textfield.TextInputEditText
    android:id="@+id/password"
    android:layout_width="0dp"
    android:layout_height="0dp"
    android:layout_marginBottom="28dp"
    android:layout_marginEnd="51dp"
    android:layout_marginStart="51dp"

```

```

        android:background="@drawable/customet"
        android:fontFamily="@font/nunito_sans"
        android:hint="Password"
        android:inputType="textPassword"
        android:textAlignment="center"
        android:textColorHint="#6A6464"
        android:textColor="#090909"
        android:textSize="18sp"
        android:typeface="sans"
        app:layout_constraintBottom_toTopOf="@+id/cpass"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/voter" />

```

```

<com.google.android.material.textfield.TextInputEditText
    android:id="@+id/cpass"
    android:layout_width="0dp"
    android:layout_height="0dp"
    android:layout_marginBottom="72dp"
    android:layout_marginEnd="51dp"
    android:layout_marginStart="51dp"
    android:background="@drawable/customet"
    android:fontFamily="@font/nunito_sans"
    android:hint="Confirm Password"
    android:inputType="textPassword"
    android:textAlignment="center"
    android:textColorHint="#6A6464"
    android:textColor="#090909"
    android:textSize="18sp"
    android:typeface="sans"
    app:layout_constraintBottom_toTopOf="@+id/button"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/password" />

```

```

<com.google.android.material.textfield.TextInputEditText
    android:id="@+id/name"
    android:layout_width="0dp"
    android:layout_height="0dp"
    android:layout_marginBottom="29dp"
    android:layout_marginEnd="51dp"
    android:layout_marginStart="51dp"

```

```

        android:background="@drawable/customet"
        android:fontFamily="@font/nunito_sans"
        android:hint="Name"
        android:textAlignment="center"
        android:textColorHint="#6A6464"
        android:textColor="#090909"
        android:textSize="18sp"
        android:typeface="sans"
        app:layout_constraintBottom_toTopOf="@+id/aadhar"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/textView" />

<com.google.android.material.textfield.TextInputEditText
    android:id="@+id/aadhar"
    android:layout_width="800px"
    android:layout_height="0dp"
    android:layout_marginBottom="28dp"
    android:background="@drawable/customet"
    android:fontFamily="@font/nunito_sans"
    android:hint="Aadhar Number"
    android:textAlignment="center"
    android:textColorHint="#6A6464"
    android:textColor="#090909"
    android:textSize="18sp"
    android:typeface="sans"
    app:layout_constraintBottom_toTopOf="@+id/voter"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/name" />

<ImageView
    android:id="@+id/imageView3"
    android:layout_width="410dp"
    android:layout_height="345dp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.0"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/voter"
    app:layout_constraintVertical_bias="1.0"
    app:srcCompat="@drawable/flag1" />

```

</androidx.constraintlayout.widget.ConstraintLayout>

9.Result

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/white"
    tools:context=".Results">

    <ImageView
        android:id="@+id/imageView2"
        android:layout_width="395dp"
        android:layout_height="347dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:srcCompat="@drawable/flag1" />

    <TextView
        android:id="@+id/textView14"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="20dp"
        android:fontFamily="@font/nunito_sans"
        android:letterSpacing="0.1"
        android:text="Party you voted for"
        android:textAlignment="center"

        android:textColor="#112D4E"
        android:textSize="25sp"
        android:textStyle="bold"
        android:typeface="serif"
        app:layout_constraintBottom_toTopOf="@+id/textView15"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.496"
```

```
app:layout_constraintStart_toStartOf="parent" />
```

```
<TextView
    android:id="@+id/textView15"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="36dp"
    android:background="@drawable/customtv"
    android:fontFamily="@font/nunito_sans"
    android:paddingBottom="10dp"
    android:paddingLeft="15dp"
    android:paddingRight="15dp"
    android:paddingTop="10dp"
    android:text="Party name"
    android:textAlignment="center"
    android:textColor="#112D4E"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="serif"
    app:layout_constraintBottom_toTopOf="@+id/textView16"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.497"
    app:layout_constraintStart_toStartOf="parent" />
```

```
<TextView
    android:id="@+id/textView16"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="32dp"
    android:fontFamily="@font/nunito_sans"
    android:letterSpacing="0.1"
    android:text="Current Leading Party"
    android:textAlignment="center"
    android:textColor="#112D4E"
    android:textSize="25sp"
    android:textStyle="bold"
    android:typeface="serif"
    app:layout_constraintBottom_toTopOf="@+id/textView17"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent" />
```

```
<TextView
```



```

android:id="@+id/textView17"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:background="@drawable/customtv"
android:fontFamily="@font/nunito_sans"
android:paddingBottom="10dp"
android:paddingLeft="15dp"
android:paddingRight="15dp"
android:paddingTop="10dp"
android:text="Party name"
android:textAlignment="center"
android:textColor="#112D4E"
android:textSize="22sp"
android:textStyle="bold"
android:typeface="serif"
app:layout_constraintBottom_toTopOf="@+id/imageView2"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.497"
app:layout_constraintStart_toStartOf="parent" />

```

<TextView

```

android:id="@+id/textView13"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginBottom="28dp"
android:fontFamily="@font/raleway"
android:letterSpacing="0.1"
android:text="Results"
android:textAlignment="center"
android:textColor="#112D4E"
android:textSize="30sp"
android:textStyle="bold"
android:typeface="serif"
app:layout_constraintBottom_toTopOf="@+id/textView14"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.498"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
app:layout_constraintVertical_bias="1.0" />

```

</androidx.constraintlayout.widget.ConstraintLayout>

10.View Profile

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/white"
    tools:context=".ViewProfile">

    <Button
        android:id="@+id/button2"
        android:layout_width="300dp"
        android:layout_height="50dp"
        android:layout_marginTop="28dp"
        android:background="@drawable/custombutton"
        android:fontFamily="@font/raleway"
        android:gravity="center"
        android:text="Update"
        android:textAlignment="center"
        android:textAllCaps="false"
        android:textAppearance="@style/TextAppearance.AppCompat.Large"
        android:textColor="#FDFDFD"
        android:textSize="22sp"
        android:textStyle="bold"
        android:typeface="sans"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/cpass" />

    <EditText
        android:id="@+id/cpass"
        android:layout_width="wrap_content"
        android:layout_height="49dp"
        android:layout_marginTop="48dp"
        android:background="@drawable/customet"
        android:ems="10"
        android:fontFamily="@font/nunito_sans"
        android:hint="Re-enter Password"
        android:inputType="textPassword"

```

```
android:textAlignment="center"
android:textColorHint="#6A6464"
android:textColor="#090909"
android:textSize="18sp"
android:typeface="sans"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/npass" />
```

<EditText

```
android:id="@+id/npass"
android:layout_width="wrap_content"
android:layout_height="50dp"
android:layout_marginTop="52dp"
android:background="@drawable/customet"
android:ems="10"
android:fontFamily="@font/nunito_sans"
android:hint="New Password"
android:inputType="textPassword"
android:textAlignment="center"
android:textColorHint="#6A6464"
android:textColor="#090909"
android:textSize="18sp"

android:typeface="sans"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/textView9" />
```

<TextView

```
android:id="@+id/textView8"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginTop="36dp"
android:fontFamily="@font/nunito_sans"
android:letterSpacing="0.1"
android:text="TextView"
android:background="@drawable/customtv"
android:textColor="#112D4E"
android:paddingBottom="10dp"
android:paddingLeft="15dp"
android:paddingRight="15dp"
```

```

android:paddingTop="10dp"
android:textSize="20sp"
android:textStyle="bold"
android:typeface="serif"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.498"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/textView7" />

```

```

<TextView
    android:id="@+id/textView9"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="40dp"
    android:fontFamily="@font/raleway"
    android:letterSpacing="0.1"
    android:text="If you want to update password"
    android:textAlignment="center"
    android:textAllCaps="false"
    android:textAppearance="@style/TextAppearance.AppCompat.Large"
    android:textColor="#112D4E"
    android:textSize="20sp"
    android:textStyle="bold"
    android:typeface="serif"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.488"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView8" />

```

```

<TextView
    android:id="@+id/textView10"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="16dp"
    android:fontFamily="@font/raleway"
    android:letterSpacing="0.1"
    android:text="Your Profile"
    android:textAlignment="center"
    android:textAllCaps="false"
    android:textAppearance="@style/TextAppearance.AppCompat.Large"
    android:textColor="#112D4E"
    android:textSize="30sp"

```

```

        android:textStyle="bold"
        android:typeface="serif"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.497"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

```

```

<TextView
    android:id="@+id/textView6"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="44dp"
    android:fontFamily="@font/nunito_sans"
    android:letterSpacing="0.1"
    android:text="TextView"
    android:background="@drawable/customtv"
    android:paddingBottom="10dp"
    android:paddingLeft="15dp"
    android:paddingRight="15dp"
    android:paddingTop="10dp"
    android:textColor="#112D4E"
    android:textSize="20sp"
    android:textStyle="bold"
    android:typeface="serif"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView10" />

```

```

<TextView
    android:id="@+id/textView7"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="36dp"
    android:fontFamily="@font/nunito_sans"
    android:letterSpacing="0.1"
    android:text="TextView"
    android:background="@drawable/customtv"
    android:paddingBottom="10dp"
    android:paddingLeft="15dp"
    android:paddingRight="15dp"
    android:paddingTop="10dp"
    android:textColor="#112D4E"
    android:textSize="20sp"

```

```
        android:textStyle="bold"
        android:typeface="serif"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.501"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/textView6" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

CHAPTER 6

TESTING

6.1 TEST CASE-1

Test Case: that the login functionality works as expected.

Test Steps:

1. Launch the online voting application.
2. Enter valid login credentials.
3. Click on the login button.
4. Verify that the user Verify is redirected to the dashboard.
5. Logout of the application

Expected Result:

After following the above steps, the user should be able to login successfully and should be redirected to the dashboard.

Test Data:

Valid login credentials.

6.2 TEST CASE-2

Test Case: Verify that the application shows the correct list of elections.

Test Steps:

1. Launch the online voting application.
2. Login with valid credentials
3. Verify that the application displays the list of elections.
4. Verify that the election list is accurate and up to date.
5. Logout of the application

Expected Result:

After following the above steps, the user should be able to view the list of elections and verify that it is accurate and up-to-date.

Test Data:

Valid login credentials and List of available elections.

CHAPTER 7

MAINTENANCE

Maintenance for a project involves ongoing activities that ensure the software continues to operate efficiently and effectively over its lifecycle. For the "Online Voting App" project, maintenance activities could include:

1. Bug fixes: As users utilize the application, bugs or errors may arise. The development team should address these bugs and fix them to ensure the application continues to function correctly.
2. Security updates: The application should be continuously monitored for security vulnerabilities, and updates should be made to address them.
3. Feature updates: As new technologies or user needs arise, new features may need to be added to the application. These updates should be made in a manner that does not disrupt the existing functionality of the application.
4. Performance monitoring: Monitoring the performance of the application over time is essential to ensure it continues to function at an optimal level. The development team should analyse the application's performance and make necessary updates to ensure it runs efficiently.
5. User support: As users utilize the application, they may need support for various issues. The development team should provide ongoing support to address user questions and concerns.
6. Compatibility updates: As new devices or browsers are released, compatibility updates may need to be made to the application to ensure it continues to function correctly on these platforms.

Overall, maintenance is crucial to ensure the "Online Voting App" continues to function correctly and meet the needs of its users over its lifecycle.

CHAPTER 8

LITERATURE REVIEW

Online voting system is a digital platform that allows voters to cast their votes remotely, using internet-connected devices. The system has gained popularity in recent years due to its potential to increase voter turnout, reduce the costs of traditional voting methods, and enhance the efficiency and accuracy of the election process. The following literature review presents a critical analysis of existing studies and research papers related to the online voting system.

A few studies have been conducted to examine the feasibility and effectiveness of online voting systems. One such study was conducted by the National Institute of Standards and Technology (NIST) in the United States. The study analyzed the security and reliability of different online voting systems and found that properly designed and implemented systems can provide a secure and reliable way for voters to cast their votes remotely.

Another study was conducted by the European Parliament, which investigated the potential of online voting systems to increase voter participation in European elections. The study found that online voting systems can be effective in increasing voter turnout, especially among young people and those who are not able to physically attend polling stations.

Research has also been conducted to investigate the potential risks and challenges associated with online voting systems. For example, a study by the University of Michigan found that online voting systems are vulnerable to cyber-attacks, such as malware and phishing attacks, which could compromise the integrity and confidentiality of the election process.

Overall, the existing literature suggests that online voting systems have the potential to increase voter participation, reduce the costs of traditional voting methods, and enhance the efficiency and accuracy of the election process. However, there are also potential risks and challenges associated with online voting systems, such as cyber-attacks and technical failures. As such, the implementation of online voting systems should be carefully planned and designed, with appropriate security measures and safeguards in place to ensure the integrity and confidentiality of the election process.

CONCLUSION

This Online Voting system will manage the Voter's information by which voter can login and use his voting rights. The system will incorporate all features of Voting system. It provides the tools for maintaining voter's vote to every party and it count total no. of votes of every party. There is a DATABASE which is maintained by the ELECTION COMMISSION OF INDIA in which all the names of voter with complete information are stored.

In this user who is above 18 year's register his/her information on the database and when he/she want to vote he/she has to login by his id and password and can vote to any party only single time. Voting detail store in database and the result is displayed by calculation. By online voting system percentage of voting is increases. It decreases the cost and time of voting process.

It is very easy to use and It is vary less time consuming. It is very easy to debug.

BIBLIOGRAPHY

References for the Project Development were taken from the following Web Sites.

- [1] <https://www.w3schools.com>
- [2] <https://www.electionsonline.com/online-voting-system/>
- [3] https://en.wikipedia.org/wiki/Electronic_voting