

Created the node on AWS:

Instance summary for i-099923a982ade5f5d (Jenkinsserver) [Info](#) [Connect](#) [Instance state](#) [Actions](#)

Updated less than a minute ago

Instance ID i-099923a982ade5f5d	Public IPv4 address 13.126.94.223 open address	Private IPv4 addresses 172.31.39.122
IPv6 address -	Instance state Running	Public DNS ec2-13-126-94-223.ap-south-1.compute.amazonaws.com open address
Hostname type IP name: ip-172-31-39-122.ap-south-1.compute.internal	Private IP DNS name (IPv4 only) ip-172-31-39-122.ap-south-1.compute.internal	Elastic IP addresses -
Answer private resource DNS name IPv4 (A)	Instance type t3.small	AWS Compute Optimizer finding Opt-in to AWS Compute Optimizer for recommendations. Learn more
Auto-assigned IP address 13.126.94.223 [Public IP]	VPC ID vpc-0fc91c8d43c83f4ac	Auto Scaling Group name
IAM role	Subnet ID	

Node Status:

Instances (1/1) [Info](#) [Connect](#) [Instance state](#) [Actions](#) [Launch instances](#)

Updated less than a minute ago

Find Instance by attribute or tag (case-sensitive)

Name	Instance ID	Instance state	Instance type	Status check	Alarm status
Jenkinsserver	i-099923a982ade5f5d	Running	t3.small	3/3 checks passed	View alarms

Installed openJdk 21.0:

```
ubuntu@ip-172-31-39-122:~$ java --version
openjdk 21.0.10 2026-01-20
OpenJDK Runtime Environment (build 21.0.10+7-Ubuntu-124.04)
OpenJDK 64-Bit Server VM (build 21.0.10+7-Ubuntu-124.04, mixed mode, sharing)
ubuntu@ip-172-31-39-122:~$
```

Installed Jenkins server and service started:

```
ubuntu@ip-172-31-39-122:~$ jenkins --version
2.555.1
ubuntu@ip-172-31-39-122:~$ sudo systemctl status jenkins.service
● jenkins.service - Jenkins Continuous Integration Server
   Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: enabled)
   Active: active (running) since Sun 2026-05-10 04:50:53 IST; 2min 59s ago
     Main PID: 17973 (java)
       Tasks: 43 (limit: 2209)
      Memory: 501.9M (peak: 512.5M)
         CPU: 24.753s
    CGroup: /system.slice/jenkins.service
            └─17973 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080

May 10 04:50:46 ip-172-31-39-122 jenkins[17973]: [LF]> This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword
May 10 04:50:46 ip-172-31-39-122 jenkins[17973]: [LF]>
May 10 04:50:46 ip-172-31-39-122 jenkins[17973]: [LF]> *****
May 10 04:50:46 ip-172-31-39-122 jenkins[17973]: [LF]> *****
May 10 04:50:46 ip-172-31-39-122 jenkins[17973]: [LF]> *****
May 10 04:50:53 ip-172-31-39-122 jenkins[17973]: 2026-05-09 23:20:53.325+0000 [id=39] INFO jenkins.InitReactorRunner$1#onA
May 10 04:50:53 ip-172-31-39-122 jenkins[17973]: 2026-05-09 23:20:53.354+0000 [id=30] INFO hudson.lifecycle.Lifecycle#onRe
May 10 04:50:53 ip-172-31-39-122 systemd[1]: Started jenkins.service - Jenkins Continuous Integration Server.
May 10 04:50:53 ip-172-31-39-122 jenkins[17973]: 2026-05-09 23:20:54.869+0000 [id=56] INFO h.m.DownloadService$Downloadable
May 10 04:50:54 ip-172-31-39-122 jenkins[17973]: 2026-05-09 23:20:54.871+0000 [id=56] INFO hudson.util.Retrier#start: Perf
lines 1-20/20 (END)
```

Added 8080 port on inbound rule:

The screenshot shows the AWS Management Console for a security group named 'sg-09e29ccf03264bd74 - launch-wizard-1'. The console displays the 'Inbound rules' tab, which lists four rules:

Type	Protocol	Port range	Source	Description
SSH	TCP	22	0.0.0.0/0	-
HTTPS	TCP	443	0.0.0.0/0	-
Custom TCP	TCP	8080	0.0.0.0/0	-
HTTP	TCP	80	0.0.0.0/0	-

The 'Custom TCP' rule is highlighted, indicating the addition of the 8080 port.

Accessed Jenkins Portal:

The screenshot shows the Jenkins 'Getting Started' page. It displays the title 'Unlock Jenkins' and a message: 'To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server: /var/lib/jenkins/secrets/initialAdminPassword'. Below this, it says 'Please copy the password from either location and paste it below.' and provides a text input field for the 'Administrator password'. A 'Continue' button is visible at the bottom right.


Credential Configured:

The screenshot shows the Jenkins 'Credentials' page. It displays a list of configured credentials:


- Githubcredentials**: kumaresancloud1990-devops/*****
- gmail password**: kumaresan.cloud1990@gmail.com/*****

Each credential entry includes a 'System - Global' label and a 'Add Credentials' button is visible at the top right.

Project Configured:



Webhook Configured to push the changes:



Repository Configured in Jenkins:



Git Hook Enabled:

--

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

- ☐ Trigger builds remotely (e.g., from scripts) ?
- ☐ Build after other projects are built ?
- ☐ Build periodically ?
- ☒ GitHub hook trigger for GITScm polling ?
- ☐ Poll SCM ?

Script Added on Build Section:

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

⋮ Execute shell ?

Command

See [the list of available environment variables](#)

```
chmod +x script.sh
./script.sh
```

Advanced ▾

Email Trigger Configured Post Success:

⋮ Editable Email Notification ?

Allows the user to disable the publisher, while maintaining the settings

☐ Disable Extended Email Publisher ?

Project From

guvitask2

Project Recipient List ?

Comma-separated list of email address that should receive notifications for this project.

kumaresankarana@gmail.com


Git Push:

```
ubuntu@ip-172-31-39-122:~/guvi_task_2$ git push origin main
Username for 'https://github.com': kumaresancloud1990-devops
Password for 'https://kumaresancloud1990-devops@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 340 bytes | 340.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/kumaresancloud1990-devops/guvi-task2.git
   f8738b6..37c7963  main -> main
ubuntu@ip-172-31-39-122:~/guvi_task_2$
```

Build Output:

```
Started by GitHub push by kumaresancloud1990-devops
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/guvitask2
The recommended git tool is: NONE
using credential Githubcredentials
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/guvitask2/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/kumaresancloud1990-devops/guvi-task2.git # timeout=10
Fetching upstream changes from https://github.com/kumaresancloud1990-devops/guvi-task2.git
> git --version # timeout=10
> git --version # 'git version 2.43.0'
using GIT_ASKPASS to set credentials
> git fetch --tags --force --progress -- https://github.com/kumaresancloud1990-devops/guvi-task2.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 37c7963628be83bee083df83ec55e3ac93a8855b (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 37c7963628be83bee083df83ec55e3ac93a8855b # timeout=10
Commit message: "Error Fixed Final"
> git rev-list --no-walk f8738b671037e9f98506dfb274a69ce20f6703aa # timeout=10
No emails were triggered.
[guvitask2] $ /bin/sh -xe /tmp/jenkins2532622574470998533.sh
+ chmod +x script.sh
+ ./script.sh
Build Started
Tue May 12 23:48:37 IST 2026
Hello from Jenkins Auto Build
Build Completed
Final Email-Test 2
Jenkins Task 2 Completed
Email was triggered for: Always
Sending email for trigger: Always
Sending email to: kumaresankarana@gmail.com
Finished: SUCCESS
```

Gmail:



```
Started by GitHub push by kumaresancloud1990-devops
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/guvitask2
The recommended git tool is: NONE
using credential Githubcredentials
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/guvitask2/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/kumaresancloud1990-devops/guvi-task2.git # timeout=10
Fetching upstream changes from https://github.com/kumaresancloud1990-devops/guvi-task2.git
> git --version # timeout=10
> git --version # 'git version 2.43.0'
using GIT_ASKPASS to set credentials
> git fetch --tags --force --progress -- https://github.com/kumaresancloud1990-devops/guvi-task2.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 37c7963628be83bee083df83ec55e3ac93a8855b (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 37c7963628be83bee083df83ec55e3ac93a8855b # timeout=10
Commit message: "Error Fixed Final"
> git rev-list --no-walk f8738b671037e9f98506dfb274a69ce20f6703aa # timeout=10
No emails were triggered.
[guvitask2] $ /bin/sh -xe /tmp/jenkins2532622574470998533.sh
+ chmod +x script.sh
+ ./script.sh
Build Started
Tue May 12 23:48:37 IST 2026
Hello from Jenkins Auto Build
Build Completed
Final Email-Test 2
Jenkins Task 2 Completed
Email was triggered for: Always
Sending email for trigger: Always
Sending email to: kumaresankarana@gmail.com
```