


OUTPUT: HOSPITAL MANAGEMENT SYSTEM



The screenshot displays the Visual Studio Code editor with the following components:


- EXPLORER:** Shows the project structure with folders like `Hospital_Management` and `shopping`, and files like `package.json`, `index.js`, `dbshop.js`, `db_creation.js`, and `db_creation.js Hos...`.
- EDITOR:** Displays the code for `db_creation.js` in the `Hospital_Management` folder. The code is as follows:

```
1 const mysql=require('mysql2');
2 var connection=mysql.createConnection({
3   host:'localhost',
4   user:'root',
5   password:'info123',
6 });
7
8 connection.connect(function(err){
9   connection.query("CREATE DATABASE hospital;", function(err,result,fields){
10     if(err) throw err;
11     console.log(result);
12   });
13 });
14 module.exports=connection;
```
- TERMINAL:** Shows the command prompt output for running the application:

```
PS C:\Users\kumar\OneDrive\Documents\mogodb_11\Desktop\placement_training\se_one\shopping> node dbshop.js
}
PS C:\Users\kumar\OneDrive\Documents\mogodb_11\Desktop\placement_training\se_one\shopping> cd C:\Users\kumar\OneDrive\Documents\mogodb_11\Desktop\placement_training\se_one\Hospital_Management
PS C:\Users\kumar\OneDrive\Documents\mogodb_11\Desktop\placement_training\se_one\Hospital_Management> node db_creation.js
ResultSetHeader {
  fieldCount: 0,
  affectedRows: 1,
  insertId: 0,
  info: '',
  serverStatus: 2,
  warningStatus: 0,
  changedRows: 0
}
```
- RIGHT SIDEBAR:** Includes a "SESS..." tab and a "Tip: Try the Plan agent to research and plan before implementing changes." message, along with a search bar and a "Describe what to bu..." input field.

```
mysql> show databases;
+-----+
| Database |
+-----+
| alexa    |
| apponix  |
| coolege_db |
| eastpoint |
| eastpoint500 |
| hospital |
| information_schema |
| jsdb     |
| jsdb1    |
| mysql    |
| performance_schema |
| railway  |
| safab    |
| sem7     |
| shopping2 |
| sys      |
+-----+
16 rows in set (0.25 sec)

mysql> |
```



```
mysql> use hospital;
Database changed
mysql> show tables;
+-----+
| Tables_in_hospital |
+-----+
| doctor              |
| patient             |
| staff               |
+-----+
3 rows in set (0.05 sec)

mysql>
```

```
mysql> desc patient;
```

Field	Type	Null	Key	Default	Extra
pid	int	YES		NULL	
pname	varchar(20)	YES		NULL	
age	int	YES		NULL	
gender	varchar(10)	YES		NULL	

```
4 rows in set (0.66 sec)
```

```
mysql> desc doctor;
```

Field	Type	Null	Key	Default	Extra
did	int	YES		NULL	
dname	varchar(25)	YES		NULL	
age	int	YES		NULL	
gender	varchar(25)	YES		NULL	

```
4 rows in set (0.35 sec)
```

```
mysql> desc staff;
```

Field	Type	Null	Key	Default	Extra
eid	int	YES		NULL	
ename	varchar(25)	YES		NULL	
age	int	YES		NULL	
gender	varchar(25)	YES		NULL	

```
4 rows in set (0.00 sec)
```

```
mysql> |
```

```
1 const mysql=require('mysql2');
2 var connection=mysql.createConnection({
3   host:'localhost',
4   user:'root',
5   password:'info123',
6   database:'hospital'
7 });
8
9 connection.connect(function(err){
10  connection.query("insert into patient values(1, 'John Doe', 30, 'Male');", function(err,result,fields){
11    if(err) throw err;
12    console.log(result);
13  });
14 });
15
16 connection.connect(function(err){
17  connection.query("insert into staff values(1, 'Jane Smith', 25, 'female');", function(err,result,fields){
18    if(err) throw err;
19    console.log(result);
20  });
21 });
22
23 connection.connect(function(err){
24  connection.query("insert into doctor values(1, 'Dr. John', 40, 'Male');", function(err,result,fields){
25    if(err) throw err;
26    console.log(result);
27  });
28 });
29 module.exports=connection;
```

```
Info: '',
serverStatus: 2,
warningStatus: 0,
changedRows: 0
}
ResultSetHeader {
  fieldCount: 0,
  affectedRows: 0,
  insertId: 0,
  info: '',
  serverStatus: 2,
  warningStatus: 0,
  changedRows: 0
}
```

```
PS C:\Users\kumar\OneDrive\Documents\wagondb_11\Desktop\placement_training\se_one\Hospital_Management> node data_insertion.js
serverStatus: 2,
warningStatus: 0,
changedRows: 0
}
ResultSetHeader {
  fieldCount: 0,
  affectedRows: 1,
  insertId: 0,
  info: '',
  serverStatus: 2,
  warningStatus: 0,
  changedRows: 0
}
```

```
mysql> select * from doctor;
+-----+-----+-----+-----+
| did | dname   | age | gender |
+-----+-----+-----+-----+
|    1 | Dr. John |  40 | Male   |
+-----+-----+-----+-----+
1 row in set (0.01 sec)

mysql> select * from patient;
+-----+-----+-----+-----+
| pid | pname   | age | gender |
+-----+-----+-----+-----+
|    1 | John Doe |  30 | Male   |
+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> select * from staff;
+-----+-----+-----+-----+
| eid | ename   | age | gender |
+-----+-----+-----+-----+
|    1 | Jane Smith |  25 | Female |
+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql>
```

```

File Edit Selection ... se_one
EXPLORER
  package.json
  index.js
  dbshop.js
  db_creation.js
  db_table_creation.js
  data_insertion.js
  data_display.js
  db_creation.js
  index.js
  shopping
  node_modules
  shopping
  dbshop.js
  index.js
  package-lock.json
  package.json
SE ONE
  Hospital_Management
    data_display.js
    data_insertion.js
    db_creation.js
    db_table_creation.js
    node_modules
    shopping
    dbshop.js
    index.js
    package-lock.json
    package.json
PROBLEMS PORTS OUTPUT SONARQUBE TERMINAL
PS C:\Users\kumar\OneDrive\Documents\mcgodb_11\Desktop\placement_training\se_one\Hospital_Management> node data_insertion.js
warningStatus: 0,
changedRows: 0
}
PS C:\Users\kumar\OneDrive\Documents\mcgodb_11\Desktop\placement_training\se_one\Hospital_Management> node data_display.js
[ { pid: 1, pname: 'John Doe', age: 30, gender: 'Male' } ]
[ { eid: 1, ename: 'Jane Smith', age: 25, gender: 'Female' } ]
[ { did: 1, dname: 'Dr. John', age: 40, gender: 'Male' } ]

```

```
1  var connection=mysql.createConnection({
2
3      user:'root',
4      password:'inf0123',
5      database:'hospital'
6  });
7
8  connection.connect(function(err){
9
10     connection.query("delete from staff where eid=1;", function(err,result,fields){
11         if(err) throw err;
12         console.log(result);
13     });
14 });
15
16 connection.connect(function(err){
17     connection.query("delete from patient where pname='John Doe';", function(err,result,fields){
18         if(err) throw err;
19         console.log(result);
20     });
21 });
22
23 connection.connect(function(err){
24     connection.query("delete from doctor where dname='Dr. John';", function(err,result,fields){
25         if(err) throw err;
26         console.log(result);
27     });
28 });
29 module.exports=connection;
```

node - Hospital_Management

```
PS C:\Users\kumar\OneDrive\Documents\mogodb_11\Desktop\placement_training\se_one\Hospital_Management> node delete_data.js
warningStatus: 0,
changedRows: 0
}
ResultSetHeader {
  fieldCount: 0,
  affectedRows: 1,
  insertId: 0,
  info: '',
  serverStatus: 34,
  warningStatus: 0,
  changedRows: 0
}
```

```
mysql> select * from staff;
Empty set (0.12 sec)

mysql> select * from patient;
Empty set (0.00 sec)

mysql> select * from doctor;
Empty set (0.00 sec)

mysql>
```