

Cucumber Report

Jun 16, 2022, 2:03:56 AM

Start : Jun 16, 1:59:47.879 AM

End : Jun 16, 2:03:55.012 AM

Duration : 4 m 7.133 s

Features






PASSED - 0
FAILED - 12
SKIPPED - 0


Scenarios

PASSED - 1
FAILED - 70
SKIPPED - 0


Steps

PASSED - 12
FAILED - 70
SKIPPED - 131







#	Feature Name	T	P	F	S	Duration
1	<u>Generate Menu Button on CreatePlanpage</u>	5	0	5	0	24.319 s
2	<u>Fetch patients with invalid data</u>	3	0	3	0	10.221 s
3	<u>My Patient elements</u>	3	0	3	0	10.442 s
4	<u>PDF file</u>	5	0	5	0	16.689 s
5	<u>Pagination on View Recent DietPlanspage</u>	9	0	9	0	30.607 s
6	<u>Pagination</u>	3	0	3	0	10.134 s
7	<u>Patient's information</u>	8	1	7	0	26.428 s
8	<u>Patient Test Report Pagination</u>	3	0	3	0	9.555 s
9	<u>Patients test reports</u>	6	0	6	0	20.473 s
10	<u>Search patients</u>	17	0	17	0	57.001 s




#	Feature Name	T	P	F	S	Duration
11	<u>Test report data</u>	7	0	7	0	24.072 s
12	<u>View PDF</u>	2	0	2	0	6.300 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Generate Menu Button on CreatePlanpage</u>	<u>Validating the Generate Menu button visibility</u>	3	0	1	2	9.803 s
2	<u>Generate Menu Button on CreatePlanpage</u>	<u>Validating the Generate Menu button operation</u>	3	0	1	2	3.114 s
3	<u>Generate Menu Button on CreatePlanpage</u>	<u>Validating the Generate Menu button operation</u>	3	0	1	2	3.589 s
4	<u>Generate Menu Button on CreatePlanpage</u>	<u>Validating the heading of the Dietplanspage</u>	3	0	1	2	3.549 s
5	<u>Generate Menu Button on CreatePlanpage</u>	<u>Validating the tabs on the menu bar of Diets page</u>	3	0	1	2	3.629 s
6	<u>Fetch patients with invalid data</u>	<u>Search Filters</u>	3	0	1	2	3.322 s
7	<u>Fetch patients with invalid data</u>	<u>Search Filters</u>	3	0	1	2	3.226 s
8	<u>Fetch patients with invalid data</u>	<u>Search Filters</u>	3	0	1	2	3.505 s
9	<u>My Patient elements</u>	<u>Verify my patient tab</u>	3	0	1	2	3.444 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>My Patient elements</u>	<u>Verify breadcrumbs</u>	3	0	1	2	3.422 s
11	<u>My Patient elements</u>	<u>Confirm my patient title</u>	3	0	1	2	3.458 s
12	<u>PDF file</u>	<u>Verify test report PDF file</u>	3	0	1	2	3.000 s
13	<u>PDF file</u>	<u>Verify content of PDF file</u>	3	0	1	2	3.484 s
14	<u>PDF file</u>	<u>Verify content of PDF file</u>	3	0	1	2	3.234 s
15	<u>PDF file</u>	<u>Verify content of PDF file</u>	3	0	1	2	3.319 s
16	<u>PDF file</u>	<u>Verify content of PDF file</u>	3	0	1	2	3.369 s
17	<u>Pagination on View Recent DietPlanspage</u>	<u>Validating the default number of records displayed per page</u>	3	0	1	2	3.385 s
18	<u>Pagination on View Recent DietPlanspage</u>	<u>Validation of traversing next page button</u>	3	0	1	2	3.326 s
19	<u>Pagination on View Recent DietPlanspage</u>	<u>Validation of traversing nextpage</u>	3	0	1	2	3.272 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Pagination on View Recent DietPlanspage</u>	<u>Validation of traversing next page button</u>	3	0	1	2	3.569 s
21	<u>Pagination on View Recent DietPlanspage</u>	<u>Validation of traversing next page when one page is displayed</u>	3	0	1	2	3.457 s
22	<u>Pagination on View Recent DietPlanspage</u>	<u>Validation of traversing previous page button</u>	3	0	1	2	3.159 s
23	<u>Pagination on View Recent DietPlanspage</u>	<u>Validation of traversing previouspage</u>	3	1	1	1	3.538 s
24	<u>Pagination on View Recent DietPlanspage</u>	<u>Validation of traversing previouspage button</u>	3	0	1	2	3.024 s
25	<u>Pagination on View Recent DietPlanspage</u>	<u>Validation of traversing previous page when one page is displayed</u>	3	0	1	2	3.372 s
26	<u>Pagination</u>	<u>Verify that page needs pagiation</u>	3	2	1	0	3.351 s
27	<u>Pagination</u>	<u>Verify next pagination link functionality</u>	3	1	1	1	3.334 s
28	<u>Pagination</u>	<u>Verify previous link functionality</u>	3	1	1	1	3.340 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Patient's information</u>	<u>Verify that each patient has Cust ID</u>	3	0	1	2	3.502 s
30	<u>Patient's information</u>	<u>Verify that each patient has name</u>	3	0	1	2	3.316 s
31	<u>Patient's information</u>	<u>Verify detail column</u>	3	0	1	2	3.291 s
32	<u>Patient's information</u>	<u>Verify last visit column</u>	3	0	1	2	3.522 s
33	<u>Patient's information</u>	<u>Verify format of email address</u>	3	0	1	2	3.340 s
34	<u>Patient's information</u>	<u>View pateints previous diet plans</u>	3	3	0	0	3.001 s
35	<u>Patient's information</u>	<u>Create new diet plan</u>	3	2	1	0	2.988 s
36	<u>Patient's information</u>	<u>View patients previous test reports</u>	3	2	1	0	3.020 s
37	<u>Patient Test Report Pagination</u>	<u>Verify pagination</u>	3	0	1	2	3.496 s
38	<u>Patient Test Report Pagination</u>	<u>Verify next link</u>	3	0	1	2	2.915 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>Patient Test Report Pagination</u>	<u>Verify previous link</u>	3	0	1	2	3.034 s
40	<u>Patients test reports</u>	<u>Verify my patient tab on test report page</u>	3	0	1	2	3.373 s
41	<u>Patients test reports</u>	<u>Verify breadcrumbs on test report page</u>	3	0	1	2	3.477 s
42	<u>Patients test reports</u>	<u>Verify title</u>	3	0	1	2	3.489 s
43	<u>Patients test reports</u>	<u>Verify user's primary info</u>	3	0	1	2	3.531 s
44	<u>Patients test reports</u>	<u>Display patient's test reports</u>	3	0	1	2	3.309 s
45	<u>Patients test reports</u>	<u>Verify table heading</u>	3	0	1	2	3.033 s
46	<u>Search patients</u>	<u>Search patients by name</u>	3	0	1	2	3.364 s
47	<u>Search patients</u>	<u>Search patients by name</u>	3	0	1	2	3.486 s
48	<u>Search patients</u>	<u>Search patients by email</u>	3	0	1	2	3.224 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
49	<u>Search patients</u>	<u>Search patients by email</u>	3	0	1	2	3.382 s
50	<u>Search patients</u>	<u>Search patients by phone number</u>	3	0	1	2	3.440 s
51	<u>Search patients</u>	<u>Search patients by phone number</u>	3	0	1	2	3.275 s
52	<u>Search patients</u>	<u>Search patients by name and phone number</u>	3	0	1	2	3.292 s
53	<u>Search patients</u>	<u>Search patients by name and phone number</u>	3	0	1	2	3.460 s
54	<u>Search patients</u>	<u>Search patients by name and email address</u>	3	0	1	2	3.239 s
55	<u>Search patients</u>	<u>Search patients by name and email address</u>	3	0	1	2	2.847 s
56	<u>Search patients</u>	<u>Search patients by email address and phone number</u>	3	0	1	2	3.335 s
57	<u>Search patients</u>	<u>Search patients by email address and phone number</u>	3	0	1	2	3.398 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>Search patients</u>	<u>Search feature</u>	3	0	1	2	3.301 s
59	<u>Search patients</u>	<u>Verify search button text</u>	3	0	1	2	3.504 s
60	<u>Search patients</u>	<u>Verify default text in name filter input box goes away</u>	3	0	1	2	2.888 s
61	<u>Search patients</u>	<u>Verify default text in email input box goes away</u>	3	0	1	2	3.424 s
62	<u>Search patients</u>	<u>Verify default text in phone number input box goes away</u>	3	0	1	2	3.383 s
63	<u>Test report data</u>	<u>Verify presence of pdf file for each report</u>	3	0	1	2	3.324 s
64	<u>Test report data</u>	<u>Verify presence of doc id</u>	3	0	1	2	3.520 s
65	<u>Test report data</u>	<u>Verify presence of uploaded time</u>	3	0	1	2	3.423 s
66	<u>Test report data</u>	<u>Verify uploaded datetime format</u>	3	0	1	2	3.469 s
67	<u>Test report data</u>	<u>Verify age of uploaded time</u>	3	0	1	2	3.301 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
68	<u>Test report data</u>	<u>Verify file name</u>	3	0	1	2	3.411 s
69	<u>Test report data</u>	<u>Verify identified conditions</u>	3	0	1	2	3.348 s
70	<u>View PDF</u>	<u>Validation of View PDF option</u>	3	0	1	2	3.299 s
71	<u>View PDF</u>	<u>Validation of generated PDF for a diet plan</u>	3	0	1	2	2.960 s

(F)- Generate Menu Button on CreatePlanpage




(S)- Validating the Generate Menu button visibility



#	Step / Hook Details	Status	Duration
1	<p>Given User is logged on to Dietician website</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#DieticianName"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5b6c2a598e4bd90bdea02f07ff5eaff1, findElement {using=id, value=DieticianName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55091}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55091/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5b6c2a598e4bd90bdea02f07ff5eaff1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</pre>	FAILED	0.123 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at pageObjects.DietPlans.isDieticianNameDisplayed(DietPlans.java:64) at stepdefinitions.CreateplanmenuTestSteps.user_is_logged_on_to_dietician_website(CreateplanmenuTestSteps.java:17) at ?.User is logged on to Dietician website(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/CreateplanforMenubar.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When User is on "Confirm conditions and Create Plan" page	SKIPPED	0.001 s
3	Then User should see a button with text "GENERATE MENU" at the bottom of the page	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) <u>Validating_the_Generate_Menu_button_visibility</u>	PASSED	0.360 s


(S)- Validating the Generate Menu button operation



#	Step / Hook Details	Status	Duration
1	Given User is on CreatePlanpage <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#createplan"}</pre>	FAILED	0.083 s

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8a21b0691d5b81357360938c05a0e318, findElement {using=id, value=createplan}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55108}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55108/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8a21b0691d5b81357360938c05a0e318</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.getText(Unknown Source) at pageObjects.DietPlans.getCreatePlantext(DietPlans.java:76) at stepdefinitions.CreateplanmenuTestSteps.user_is_on_create_planpage(CreateplanmenuTestSteps.java:38) at ?.User is on CreatePlanpage(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/CreateplanforMenubar.feature:9)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	When User clicks the GENERATE MENU button	SKIPPED	0.002 s
3	Then New Diet plan should be generated with the latest confirmed Health conditions	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validating_the_Generate_Menu_button_operation	PASSED	0.433 s


(S)- Validating the Generate Menu button operation



#	Step / Hook Details	Status	Duration
1	<p>Given User is on CreatePlanpage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#createplan"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [012cb73ff5685b06c549b482667c7092, findElement {using=id, value=createplan}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatadir: C:\Users\abhi\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:55127}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55127/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 012cb73ff5685b06c549b482667c7092 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.getText(Unknown Source) at pageObjects.DietPlans.getCreatePlantext(DietPlans.java:76)</pre>	FAILED	0.051 s

#	Step / Hook Details	Status	Duration
	at stepdefinitions.CreateplanmenuTestSteps.user_is_on_create_planpage(CreateplanmenuTestSteps.java:38) at ?.User is on CreatePlanpage(file:///C:/Users/abhij/Downloads/Dietician/com.numpyninja.Dietician/src/test/resources/features/CreateplanforMenubar.feature:14) * Not displayable characters are replaced by '?'. at java.base/java.util.ArrayList.forEach(ArrayList.java:151)		
2	When User clicks the GENERATE MENU button	SKIPPED	0.001 s
3	Then User should land on "View Recent Diets" page	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validating_the_Generate_Menu_button_operation at java.base/java.util.ArrayList.forEach(ArrayList.java:151)	PASSED	0.461 s


(S)- Validating the heading of the Dietplanspage



#	Step / Hook Details	Status	Duration
1	Given User is logged on to Dietician website org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#DieticianName"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [032c3db5904a7acfedc6b947026206b5, findElement {using=id, value=DieticianName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55144}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55144/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 032c3db5904a7acfedc6b947026206b5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)	FAILED	0.037 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at pageObjects.DietPlans.isDieticianNameDisplayed(DietPlans.java:64) at stepdefinitions.CreateplanmenuTestSteps.user_is_logged_on_to_dietician_website(CreateplanmenuTestSteps.java:17) at ?.User is logged on to Dietician website(file:///C:/Users/abhijit/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/CreateplanforMenubar.feature:21) * Not displayable characters are replaced by '?'.		
2	When User is on DietPlanpage	SKIPPED	0.001 s
3	Then User should see the heading "Generated Diet Plans" on the page	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validating_the_heading_of_theDietplanspage	PASSED	0.433 s


(S)- Validating the tabs on the menu bar of Diets page




#	Step / Hook Details	Status	Duration
1	<p>Given User is logged on to Dietician website</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#DieticianName"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cd95f418562107c9101a13cc1a418344, findElement {using=id, value=DieticianName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00ccc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55159}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55159/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cd95f418562107c9101a13cc1a418344 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at pageObjects.DietPlans.isDieticianNameDisplayed(DietPlans.java:64)</pre>	FAILED	0.064 s

#	Step / Hook Details	Status	Duration
	at stepdefinitions.CreateplanmenuTestSteps.user_is_logged_on_to_dietician_website(CreateplanmenuTestSteps.java:17) at ?.User is logged on to Dietician website(file:///C:/Users/abhijit/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/CreateplanforMenubar.feature:27) * Not displayable characters are replaced by '?'. 2 When User is on "Diet Plans" page 3 Then User should see that Diet Plans tab on the menu bar is selected	SKIPPED SKIPPED	0.000 s 0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validating_the_tabs_on_the_menu_bar_of_Diets_page	PASSED	0.474 s

(F)- Fetch patients with invalid data




(S)- Search Filters



#	Step / Hook Details	Status	Duration
1	Given User is on my patients page java.lang.AssertionError	FAILED	0.036 s

#	Step / Hook Details	Status	Duration
	at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.FetchPatientsWithInvalidDataSteps.user_is_on_my_patients_page(FetchPatientsWithInvalidDataSteps.java:18) at ?.User is on my patients page(file:///C:/Users/abhijit/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/ FetchPatientswithInvaliddata.feature:4) * Not displayable characters are replaced by '?'. 2 When User types in invalid input as "<gjsgdjs>" in phone number field 3 Then It must throw error message for invalid phone and discontinue search action.		
2	When User types in invalid input as "<gjsgdjs>" in phone number field	SKIPPED	0.001 s
3	Then It must throw error message for invalid phone and discontinue search action.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_Filters	PASSED	0.358 s


(S)- Search Filters



#	Step / Hook Details	Status	Duration
1	Given User is on my patients page java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.FetchPatientsWithInvalidDataSteps.user_is_on_my_patients_page(FetchPatientsWithInvalidDataSteps.java:18) at ?.User is on my patients page(file:///C:/Users/abhijit/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/ FetchPatientswithInvaliddata.feature:13) * Not displayable characters are replaced by '?'. 2 When User types in anything other valid character as "<ygud>" in email address field	FAILED	0.013 s
2	When User types in anything other valid character as "<ygud>" in email address field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then It must throw error message for invalid email and discontinue search action.	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_Filters	PASSED	0.238 s

(S)- Search Filters




#	Step / Hook Details	Status	Duration
1	Given User is on my patients page java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.FetchPatientsWithInvalidDataSteps.user_is_on_my_patients_page(FetchPatientsWithInvalidDataSteps.java:18) at ?.User is on my patients page(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/ FetchPatientswithInvaliddata.feature:22) * Not displayable characters are replaced by '?'. 	FAILED	0.016 s
2	When User types in anything other alphabets "<87686>" in name field	SKIPPED	0.000 s
3	Then It must throw error message for invalid name and discontinue search action.	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_Filters	PASSED	0.427 s

#	Step / Hook Details	Status	Duration

(F)- My Patient elements




(S)- Verify my patient tab



#	Step / Hook Details	Status	Duration
1	<p>Given User is on any page after login</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#DieticianName"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9fdfe19f8f5f2d82a1bef23ee8454413, findElement {using=id, value=DieticianName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55224}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55224/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9fdfe19f8f5f2d82a1bef23ee8454413</pre>	FAILED	0.061 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at pageObjects.MyPatients.isDieticianNameDisplayed(MyPatients.java:133) at stepdefinitions.MyPatientsElementsSteps.user_is_on_any_page_after_login(MyPatientsElementsSteps.java:18) at ?.User is on any page after login(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/MyPatientsElements.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on "My Patients" tab	SKIPPED	0.000 s
3	Then My Patients tab is selected/highlighted	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_my_patient_tab	PASSED	0.466 s

(S)- Verify breadcrumbs

#	Step / Hook Details	Status	Duration
1	<p>Given User is on any page after login</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#DieticianName"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d06772aaa152bed2dd6ee8478b2f2a5f, findElement {using=id, value=DieticianName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55239}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55239/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d06772aaa152bed2dd6ee8478b2f2a5f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at pageObjects.MyPatients.isDieticianNameDisplayed(MyPatients.java:133)</pre>	FAILED	0.059 s

#	Step / Hook Details	Status	Duration
	at stepdefinitions.MyPatientsElementsSteps.user_is_on_any_page_after_login(MyPatientsElementsSteps.java:18) at ?.User is on any page after login(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/MyPatientsElements.feature:11) * Not displayable characters are replaced by '?'.		
2	When User clicks on "My Patients" tab	SKIPPED	0.001 s
3	Then It shows breadcrumbs as Dietician Software/MyPatients	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_breadcrumbs	PASSED	0.465 s


(S)- Confirm my patient title




#	Step / Hook Details	Status	Duration
1	Given User is on any page after login org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#DieticianName"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4c9e7db84b3a7233f31809d9cc9c5311, findElement {using=id, value=DieticianName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhijit\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55256}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55256/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4c9e7db84b3a7233f31809d9cc9c5311 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)	FAILED	0.069 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at pageObjects.MyPatients.isDieticianNameDisplayed(MyPatients.java:133) at stepdefinitions.MyPatientsElementsSteps.user_is_on_any_page_after_login(MyPatientsElementsSteps.java:18) at ?.User is on any page after login(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/MyPatientsElements.feature:16) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on "My Patients" tab	SKIPPED	0.000 s
3	Then Page title is displayed as 'My Patients'	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Confirm_my_patient_title	PASSED	0.455 s

(F)- PDF file

(S)- Verify test report PDF file


#	Step / Hook Details	Status	Duration
1	Given User is on 'View Patient Test Reports'page org.junit.ComparisonFailure: expected:<[View Patient Test Reports]> but was:<[Page title does not match]> at org.junit.Assert.assertEquals(Assert.java:117) at stepdefinitions.PDFFileSteps.user_is_on_view_patient_test_reports_page(PDFFileSteps.java:20) at ?.User is on 'View Patient Test Reports'page(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/PDFFile.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.019 s
2	When When user clicks on 'View PDF'	SKIPPED	0.000 s
3	Then PDF is opened in proper readable format	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_test_report_PDF_file	PASSED	0.481 s

(S)- Verify content of PDF file

#	Step / Hook Details	Status	Duration
1	<p>Given User has clicked view PDF button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//table[contains(@id,'id')]/td//td"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [997f7a894a87d9d025e8564aff8273c5, findElement {using=xpath, value=/table[contains(@id,'id')]/td//td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55286}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55286/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 997f7a894a87d9d025e8564aff8273c5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at stepdefinitions.PDFFileSteps.user_has_clicked_view_pdf_button(PDFFileSteps.java:38) at ?.User has clicked view PDF button(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PDFFile.feature:10) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.086 s
2	When When user clicks on 'View PDF'	SKIPPED	0.001 s
3	Then PDF has patients details like "patient ID", "name", "email", "address", "phone number"	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.473 s
	Verify_content_of_PDF_file		

#	Step / Hook Details	Status	Duration


(S)- Verify content of PDF file



#	Step / Hook Details	Status	Duration
1	<p>Given User has clicked view PDF button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//table[contains(@id,'id')]/td/td"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5a265f5dfc088f51943ec05ce37b6780, findElement {using=xpath, value=/table[contains(@id,'id')]/td/td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55304}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55304/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5a265f5dfc088f51943ec05ce37b6780 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559)</pre>	FAILED	0.079 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at stepdefinitions.PDFFileSteps.user_has_clicked_view_pdf_button(PDFFileSteps.java:38) at ?.User has clicked view PDF button(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/PDFFile.feature:15) * Not displayable characters are replaced by '?'. </pre>		
2	When User is on PDF	SKIPPED	0.001 s
3	Then PDF has doctor details like "doc ID", "doctor name", "email address", "clinic/facility name", "doctor's specialization"	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_content_of_PDF_file	PASSED	0.293 s


(S)- Verify content of PDF file



#	Step / Hook Details	Status	Duration
1	Given User has clicked view PDF button <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//table[contains(@id,'id')]/td//td"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ae35fca02d165b7e6f51e74c690f442d, findElement {using=xpath, value=//table[contains(@id,'id')]/td//td}] Capabilities {acceptInsecureCerts: </pre>	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	<pre>false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55321}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55321/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ae35fca02d165b7e6f51e74c690f442d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at stepdefinitions.PDFFileSteps.user_has_clicked_view_pdf_button(PDFFileSteps.java:38) at ?.User has clicked view PDF button(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PDFFile.feature:20) * Not displayable characters are replaced by '?'.</pre>		
2	When User is on PDF	SKIPPED	0.000 s
3	Then PDF shows list of conditions, "preferences list", "Co-morbidites"	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_content_of_PDF_file	PASSED	0.238 s


(S)- Verify content of PDF file




#	Step / Hook Details	Status	Duration
1	<p>Given User has clicked view PDF button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//table[contains(@id,'id')]/td/td"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [975dec585e8413fc434cce2d7c18aaf, findElement {using=xpath, value=/table[contains(@id,'id')]/td/td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55336}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55336/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 975dec585e8413fc434cce2d7c18aaf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at stepdefinitions.PDFFileSteps.user_has_clicked_view_pdf_button(PDFFileSteps.java:38)</pre>	FAILED	0.069 s

#	Step / Hook Details	Status	Duration
	at ?.User has clicked view PDF button(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PDFFile.feature:25) * Not displayable characters are replaced by '?'. 2 When User is on PDF 3 Then PDF shows diet menu for 7 days, any warning and "comments" mentioned by doctor.		
2	When User is on PDF	SKIPPED	0.000 s
3	Then PDF shows diet menu for 7 days, any warning and "comments" mentioned by doctor.	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_content_of_PDF_file	PASSED	0.360 s

(F)- Pagination on View Recent DietPlanspage




(S)- Validating the default number of records displayed per page



#	Step / Hook Details	Status	Duration
1	Given User logged on to Dietician website org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#DieticianName"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.	FAILED	0.042 s

#	Step / Hook Details	Status	Duration
	<pre>dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [43fa04fa044bdf64cd86ea46bdb6aee6, findElement {using=id, value=DieticianName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55351}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55351/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 43fa04fa044bdf64cd86ea46bdb6aee6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at pageObjects.DietPlans.isDieticianNameDisplayed(DietPlans.java:64) at stepdefinitions.PaginationonViewRecentDietPlansSteps.user_logged_on_to_dietician_website(PaginationonViewRecentDietPlansSteps.java:19) at ?.User logged on to Dietician website(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PaginationonViewRecentDietPlans.feature:3) * Not displayable characters are replaced by '?'.</pre>		
2	When User on the View Recent DietsPage	SKIPPED	0.000 s
3	Then User should see 5 records per page	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validating_the_default_number_of_records_displayed_per_page	PASSED	0.425 s


(S)- Validation of traversing next page button



#	Step / Hook Details	Status	Duration
1	<p>Given User on the View Recent DietsPage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"viewRecentDiets"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3699dc8e8978db3c786742a9f1d6d389, findElement {using=link text, value=viewRecentDiets}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\labhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55367}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55367/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3699dc8e8978db3c786742a9f1d6d389 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at stepdefinitions.PaginationonViewRecentDietPlansSteps.user_on_the_view_recent_diets_page(PaginationonViewRecentDietPlansSteps)</pre>	FAILED	0.044 s

#	Step / Hook Details	Status	Duration
	java:26) at ?.User on the View Recent DietsPage(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PaginationonViewRecentDietPlans.feature:8) * Not displayable characters are replaced by '?'. 2 When More than one page of records are displayed and User is on firstpage 3 Then Next Page button (>) is enabled		
2	When More than one page of records are displayed and User is on firstpage	SKIPPED	0.001 s
3	Then Next Page button (>) is enabled	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validation_of_traversing_next_page_button	PASSED	0.313 s


(S)- Validation of traversing nextpage



#	Step / Hook Details	Status	Duration
1	Given User is on View Recent DietsPage and more than one page of records are displayed and User is on first page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"viewRecentDiets"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5bc10a84a408ffb0e9e11b8fe0b8b582, findElement {using=link text, value=viewRecentDiets}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55382}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55382/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5bc10a84a408ffb0e9e11b8fe0b8b582 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)	FAILED	0.060 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at stepdefinitions.PaginationonViewRecentDietPlansSteps. user_is_on_view_recent_diets_page_and_more_than_one_page_of_records_are_displayed_and_user_is_on_first_page(PaginationonViewRecentDietPlansSteps.java:50) at ?.User is on View Recent DietsPage and more than one page of records are displayed and User is on first page(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PaginationonViewRecentDietPlans.feature:13) * Not displayable characters are replaced by '?'. </pre>		
2	When User selects the next page button (>)	SKIPPED	0.000 s
3	Then User should see the second page	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validation_of_traversing_nextpage	PASSED	0.386 s


(S)- Validation of traversing next page button



#	Step / Hook Details	Status	Duration
1	<p>Given User on the View Recent DietsPage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"viewRecentDiets"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [958d96121a2532ef2dbabbbab7546fa, findElement {using=link text, value=viewRecentDiets}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\labhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55397}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55397/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 958d96121a2532ef2dbabbbab7546fa at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at stepdefinitions.PaginationonViewRecentDietPlansSteps.user_on_the_view_recent_diets_page(PaginationonViewRecentDietPlansSteps)</pre>	FAILED	0.061 s

#	Step / Hook Details	Status	Duration
	java:26) at ?.User on the View Recent DietsPage(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PaginationonViewRecentDietPlans.feature:18) * Not displayable characters are replaced by '?'. 2 When More than one page of records are displayed and User is on last page 3 Then Next Page button (>) disabled	SKIPPED SKIPPED	0.001 s 0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validation_of_traversing_next_page_button	PASSED	0.460 s


(S)- Validation of traversing next page when one page is displayed



#	Step / Hook Details	Status	Duration
1	Given User on the View Recent DietsPage org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"viewRecentDiets"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [03619f8adb4750fa1b103c43ab465f0a, findElement {using=link text, value=viewRecentDiets}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55413}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55413/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 03619f8adb4750fa1b103c43ab465f0a at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.030 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at stepdefinitions.PaginationonViewRecentDietPlansSteps.user_on_the_view_recent_diets_page(PaginationonViewRecentDietPlansSteps.java:26) at ?.User on the View Recent DietsPage(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/PaginationonViewRecentDietPlans.feature:23) * Not displayable characters are replaced by '?'. </pre>		
2	When One page of records are displayed	SKIPPED	0.001 s
3	Then Next Page button (>) is disabled	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validation_of_traversing_next_page_when_one_page_is_displayed	PASSED	0.428 s


(S)- Validation of traversing previous page button



#	Step / Hook Details	Status	Duration
1	<p>Given User on the View Recent DietsPage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"viewRecentDiets"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [498e6e9c6b9de39d4c99b64ab83b1ea1, findElement {using=link text, value=viewRecentDiets}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55429}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55429/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 498e6e9c6b9de39d4c99b64ab83b1ea1 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at stepdefinitions.PaginationonViewRecentDietPlansSteps.user_on_the_view_recent_diets_page(PaginationonViewRecentDietPlansSteps.java:26) at ?.User on the View Recent DietsPage(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PaginationonViewRecentDietPlans.feature:28) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.033 s
2	When More than one page of records are displayed and User is on the last page	SKIPPED	0.000 s
3	Then Previous Page button (<) is enabled	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.231 s
	Validation_of_traversing_previous_page_button		

#	Step / Hook Details	Status	Duration


(S)- Validation of traversing previouspage



#	Step / Hook Details	Status	Duration
1	Given User is on View Recent DietsPage and more than one page of records are displayed and User is on second page	PASSED	0.074 s
2	<p>When User selects the previous page button (<)</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#prevPageLink"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [519886c75f7fa1e4509e323db08283a2, findElement {using=id, value=prevPageLink}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij...AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55444}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55444/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 519886c75f7fa1e4509e323db08283a2</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559)</p>	FAILED	0.058 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isSelected(Unknown Source) at stepdefinitions.PaginationonViewRecentDietPlansSteps. user_selects_the_previous_page_button(PaginationonViewRecentDietPlansSteps.java:114) at ?.User selects the previous page button (<)(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/ PaginationonViewRecentDietPlans.feature:34) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should see the first page	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validation_of_traversing_previouspage	PASSED	0.396 s

(S)- Validation of traversing previouspage button



#	Step / Hook Details	Status	Duration
1	Given User on the View Recent DietsPage <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"viewRecentDiets"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94e562b98061593be88ca8bace69e14e, findElement {using=link text, value=viewRecentDiets}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: </pre>	FAILED	0.044 s


#	Step / Hook Details	Status	Duration
	C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55459}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55459/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94e562b98061593be88ca8bace69e14e at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqaqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqaqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqaqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqaqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqaqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqaqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqaqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqaqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqaqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at stepdefinitions.PaginationonViewRecentDietPlansSteps.user_on_the_view_recent_diets_page(PaginationonViewRecentDietPlansSteps.java:26) at ?.User on the View Recent DietsPage(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PaginationonViewRecentDietPlans.feature:38) * Not displayable characters are replaced by '?'.		
2	When More than one page of records are displayed and User is on first page	SKIPPED	0.001 s
3	Then Previous Page button (>) is disabled	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validation_of_traversing_previouspage_button	PASSED	0.264 s

(S)- Validation of traversing previous page when one page is displayed


#	Step / Hook Details	Status	Duration
1	<p>Given User on the View Recent DietsPage</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"viewRecentDiets"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e6b12512ed3f7da6249587823744e6a, findElement {using=link text, value=viewRecentDiets}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55474}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55474/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2e6b12512ed3f7da6249587823744e6a at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at stepdefinitions.PaginationonViewRecentDietPlansSteps.user_on_the_view_recent_diets_page(PaginationonViewRecentDietPlansSteps.java:26)</pre>	FAILED	0.058 s

#	Step / Hook Details	Status	Duration
	at ?.User on the View Recent DietsPage(file:///C:/Users/abhijit/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PaginationonViewRecentDietPlans.feature:43) * Not displayable characters are replaced by '?'.		
2	When One page of records are displayed	SKIPPED	0.001 s
3	Then Previous Page button (>) is disabled	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validation_of_traversing_previous_page_when_one_page_is_displayed	PASSED	0.428 s

(F)- Pagination




(S)- Verify that page needs pagination



#	Step / Hook Details	Status	Duration
1	Given Patients records are displayed	PASSED	0.056 s
2	When Records are more than 10	PASSED	0.002 s
3	Then It must show pagination links	FAILED	0.053 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"prevPageLink"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ee7bba13a8f6ee27bfa8f156572cab19, findElement {using=link text, value=prevPageLink}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55489}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55489/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ee7bba13a8f6ee27bfa8f156572cab19 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at stepdefinitions.PatientsInfoPaginationSteps.it_must_show_pagination_links(PatientsInfoPaginationSteps.java:28) at ?.It must show pagination links(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/ PatientsInfoPagination.feature:7)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_that_page_needs_pagiation	PASSED	0.424 s


(S)- Verify next pagination link functionality



#	Step / Hook Details	Status	Duration
1	Given Patients records are displayed	PASSED	0.049 s
2	When User clicks on next pagination link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"nextPageLink"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [{"C22cd4f2c8d4fb01c23f6e82308e828, findElement {"using": "link text", "value": "nextPageLink"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {"chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {"debuggerAddress: localhost:55504}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55504/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {"implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c22cd4f2c8d4fb01c23f6e82308e828 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source)	FAILED	0.055 s


#	Step / Hook Details	Status	Duration
	at stepdefinitions.PatientsInfoPaginationSteps.user_clicks_on_next_pagination_link(PatientsInfoPaginationSteps.java:37) at ?.User clicks on next pagination link(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientsInfoPagination.feature:11) * Not displayable characters are replaced by '?'. 3 Then It goes to next page and shows different pat AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_next_pagination_link_functionality		
3	Then It goes to next page and shows different pat AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_next_pagination_link_functionality	SKIPPED PASSED	0.001 s 0.357 s


(S)- Verify previous link functionality



#	Step / Hook Details	Status	Duration
1	Given Patients records are displayed	PASSED	0.055 s
2	When User clicks on previous pagination link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"prevPageLink"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [83fdfbaa3718b39e6a49f6ad79667c68, findElement {using=link text, value=prevPageLink}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55521}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55521/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 83fdfbaa3718b39e6a49f6ad79667c68 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.058 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at stepdefinitions.PatientsInfoPaginationSteps.user_clicks_on_previous_pagination_link(PatientsInfoPaginationSteps.java:47) at ?.User clicks on previous pagination link(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/ PatientsInfoPagination.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	Then It goes to previous page	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_previous_link_functionality	PASSED	0.453 s


(F)- Patient's information

(S)- Verify that each patient has Cust ID

#	Step / Hook Details	Status	Duration
1	<p>Given User has clicked "Search"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Search"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aa2b01d8e361f00d04169fef08e07813, findElement {using=id, value=Search}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55539}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55539/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: aa2b01d8e361f00d04169fef08e07813 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.searchBtnClick(MyPatients.java:82) at stepdefinitions.PatientsInformationSteps.user_has_clicked(PatientsInformationSteps.java:22)</pre>	FAILED	0.065 s

#	Step / Hook Details	Status	Duration
	at ?.User has clicked "Search"(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientsInformation.feature:5) * Not displayable characters are replaced by '?'. 2 When Patients records are being displayed 3 Then Customer Id is shown in column "C113" column		
2	When Patients records are being displayed	SKIPPED	0.000 s
3	Then Customer Id is shown in column "C113" column	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_that_each_patient_has_Cust_ID	PASSED	0.468 s


(S)- Verify that each patient has name



#	Step / Hook Details	Status	Duration
1	Given User has clicked "Search" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#Search"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd5279779fabecaa9e1f998a6dd4ea9da, findElement {using=id, value=Search}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55554}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55554/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: dd5279779fabecaa9e1f998a6dd4ea9da at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	FAILED	0.036 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.searchBtnClick(MyPatients.java:82) at stepdefinitions.PatientsInformationSteps.user_has_clicked(PatientsInformationSteps.java:22) at ?.User has clicked "Search"(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientsInformation.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	When Patients records are displayed	SKIPPED	0.001 s
3	Then Patient name is displayed in "Ananya" column	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_that_each_patient_has_name	PASSED	0.361 s


(S)- Verify detail column



#	Step / Hook Details	Status	Duration
1	<p>Given User has clicked "Search"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Search"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6145e84c25159f4145bc030e1fb3448d, findElement {using=id, value=Search}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55569}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55569/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6145e84c25159f4145bc030e1fb3448d at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.searchBtnClick(MyPatients.java:82) at stepdefinitions.PatientsInformationSteps.user_has_clicked(PatientsInformationSteps.java:22) at ?.User has clicked "Search"(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientsInformation.feature:23) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.063 s
2	When Patients records are displayed	SKIPPED	0.000 s
3	Then Details column shows patient "<email>" or "243432545" or "Orissa"	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.379 s
	Verify_detail_column		

#	Step / Hook Details	Status	Duration


(S)- Verify last visit column



#	Step / Hook Details	Status	Duration
1	Given User has clicked "Search" <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Search"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [67b8e0c5effd16511d8e0196fc4031df, findElement {using=id, value=Search}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc0cc4..., userDataDir: C:\Users\labhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55585}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55585/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 67b8e0c5effd16511d8e0196fc4031df at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</pre>	FAILED	0.036 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.searchBtnClick(MyPatients.java:82) at stepdefinitions.PatientsInformationSteps.user_has_clicked(PatientsInformationSteps.java:22) at ?.User has clicked "Search"(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientsInformation.feature:32) * Not displayable characters are replaced by '?'. </pre>		
2	When Patients records are displayed	SKIPPED	0.001 s
3	Then Last visit date is shown in valid date format	SKIPPED	0.002 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_last_visit_column	PASSED	0.435 s


(S)- Verify format of email address



#	Step / Hook Details	Status	Duration
1	Given User has clicked "Search" <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Search"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [38f51a7c5f10dc1099a87d28c8d1bc7a, findElement {using=id, value=Search}] Capabilities {acceptInsecureCerts: false, browserName: </pre>	FAILED	0.037 s


#	Step / Hook Details	Status	Duration
	<pre>chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55600}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55600/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 38f51a7c5f10dc1099a87d28c8d1bc7a at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.searchBtnClick(MyPatients.java:82) at stepdefinitions.PatientsInformationSteps.user_has_clicked(PatientsInformationSteps.java:22) at ?.User has clicked "Search"(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientsInformation.feature:37) * Not displayable characters are replaced by '?'.</pre>		
2	When Patients records are displayed	SKIPPED	0.001 s
3	Then Verify that email address is in valid format in details column.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_format_of_email_address	PASSED	0.335 s

(S)- View patients previous diet plans


PASSED	DURATION - 3.001 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:01:48.084 AM // 2:01:51.085 AM /				
Patient's information				

#	Step / Hook Details	Status	Duration
1	Given Patients records are displayed	PASSED	0.053 s
2	When User clicks on button 'View Previous Diet Plans' to view previous diet plans	PASSED	0.033 s
3	Then It redirects user to 'Generated Diet Plans' page	PASSED	0.002 s



(S)- Create new diet plan

FAILED	DURATION - 2.988 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:01:51.210 AM // 2:01:54.198 AM /				
Patient's information				

#	Step / Hook Details	Status	Duration
1	Given Patients records are displayed	PASSED	0.055 s
2	When User clicks on button 'Create New Report/Plan' to create new report	PASSED	0.034 s
3	Then It redirects user to 'Confirm Health Conditions and Generate a New Diet plan' page to confirm Step undefined	FAILED	0.003 s

(S)- View patients previous test reports


#	Step / Hook Details	Status	Duration
1	Given Patients records are displayed	PASSED	0.044 s
2	When User clicks on button 'View Previous Test Reports' to view previous test reports	PASSED	0.027 s
3	Then It redirects user to 'View Patient Test Reports' page to view Patient Test Reports	FAILED	0.001 s
	Step undefined		

(F)- Patient Test Report Pagination**(S)- Verify pagination**

#	Step / Hook Details	Status	Duration
1	<p>Given User clicks on 'View Previous Test Reports' button to view previous test reports</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [45d7381f2b5a7734b39510c7bbfb3a4d, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55662}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55662/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 45d7381f2b5a7734b39510c7bbfb3a4d at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientTestReportPaginationSteps. user_clicks_on_button_to_view_previous_test_reports(PatientTestReportPaginationSteps.java:20) at ?.User clicks on 'View Previous Test Reports' button to view previous test reports(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientsTestReportPagination.feature:5) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.062 s
2	When User is on 'View Patient Test Reports' page to view test reports	SKIPPED	0.000 s
3	Then More than 3 records should be displayed on different pages through pagination	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.481 s
	Verify_pagination		

#	Step / Hook Details	Status	Duration


(S)- Verify next link



#	Step / Hook Details	Status	Duration
1	<p>Given User clicks on button 'View Previous Test Reports'</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d32a6cfb1a3cffa40df46ecaf06d2157, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55677}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55677/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d32a6cfb1a3cffa40df46ecaf06d2157 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</pre>	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52) at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhijit/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientsTestReportPagination.feature:10) * Not displayable characters are replaced by '?'. </pre>		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.000 s
3	Then Pagination has 'Next' as next link	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_next_link	PASSED	0.266 s


(S)- Verify previous link




#	Step / Hook Details	Status	Duration
1	Given User clicks on button 'View Previous Test Reports' <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [900b7e125a3557b255b8db8b54d9f05a, findElement {using=id, value=viewPreviousTestReports}] Capabilities </pre>	FAILED	0.066 s

#	Step / Hook Details	Status	Duration
	<pre>{ acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4...}, userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55692}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55692/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 900b7e125a3557b255b8db8b54d9f05a at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52) at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientsTestReportPagination.feature:15) * Not displayable characters are replaced by '?'.</pre>		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.000 s
3	Then Pagination has 'Previous' as previous link	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_previous_link	PASSED	0.419 s

(F)- Patients test reports




(S)- Verify my patient tab on test report page



#	Step / Hook Details	Status	Duration
1	<p>Given User has searched patients after login</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Search"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f50deae6b28c1093cdfab980a0b0edc6, findElement {using=id, value=Search}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55708}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55708/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f50deae6b28c1093cdfab980a0b0edc6 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</pre>	FAILED	0.027 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.searchBtnClick(MyPatients.java:82) at stepdefinitions.PatientsTestReportsSteps.user_has_searched_patients_after_login(PatientsTestReportsSteps.java:19) at ?.User has searched patients after login(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatienttestReports.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When User lands on 'View Patient Test Reports' page	SKIPPED	0.000 s
3	Then My Patients tab is selected/highlighted	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_my_patient_tab_on_test_report_page	PASSED	0.432 s


(S)- Verify breadcrumbs on test report page



#	Step / Hook Details	Status	Duration
1	Given User has searched patients after login org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Search"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre>info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4ab6cba9cd3ddd7c9be5cefc331a9f6c, findElement {using=id, value=Search}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc0cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55724}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55724/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4ab6cba9cd3ddd7c9be5cefc331a9f6c at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.searchBtnClick(MyPatients.java:82) at stepdefinitions.PatientsTestReportsSteps.user_has_searched_patients_after_login(PatientsTestReportsSteps.java:19) at ?.User has searched patients after login(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientstestReports.feature:10) * Not displayable characters are replaced by '?'.</pre>		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.001 s
3	Then It shows breadcrumbs as Dietician Software/View Recent Test Reports	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_breadcrumbs_on_test_report_page	PASSED	0.440 s


(S)- Verify title



#	Step / Hook Details	Status	Duration
1	<p>Given User has searched patients after login</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Search"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0b44934b677542154415cf981084958a, findElement {using=id, value=Search}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55739}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55739/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0b44934b677542154415cf981084958a at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.searchBtnClick(MyPatients.java:82) at stepdefinitions.PatientsTestReportsSteps.user_has_searched_patients_after_login(PatientsTestReportsSteps.java:19)</pre>	FAILED	0.051 s

#	Step / Hook Details	Status	Duration
	at ?.User has searched patients after login(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientstestReports.feature:15) * Not displayable characters are replaced by '?'.		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.000 s
3	Then Title is displayed as 'View Patient Test Reports'	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_title	PASSED	0.456 s


(S)- Verify user's primary info



#	Step / Hook Details	Status	Duration
1	Given User clicks on button 'View Previous Test Reports' org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4532cdf1d73d1e7343c8ea3c85bc17f5, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55754}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55754/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4532cdf1d73d1e7343c8ea3c85bc17f5 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	FAILED	0.033 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52) at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientstestReports.feature:20) * Not displayable characters are replaced by '?'. </pre>		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.000 s
3	Then It displays primary information like patient Id number, name, email address, Phone number, Address	SKIPPED	0.000 s
	<p>AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Verify_user's_primary_info</p>	PASSED	0.447 s


(S)- Display patient's test reports



#	Step / Hook Details	Status	Duration
1	<p>Given User clicks on button 'View Previous Test Reports'</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [274a530275c7ac9cd6eacd02609fbb88, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55769}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55769/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 274a530275c7ac9cd6eacd02609fbb88 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52) at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientstestReports.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.060 s
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.000 s
3	Then It displays patient's old and latest test reports	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.435 s
	Display_patient's_test_reports		

#	Step / Hook Details	Status	Duration


(S)- Verify table heading




#	Step / Hook Details	Status	Duration
1	Given User clicks on button 'View Previous Test Reports' <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [793b1401a5cc76ead6b397521b5ad1fb, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55784}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55784/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 793b1401a5cc76ead6b397521b5ad1fb at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</pre>	FAILED	0.036 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52) at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhijit/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/PatientstestReports.feature:30) * Not displayable characters are replaced by '?'. </pre>		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.000 s
3	Then It shows column heading as Record number, Doc-ID, File Uploaded time, File/Report name, Identified health conditions	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_table_heading	PASSED	0.246 s

(F)- Search patients




(S)- Search patients by name



#	Step / Hook Details	Status	Duration
1	<p>Given User is on My Patients</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a7fec68720661fa3ce32dde1fbc49b84, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatadir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55800}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55800/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a7fec68720661fa3ce32dde1fbc49b84 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeachrPatientsUISteps.user_is_on_my_patients(SeachrPatientsUISteps.java:24)</pre>	FAILED	0.055 s

#	Step / Hook Details	Status	Duration
	at ?.User is on My Patients(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:4) * Not displayable characters are replaced by '?'.		
2	When User clicks on search with name as "<name phrase>" into name filter box.	SKIPPED	0.001 s
3	Then Related records for name are shown.	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_name	PASSED	0.459 s


(S)- Search patients by name



#	Step / Hook Details	Status	Duration
1	Given User is on My Patients org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e612d98afff0d7e9a717a1788047eb4c, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55816}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55816/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e612d98afff0d7e9a717a1788047eb4c at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	FAILED	0.056 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeacrhPatientsUISteps.user_is_on_my_patients(SeacrhPatientsUISteps.java:24) at ?.User is on My Patients(file:///C:/Users/abhijit/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on search with name as "<name phrase>" into name filter box.	SKIPPED	0.001 s
3	Then Related records for name are shown.	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_name	PASSED	0.485 s


(S)- Search patients by email



#	Step / Hook Details	Status	Duration
1	<p>Given User is on My Patients</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b49e46663a3bd821bec87b08884bb0cf, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55831}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55831/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b49e46663a3bd821bec87b08884bb0cf at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeachPatientsUISteps.user_is_on_my_patients(SeachPatientsUISteps.java:24) at ?.User is on My Patients(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:14) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.063 s
2	When User clicks on search with email as "ggg@gmail.com" into email address filter.	SKIPPED	0.000 s
3	Then Records for email address are shown.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.347 s
	Search_patients_by_email		

#	Step / Hook Details	Status	Duration


(S)- Search patients by email



#	Step / Hook Details	Status	Duration
1	<p>Given User is on My Patients</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f0babdec67a671c72acdfdf35d1b1e17, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55847}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55847/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f0babdec67a671c72acdfdf35d1b1e17 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</pre>	FAILED	0.050 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeachPatientsUISteps.user_is_on_my_patients(SeachPatientsUISteps.java:24) at ?.User is on My Patients(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on search with email as "sdsf@gmail.com" into email address filter.	SKIPPED	0.000 s
3	Then Records for email address are shown.	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_email	PASSED	0.371 s


(S)- Search patients by phone number



#	Step / Hook Details	Status	Duration
1	Given User is on My Patients <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: 'e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [03003f79743d42d07e9553ac860b2d3a, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: </pre>	FAILED	0.058 s

#	Step / Hook Details	Status	Duration
	<pre>chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55862}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55862/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 03003f79743d42d07e9553ac860b2d3a at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeachPatientsUISteps.user_is_on_my_patients(SeachPatientsUISteps.java:24) at ?.User is on My Patients(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:24) * Not displayable characters are replaced by '?'.</pre>		
2	When User clicks on search with phone as "2324345456" into phone number filter.	SKIPPED	0.000 s
3	Then Records for phone are shown.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_phone_number	PASSED	0.429 s


(S)- Search patients by phone number



#	Step / Hook Details	Status	Duration
1	<p>Given User is on My Patients</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f160dc9a39e7bf58701d9df642e95ab, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55877}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55877/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5f160dc9a39e7bf58701d9df642e95ab at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeachrPatientsUISteps.user_is_on_my_patients(SeachrPatientsUISteps.java:24)</pre>	FAILED	0.027 s

#	Step / Hook Details	Status	Duration
	at ?.User is on My Patients(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:24) * Not displayable characters are replaced by '?'.		
2	When User clicks on search with phone as "5876889780" into phone number filter.	SKIPPED	0.000 s
3	Then Records for phone are shown.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_phone_number	PASSED	0.444 s


(S)- Search patients by name and phone number



#	Step / Hook Details	Status	Duration
1	Given User is on My Patients org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75576073440b995c394a2dff667a1790, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55892}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55892/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 75576073440b995c394a2dff667a1790 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	FAILED	0.034 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeacrhPatientsUISteps.user_is_on_my_patients(SeacrhPatientsUISteps.java:24) at ?.User is on My Patients(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:34) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on search button with name as "<name phrase>" into name filter box, phone as "7687686868" into phone number filter	SKIPPED	0.001 s
3	Then Records for name and phone are shown.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_name_and_phone_number	PASSED	0.316 s


(S)- Search patients by name and phone number



#	Step / Hook Details	Status	Duration
1	<p>Given User is on My Patients</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ba9f9891077ba7732dfc71559a61987c, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatadir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55909}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55909/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ba9f9891077ba7732dfc71559a61987c at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SearchPatientsUISteps.user_is_on_my_patients(SearchPatientsUISteps.java:24)</pre>	FAILED	0.049 s

#	Step / Hook Details	Status	Duration
	at ?.User is on My Patients(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:34) * Not displayable characters are replaced by '?'.		
2	When User clicks on search button with name as "<name phrase>" into name filter box, phone as "6576868722" into phone number filter	SKIPPED	0.000 s
3	Then Records for name and phone are shown.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_name_and_phone_number	PASSED	0.430 s


(S)- Search patients by name and email address



#	Step / Hook Details	Status	Duration
1	Given User is on My Patients org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d435fa4da9f4e779440ec89ea5518f14, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55924}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55924/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d435fa4da9f4e779440ec89ea5518f14 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source)	FAILED	0.063 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeachPatientsUISteps.user_is_on_my_patients(SeachPatientsUISteps.java:24) at ?.User is on My Patients(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:44) * Not displayable characters are replaced by '?'.		
2	When User clicks on search button with name as "<name phrase>" into name filter box, email as "ggg@gmail.com" into email address filter box	SKIPPED	0.000 s
3	Then Records for name and email are shown.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_name_and_email_address	PASSED	0.445 s


(S)- Search patients by name and email address



#	Step / Hook Details	Status	Duration
1	<p>Given User is on My Patients</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [adb4c7323f59123910278019c875f139, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatadir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55939}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55939/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: adb4c7323f59123910278019c875f139 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeachrPatientsUISteps.user_is_on_my_patients(SeachrPatientsUISteps.java:24)</pre>	FAILED	0.041 s

#	Step / Hook Details	Status	Duration
	at ?.User is on My Patients(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:44) * Not displayable characters are replaced by '?'.		
2	When User clicks on search button with name as "<name phrase>" into name filter box, email as "sdsf@gmail.com" into email address filter box	SKIPPED	0.001 s
3	Then Records for name and email are shown.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_name_and_email_address	PASSED	0.250 s


(S)- Search patients by email address and phone number



#	Step / Hook Details	Status	Duration
1	Given User is on My Patients org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a410cabcd021487a9d8bcd83c68e5f8 , findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55954}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55954/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a410cabcd021487a9d8bcd83c68e5f8 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source)	FAILED	0.029 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeachPatientsUISteps.user_is_on_my_patients(SeachPatientsUISteps.java:24) at ?.User is on My Patients(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:54) * Not displayable characters are replaced by '?'.		
2	When User clicks on search button with phone as "2324345456" into phone number filter box, email as "ggg@gmail.com" into email address filter box	SKIPPED	0.000 s
3	Then Records for phone and email are shown.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_email_address_and_phone_number	PASSED	0.318 s


(S)- Search patients by email address and phone number



#	Step / Hook Details	Status	Duration
1	<p>Given User is on My Patients</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0aa90606b2b625b94246acf23026a61, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55969}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55969/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c0aa90606b2b625b94246acf23026a61 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeachrPatientsUISteps.user_is_on_my_patients(SeachrPatientsUISteps.java:24)</pre>	FAILED	0.052 s

#	Step / Hook Details	Status	Duration
	at ?.User is on My Patients(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsFunctionality.feature:54) * Not displayable characters are replaced by '?'.		
2	When User clicks on search button with phone as "5876889780" into phone number filter box, email as "sdsf@gmail.com" into email address filter box	SKIPPED	0.000 s
3	Then Records for phone and email are shown.	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_patients_by_email_address_and_phone_number	PASSED	0.448 s


(S)- Search feature



#	Step / Hook Details	Status	Duration
1	Given User is logged in org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#DieticianName"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6a523c8ab742a5ef7570744f9dd9ea54, findElement {using=id, value=DieticianName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55984}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55984/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6a523c8ab742a5ef7570744f9dd9ea54 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source)	FAILED	0.048 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at pageObjects.MyPatients.isDieticianNameDisplayed(MyPatients.java:133) at stepdefinitions.SeacrhPatientsUISteps.user_is_logged_in(SeacrhPatientsUISteps.java:17) at ?.User is logged in(file:///C:/Users/abhij/Downloads/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsUI.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When User is on My Patients	SKIPPED	0.001 s
3	Then Name, email and phone number filter options and search button are displayed.	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Search_feature	PASSED	0.397 s


(S)- Verify search button text



#	Step / Hook Details	Status	Duration
1	<p>Given User is logged in</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#DieticianName"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [48831a28a0804de80c56a5bf760721c4, findElement {using=id, value=DieticianName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56001}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56001/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 48831a28a0804de80c56a5bf760721c4 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at pageObjects.MyPatients.isDieticianNameDisplayed(MyPatients.java:133) at stepdefinitions.SeachPatientsUISteps.user_is_logged_in(SeachPatientsUISteps.java:17)</pre>	FAILED	0.055 s

#	Step / Hook Details	Status	Duration
	at ?.User is logged in(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsUI.feature:9) * Not displayable characters are replaced by '?'.		
2	When User is on My Patients	SKIPPED	0.000 s
3	Then button used for search has text as 'Search'	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_search_button_text	PASSED	0.429 s


(S)- Verify default text in name filter input box goes away



#	Step / Hook Details	Status	Duration
1	Given User is on My Patients org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [91661cd4d088f05d5bf0fcadfb6498c, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56016}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56016/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 91661cd4d088f05d5bf0fcadfb6498c at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeacrhPatientsUISteps.user_is_on_my_patients(SeacrhPatientsUISteps.java:24) at ?.User is on My Patients(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsUI.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	When User starts typing inside name filter box	SKIPPED	0.000 s
3	Then Text inside name filter box should disappear	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_default_text_in_name_filter_input_box_goes_away	PASSED	0.265 s


(S)- Verify default text in email input box goes away



#	Step / Hook Details	Status	Duration
1	<p>Given User is on My Patients</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f4e83a4d6984b89a60b3db11a866e3dd, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDatumDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56031}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56031/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f4e83a4d6984b89a60b3db11a866e3dd at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeachPatientsUISteps.user_is_on_my_patients(SeachPatientsUISteps.java:24) at ?.User is on My Patients(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsUI.feature:19) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.053 s
2	When User starts typing inside email address filter box	SKIPPED	0.000 s
3	Then Text inside email address filter box should disappear	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.437 s
	Verify_default_text_in_email_input_box_goes_away		

#	Step / Hook Details	Status	Duration


(S)- Verify default text in phone number input box goes away




#	Step / Hook Details	Status	Duration
1	<p>Given User is on My Patients</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#mypatients"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c951c9a3eb14729d81db677e7ce5ae3c, findElement {using=id, value=mypatients}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56046}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56046/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c951c9a3eb14729d81db677e7ce5ae3c at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</pre>	FAILED	0.078 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.MyPatients.clickMyPatientsTab(MyPatients.java:138) at stepdefinitions.SeacrhPatientsUISteps.user_is_on_my_patients(SeacrhPatientsUISteps.java:24) at ?.User is on My Patients(file:///C:/Users/abhijit/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/SearchPatientsUI.feature:24) * Not displayable characters are replaced by '?'. </pre>		
2	When User starts typing inside phone number filter box	SKIPPED	0.001 s
3	Then Text inside phone number filter box should disappear	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_default_text_in_phone_number_input_box_goes_away	PASSED	0.438 s

(F)- Test report data




(S)- Verify presence of pdf file for each report

#	Step / Hook Details	Status	Duration
1	<p>Given User clicks on 'View Previous Test Reports' button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: 'e89b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6272676006f8c85b65d48d44b9cd0f95, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56061}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56061/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6272676006f8c85b65d48d44b9cd0f95 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.TestReportDataSteps.user_clicks_on_button(TestReportDataSteps.java:16)</pre>	FAILED	0.059 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on 'View Previous Test Reports' button(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/TestReportData.feature:5) * Not displayable characters are replaced by '?'.		
2	When User is on 'View Patient Test Reports' button page	SKIPPED	0.001 s
3	Then Every record shows 'view PDF' option	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_presence_of_pdf_file_for_each_report	PASSED	0.439 s


(S)- Verify presence of doc id



#	Step / Hook Details	Status	Duration
1	Given User clicks on button 'View Previous Test Reports' org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36e1103f47650675dcd821d4777224fe, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhijit\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56078}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56078/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 36e1103f47650675dcd821d4777224fe at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)	FAILED	0.059 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52) at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/TestReportData.feature:10) * Not displayable characters are replaced by '?'. </pre>		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.000 s
3	Then Every report has Doc Id	SKIPPED	0.001 s
	<p>AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Verify_presence_of_doc_id</p>	PASSED	0.445 s


(S)- Verify presence of uploaded time



#	Step / Hook Details	Status	Duration
1	<p>Given User clicks on button 'View Previous Test Reports'</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4e82d57b759d08b94e8f3256b1977761, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56094}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56094/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4e82d57b759d08b94e8f3256b1977761 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52) at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/TestReportData.feature:15) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.058 s
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.001 s
3	Then Every report shows file upload time	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.456 s
	Verify_presence_of_uploaded_time		

#	Step / Hook Details	Status	Duration


(S)- Verify uploaded datetime format



#	Step / Hook Details	Status	Duration
1	<p>Given User clicks on button 'View Previous Test Reports'</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce59eeacb0c745a09e2da36a7a8cc9c4, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56110}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56110/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ce59eeacb0c745a09e2da36a7a8cc9c4 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</pre>	FAILED	0.061 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52) at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhijit/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/TestReportData.feature:20) * Not displayable characters are replaced by '?'. </pre>		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.000 s
3	Then File uploaded time is shown in correct date and time format	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_uploaded_datetime_format	PASSED	0.466 s


(S)- Verify age of uploaded time



#	Step / Hook Details	Status	Duration
1	Given User clicks on button 'View Previous Test Reports' <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [c8cd63459f7d9ac04ce97be9d4257884, findElement {using=id, value=viewPreviousTestReports}] Capabilities </pre>	FAILED	0.066 s

#	Step / Hook Details	Status	Duration
	<pre>{ acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4...}, userDataDir: C:\Users\abhij\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56125}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56125/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c8cd63459f7d9ac04ce97be9d4257884 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52) at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/TestReportData.feature:25) * Not displayable characters are replaced by '?'.</pre>		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.001 s
3	Then Uploaded time field shows age of file upload in seconds/minutes/hour/days/months/years	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_age_of_uploaded_time	PASSED	0.358 s


(S)- Verify file name



#	Step / Hook Details	Status	Duration
1	<p>Given User clicks on button 'View Previous Test Reports'</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: 'e89b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [da7538ba4534e4d4738e96c014b4319f, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56140}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56140/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: da7538ba4534e4d4738e96c014b4319f at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtvviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52)</pre>	FAILED	0.055 s


#	Step / Hook Details	Status	Duration
	at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/TestReportData.feature:30) * Not displayable characters are replaced by '?'. 2 When User is on 'View Patient Test Reports' page 3 Then Every report has its name		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.001 s
3	Then Every report has its name	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_file_name	PASSED	0.435 s


(S)- Verify identified conditions



#	Step / Hook Details	Status	Duration
1	<p>Given User clicks on button 'View Previous Test Reports'</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#viewPreviousTestReports"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eeefc35db818eb41a222b68215b28d26, findElement {using=id, value=viewPreviousTestReports}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhijit\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56156}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56156/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eeefc35db818eb41a222b68215b28d26</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p>	FAILED	0.056 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.click(Unknown Source) at pageObjects.ViewPatientsTestReports.clickbtnviewPreviousTestReports(ViewPatientsTestReports.java:98) at stepdefinitions.PatientsTestReportsSteps.user_clicks_on_button(PatientsTestReportsSteps.java:52) at ?.User clicks on button 'View Previous Test Reports'(file:///C:/Users/abhijit/Dietician/com.numpyninja.Dietician/src/test/resources/features/TestReportData.feature:35) * Not displayable characters are replaced by '?'. </pre>		
2	When User is on 'View Patient Test Reports' page	SKIPPED	0.000 s
3	Then Every report shows identified conditions from its test report file	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Verify_identified_conditions	PASSED	0.438 s


(F)- View PDF

(S)- Validation of View PDF option

#	Step / Hook Details	Status	Duration
1	<p>Given User logged on to the Dietician website</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#DieticianName"} (Session info: chrome=102.0.5005.63) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-J6JNDT39', ip: '192.168.152.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4a3bc926649ef86ce528c7a7cfaadc79, findElement {using=id, value=DieticianName}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 102.0.5005.63, chrome: {chromedriverVersion: 102.0.5005.61 (0e59bcc00cc4..., userDataDir: C:\Users\abhi\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:56172}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56172/devtoo..., se:cdpVersion: 102.0.5005.63, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4a3bc926649ef86ce528c7a7cfaadc79 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source) at pageObjects.ViewRecentDiets.isDieticianNameDisplayed(ViewRecentDiets.java:67) at stepdefinitions.ViewPDF.user_logged_on_to_the_dietician_website(ViewPDF.java:18)</pre>	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	at ?.User logged on to the Dietician website(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/ViewPdf.feature:3) * Not displayable characters are replaced by '?'.		
2	When User is on page View Recent Diets	SKIPPED	0.001 s
3	Then View PDF option is available for the generated diet plans	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) Validation_of_View_PDF_option	PASSED	0.375 s

(S)- Validation of generated PDF for a diet plan



#	Step / Hook Details	Status	Duration
1	Given User is on page View Recent Diets io.cucumber.java.PendingException: TODO: implement me at stepdefinitions.ViewPDF.user_is_on_page_view_recent_diets(ViewPDF.java:37) at ?.User is on page View Recent Diets(file:///C:/Users/abhij/git/Dietician/com.numpyninja.Dietician/src/test/resources/features/ViewPdf.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.006 s
2	When User selects the View PDF button for a generated diet plan	SKIPPED	0.000 s
3	Then User should see the information in the pdf	SKIPPED	0.000 s