

ACOL 202

Lecture 11
(18th Feb)

Claim let n be an integer.
Then n is even iff n^2 is even.

Created with Doceri 

Counter example

Claim

No positive integer is expressible in two different ways as the sum of two perfect squares.

50
65

$$\begin{array}{l} 25 + 25 \\ 1^2 + 8^2 \end{array}$$

$$\begin{array}{l} 1 + 49 \\ 4^2 + 7^2 \end{array}$$



Created with Doceri

Constructive vs. Non-constructive Proofs

Claim There exist distinct
integers $x, y \in \{1901, 1902, 1903, \dots, 2025\}$
such that the last two
digits of x^2 and y^2
are the same.

Created with Doceri



Claim There exist irrational numbers a and b such that a^b is rational.

Not constructive

$$\sqrt{2}^{\sqrt{2}}$$

→ rational ✓

↘ irrational

$$(\sqrt{2}^{\sqrt{2}})^{\sqrt{2}} = 2$$

Created with Doceri



$$a = \underline{\underline{\sqrt{2}}}$$

$$b = \boxed{\log_2 9} = \sqrt[4]{9}$$

$$a^b = 3$$

$$\begin{aligned} a^b &= \sqrt{2}^{\log_2 9} = 2^{\frac{1}{2} \cdot \log_2 9} = 2^{\frac{1}{2} \cdot \log_2 9} = 2^{\log_2 3} \\ &= 2^{\log_2 3} = 3 \end{aligned}$$

Created with Doceri 

Why is $\log_2 9$ irrational?

Suppose not. Let $\log_2 9 = p/q$,
where p & q are
integers and p/q is
in its lowest form.

$$q \log_2 9 = p$$

$$\log_2 9^q = p$$

$$9^q = 2^p$$

Created with Doceri



Claim There are infinitely many
prime numbers.

Assume not. Let p be
the largest prime.

\therefore $(p! + 1)$ must be composite.

Created with Doceri



Let k be the smallest
number > 1 which
divides $(p! + 1)$.

Clearly, $k > p$. Why?
(We proved in the last class
that $(n! + 1)$ has no
factors between 2
and n .)

Created with Doceri 

But k must then be composite.
 Why? (p was the biggest prime)

There must be a k' that
 divides k evenly.

k' must also divide $(p! + 1)$

This contradicts our claim
 that k was the smallest
 such number
 that divides $(p! + 1)$.

Claim → If you are caught cheating
in the exam then you
will get a zero.

You were not caught cheating
in the exam.

Therefore, you will not get
a zero.

$r \Rightarrow q$

$p \Rightarrow q$
 $\neg p$

\therefore conclude, $\neg q$



Created with Doceri

Claim

Let $F_n = \{k \in \mathbb{Z}^{>1} \text{ such that } k|n\}$

denote the factors of an integer $n \geq 2$.

Then $|F_n|$ is even.

Proof.

F_{small}


F_{big}

denote the factors that are smaller and bigger than \sqrt{n}

claim $|F_{\text{small}}| = |F_{\text{big}}|$

Created with Doceri



$$f_g = \{1, \textcircled{3}, 9\}$$


A Feynman diagram consisting of two horizontal wavy lines. A vertical line connects the two wavy lines. Inside the vertical line is the expression $\int \sqrt{E}$.

Created with Doceri



Claim

If you climb Everest
you will be famous.

You have not climbed
Everest.

\therefore You are not famous.

Deny the hypothesis

Read sections 4.3.2, 4.3.3
and the section on
common errors in proofs

Confusing correlation with causation } //

Ad hominem attack
"To the man"

Created with Doceri



n is even $\Leftrightarrow n^2$ is even


\Rightarrow ✓ n^2 is even $\Rightarrow n$ is even

\Leftarrow Contrapositive n not even $\Rightarrow n^2$ not even

✓

$n = 2k+1$

$n^2 = (2k+1)^2 = \underline{4k^2} + \underline{4k+1}$

Created with Doceri  odd

