MODULE 1 · LECTURE 1

Introduction to Computers and Basic Applications

What a computer is, how it developed, how computers are classified, and where they are used — with examples from agriculture.

Learning objectives

After this lecture you should be able to:

1. Define a computer and tell **data** apart from **information**.
2. Describe the input–process–output–storage cycle and name the main functional units of a computer.
3. List the characteristics and limitations of computers.
4. Outline the history of computing, including India's milestones.
5. Compare the five generations of computers.
6. Classify computers by working principle, size and purpose, with agricultural examples.
7. Explain the basic applications of computers in general and in agriculture.

Scope: this lecture gives the big picture of Module 1. The parts of a computer are covered in detail in Lecture 2, memory in Lecture 3, operating systems in Lecture 4, MS Office in Lecture 5, databases in Lecture 6, the Internet in Lecture 7 and programming in Lecture 8.

1. Why agricultural engineers need computers

Modern farming produces and uses large amounts of information: weather and soil readings, crop and market data, machine performance logs and satellite images. **Agricultural informatics** is the use of computers and information and communication technology (ICT) to collect, store, process, analyse and share this information so that farmers, engineers, scientists and planners can make better decisions. The Food and Agriculture Organization (FAO) and the International Telecommunication Union (ITU) call the wider field **e-agriculture** and have published a guide to help countries plan national e-agriculture strategies (FAO & ITU, 2016).

For an agricultural engineer the computer is both a **tool** (for design, analysis and record-keeping) and a **component** (inside tractors, irrigation controllers, weather stations and processing plants). This lecture builds the foundation for both uses.

2. What is a computer?

The word comes from the Latin *computare*, "to calculate". Early computers were indeed calculating machines, but a modern computer does much more.

Definition. A computer is an electronic, programmable machine that accepts **data** as input, processes it according to a stored set of instructions (a **program**), stores data and results, and produces **information** as output.

	Data	Information
Meaning	Raw, unorganised facts and figures	Data that has been processed so that it is meaningful and useful
Example	Pulses counted by a rain gauge; 144 temperature readings in a day	"47 mm rain today — skip tomorrow's irrigation"
Use	Input to processing	Basis for a decision

The input–process–output cycle

Every computer, from a smartphone to a supercomputer, carries out five basic operations (Sinha & Sinha, 2004; Rajaraman & Adabala, 2015):

1. **Input** — accept data and instructions from outside.
2. **Storage** — keep data and instructions so they are available when needed.
3. **Processing** — perform arithmetic and logical operations on the data.
4. **Output** — give the results in a useful form.
5. **Control** — direct and coordinate all the above steps in the right order.




Figure 1. Functional block diagram of a computer (simplified; each unit is studied in Lecture 2). Original diagram.

The **central processing unit (CPU)** combines the **control unit**, which reads each instruction and directs the other units, with the **arithmetic–logic unit (ALU)**, which adds, compares and makes logical decisions. **Primary memory** holds the program and the data currently in use; **secondary storage** keeps them permanently. The idea of holding the program in the same memory as the data — the **stored-program concept** — was set out by John von Neumann in 1945 (von Neumann, 1945/1993) and is the basis of almost every computer built since.

The physical parts of a computer are its **hardware**; the programs that run on it are its **software**. Neither is useful without the other — and without the people (sometimes called **liveware**) who operate them.

Worked example — a weather-station data logger is a small computer
Input: a tipping-bucket rain gauge sends one pulse for every 0.2 mm of rain; a sensor reads air temperature every 10 minutes.
Processing: the logger multiplies the pulse count by 0.2 mm. 235 pulses in a day → 235 × 0.2 = 47.0 mm of rain. It also averages the 144 temperature readings of the day (24 h × 6 readings per hour).
Storage: each reading and daily total is written to a memory card.
Output: an SMS to the farmer: "Rain 47.0 mm today — skip irrigation tomorrow."
The 235 pulses are **data**; the SMS is **information**.

3. Characteristics of computers

Characteristic	What it means	Example
Speed	Operations take micro- to nanoseconds; a modern processor performs billions of operations per second	A spreadsheet totals 10,000 farm records in well under a second
Accuracy	Calculations are exact; errors almost always come from wrong data or a wrong program (**GIGO — garbage in, garbage out**)	Wrong rain-gauge calibration gives wrong rainfall totals, however fast the computer
Diligence	No fatigue or loss of concentration, so the millionth calculation is as reliable as the first	A data logger records every 10 minutes for years
Versatility	The same machine does very different jobs by changing the program	One laptop: crop accounts, CAD drawings of an implement, and video lectures
Storage capacity	Large amounts of data are stored and retrieved quickly	Decades of district rainfall records on one memory card
Automation	Once a program is started it runs without human help, step after step	A drip controller switches valves on schedule
Reliability	Modern electronic components rarely fail	Tractor engine control units work for thousands of hours

Unit of time	Value
Millisecond (ms)	10^{-3} s
Microsecond (μs)	10^{-6} s
Nanosecond (ns)	10^{-9} s
Picosecond (ps)	10^{-12} s

Processing speed is often expressed in **MIPS** (million instructions per second) or, for scientific work, in **FLOPS** (floating-point operations per second): 1 gigaFLOPS = 10^9, 1 teraFLOPS = 10^{12}, 1 petaFLOPS = 10^{15} and 1 exaFLOPS = 10^{18} FLOPS.

Limitations

- **No intelligence of its own** — a conventional computer follows instructions; it cannot decide what is worth doing (artificial intelligence, Lectures 19–28, works within limits set by data and design).
- **No feelings or common sense** — it cannot judge whether a result is sensible unless it is programmed to check.
- **GIGO** — wrong data or a wrong program give wrong results.

- **Dependence** — it needs electricity, maintenance, software updates and trained users; in rural areas power and connectivity can be the real limits.

4. History of computing




Figure 2. Milestones in the history of computing (dates as given in the sources cited in the text). Original diagram.

Year	Development	Why it matters
Ancient times	Abacus — beads on rods for counting	Earliest calculating aid; still used to teach arithmetic
1617	Napier's bones (John Napier) — numbered rods for multiplication	Reduced multiplication to addition
1642	Pascaline (Blaise Pascal) — geared adding machine	First widely known mechanical calculator
1673–1694	Stepped reckoner (G. W. Leibniz)	Mechanised multiplication and division
1804	Jacquard loom — punched cards controlled the weaving pattern	Instructions stored on cards: the idea behind programs
1821	Difference Engine No. 1 begun by Charles Babbage (work halted 1832)	Automatic calculation of mathematical tables (Computer History Museum, n.d.-d)
1834	Analytical Engine conceived by Babbage — a general-purpose, programmable engine with a **store** for numbers and a **mill** for arithmetic	Store ≈ memory, mill ≈ CPU — the plan of a modern computer; Babbage is called the "father of the computer" (Computer History Museum, n.d.-d)
1843	Ada Lovelace translated L. F. Menabrea's paper on the Analytical Engine and added notes, including a method for the engine to compute Bernoulli numbers	Often described as the first published computer program (Menabrea, 1843)
1890	Herman Hollerith's punched-card tabulating machines processed the US census	The count finished months ahead of schedule and far under budget; Hollerith founded the Tabulating Machine Company in 1896, a forerunner of IBM (U.S. Census Bureau, n.d.)
1936–37	Alan Turing described a theoretical computing machine	The mathematical foundation of computer science (Turing, 1937); the Turing test follows in Lecture 20
1943–1946	ENIAC, built by John Mauchly and J. Presper Eckert at the Moore School, University of Pennsylvania	About 18,000 vacuum tubes, 30 tons, more than 1,000 sq ft; over 1,000 times faster than any earlier computer (Computer History Museum, n.d.-a)
1945	John von Neumann's report on the EDVAC	Stored-program concept (von Neumann, 1945/1993)
1947	Transistor invented at Bell Laboratories (Bardeen, Brattain and Shockley)	Replaced vacuum tubes; Nobel Prize in Physics 1956 (Nobel Prize Outreach, n.d.-a)
1951	First UNIVAC I delivered to the US Census Bureau	First commercial computer to attract wide public attention; 5,200 vacuum tubes; 46 sold (Computer History Museum, n.d.-b)
1958–59	Integrated circuit — Jack Kilby (Texas Instruments, 1958) and Robert Noyce (Fairchild, 1959)	Many components on one chip; Kilby shared the Nobel Prize in Physics 2000 (Nobel Prize Outreach, n.d.-b)
1965	Gordon Moore predicted that the number of components on a chip would keep doubling at a regular rate	"Moore's law" guided chip development for five decades (Moore, 1965/1998)

Year	Development	Why it matters
1971	Intel 4004 — 4-bit microprocessor with 2,250 transistors, up to 90,000 operations per second, made for Busicom calculators	A whole CPU on one chip (Computer History Museum, n.d.-c)
1981	IBM Personal Computer	Computers reach offices, schools and homes

India's computing milestones

Year	Milestone
1955–56	**HEC-2M**, a British-built machine, installed at the Indian Statistical Institute (ISI), Kolkata — generally cited as India's first digital computer
1960	**TIFRAC** (TIFR Automatic Calculator), designed and built at the Tata Institute of Fundamental Research, Mumbai — India's first indigenous computer (development began in 1955)
1965–66	**ISIJU**, built jointly by ISI and Jadavpur University — an early transistorised computer made in India
1988–1991	Centre for Development of Advanced Computing (C-DAC) set up in 1988; **PARAM 8000**, India's first indigenous supercomputer, released in 1991
2015 onward	National Supercomputing Mission launched to build a national network of supercomputers; the Ministry of Earth Sciences also runs dedicated high-performance computers for weather and monsoon forecasting, which feed farm advisories

Dates for HEC-2M (1955 or 1956) and TIFRAC (1959 or 1960) differ between sources. Rajaraman (2015) gives a detailed history of computing in India.

5. Generations of computers

Computers are grouped into generations by the main switching device used in the processor. Each new device made computers smaller, faster, cheaper and more reliable. The year ranges are approximate and vary between textbooks.

Generation	Period (approx.)	Key technology	Memory and software	Examples	Features
First	1940s – mid-1950s	Vacuum tubes	Magnetic drums, punched cards; machine language	ENIAC, EDVAC, UNIVAC I	Huge, hot, power-hungry, frequent failures; speed in milliseconds
Second	Mid-1950s – mid-1960s	Transistors	Magnetic-core memory, tapes and disks; assembly language and early high-level languages (FORTRAN, COBOL)	IBM 1401	Smaller, cooler, more reliable; speed in microseconds
Third	Mid-1960s – early 1970s	Integrated circuits	Semiconductor memory, disks; operating systems with multiprogramming; keyboards and monitors	IBM System/360	Smaller still, cheaper, many users at once
Fourth	1971 – present	Microprocessors (very-large-scale integration)	Semiconductor RAM, hard disks, flash; graphical interfaces, networks and the Internet	Personal computers, laptops, smartphones	Very small, cheap and powerful; speed in nanoseconds
Fifth	Present and future	Ultra-large-scale integration, multi-core and parallel processors, AI accelerators	Cloud storage; artificial intelligence, natural-language interfaces	AI systems, supercomputers	Machines that learn from data and assist decisions (Lectures 19–28)

The term "fifth generation" became popular through Japan's Fifth Generation Computer Systems project (1982–1992), which aimed at computers built around artificial intelligence.

6. Classification of computers




Figure 3. Ways of classifying computers. Original diagram.

By working principle

Type	Works with	Examples
Analog	Continuously varying physical quantities (voltage, pressure, rotation)	Slide rule, mechanical thermograph, a tractor's analogue speedometer
Digital	Discrete values — binary digits 0 and 1	Desktop and laptop computers, smartphones, data loggers
Hybrid	Analog measurement combined with digital processing	Hospital patient monitors; process controllers that read continuous temperatures and act digitally, as in milk pasteurisation or greenhouse climate control

By size and capacity

Type	Description	Example uses
Supercomputer	Thousands of processors working in parallel; speed in petaFLOPS	Weather and climate forecasting, genome analysis for crop breeding
Mainframe	Large, reliable machines serving thousands of users at once	Banks, railway reservation, large government databases
Minicomputer / server	Mid-sized machines serving a department or network (today mostly servers)	A university or research-institute data server
Microcomputer	Single-user computers built around a microprocessor	Desktop, laptop, tablet, smartphone
Embedded computer	A microcontroller built into another machine to control it	Tractor engine control unit, combine yield monitor, drip-irrigation controller, grain moisture meter

The boundaries between these classes have blurred: a modern smartphone is more powerful than the mainframes of the 1970s.

By purpose

- **General-purpose** computers run many kinds of programs (a laptop).
- **Special-purpose** computers do one job and are often embedded (a GPS auto-steer controller on a tractor).

7. Basic applications of computers

In everyday life and work

- **Education** — e-learning, online courses, virtual laboratories, digital libraries.
- **Science and engineering** — data analysis, simulation, computer-aided design (CAD) and manufacturing (CAM).
- **Banking and business** — accounts, digital payments, inventory.
- **Communication** — e-mail, messaging, video calls.
- **Governance** — e-governance services, digitised land records, online applications.
- **Health** — patient records, diagnostic imaging.
- **Transport** — reservations, navigation, traffic control.
- **Media and entertainment**.

In agriculture and agricultural engineering

Area	How computers are used	Covered in
Farm records and planning	Spreadsheets for cost of cultivation, input stock and farm accounts	Lecture 5
Databases	Farmer, soil and crop databases	Lecture 6
Information and advisory	Web portals, call centres and SMS/app advisories for farmers	Lectures 7, 10, 14
Modelling and weather	Statistical and crop simulation models such as DSSAT, which simulates crop growth from weather, soil and management data (Jones et al., 2003)	Lecture 11
Automation and control	Controllers for drip irrigation, fertigation and greenhouse climate	Lectures 12, 13
Market information	Online market prices and trading platforms	Lecture 14
Geospatial technology	GPS, remote sensing and GIS for mapping land, crops and water	Lecture 15
Decision support and expert systems	Software that combines data and expert knowledge to recommend actions	Lectures 16, 17
Crop calendars	Planning sowing, irrigation and harvest dates with IT tools	Lecture 18
AI, IoT and big data	Disease detection from images, yield prediction, robotic weeding and harvesting, automatic grading	Lectures 19–28
Digital public infrastructure	National digital platforms for agriculture	Lectures 30, 31
Agricultural engineering design	CAD drawings of implements and structures; design calculations; CNC fabrication; tractor and combine electronics	Engineering courses

Applied example — scheduling irrigation with a computer
A farmer's weather station (input) records rain and temperature. Software on a computer (processing) estimates crop water use and subtracts the rain received. The result (output) is a message saying how many hours to run the drip system. Lecture 13 explains the calculations behind such advice.

8. Advantages, limitations and challenges

Advantages	Limitations and challenges (especially in Indian agriculture)
Fast, accurate processing of large data	Results are only as good as the data (GIGO)
Cheap storage and quick retrieval of records	Digital divide: many small and marginal farmers lack devices, skills or connectivity
Automation saves labour and inputs	Dependence on electricity, networks and maintenance in rural areas
Instant communication of advice and prices	Language and literacy barriers in software and content
Better planning through models and decision support	Data privacy and cybersecurity risks
Precise control of machines (precision agriculture)	Cost of equipment, software and training; electronic waste

9. Recent developments

- **Cloud computing** — software and storage delivered over the Internet, so even a basic smartphone can use powerful services.
- **Mobile computing** — the smartphone has become the most widely available computer for farmers.
- **Internet of Things (IoT) and edge computing** — low-cost sensors and controllers in fields, sheds and stores (Lecture 23).
- **Artificial intelligence** — systems that learn from images and data (Lectures 19–28).
- **High-performance computing** — supercomputers for weather, climate and crop-genome research.
- **Quantum computing** — still at the research stage; it may one day solve certain problems far faster than conventional computers.

10. Key takeaways

- A computer is an electronic, programmable machine that turns **data** into **information** through input, storage, processing, output and control.
- Its strengths are speed, accuracy, diligence, versatility, storage and automation; its main limits are lack of judgement and GIGO.
- Computing grew from the abacus and Babbage's Analytical Engine to electronic machines such as ENIAC and today's microprocessors.
- Five generations: vacuum tubes → transistors → integrated circuits → microprocessors → AI and parallel processing.
- India's path runs from HEC-2M and TIFRAC to PARAM 8000 and today's national supercomputers.
- Computers are classified by working principle (analog, digital, hybrid), size (super, mainframe, mini/server, micro, embedded) and purpose.
- In agriculture, computers support records, advisories, modelling, automation, mapping, decision support and AI — the topics of the rest of this course.

11. Examination questions

Short-answer questions (2 marks)

Q1. Define a computer.

A computer is an electronic, programmable machine that accepts data, processes it according to stored instructions, stores data and results, and produces information as output.

Q2. Distinguish between data and information.

Data are raw facts (e.g. rain-gauge pulses); information is processed, meaningful data that supports a decision (e.g. "47 mm rain — skip irrigation").

Q3. What is GIGO?

"Garbage in, garbage out": a computer's output can be no better than the data and instructions given to it.

Q4. What is the stored-program concept? Who proposed it?

Keeping the program in the same memory as the data, so the computer can fetch and execute instructions automatically. It was set out by John von Neumann in his 1945 EDVAC report.

Q5. Name the two parts of Babbage's Analytical Engine and their modern equivalents.

The store (memory) and the mill (CPU/arithmetic unit).

Q6. What is a microprocessor? Name the first commercial one.

A complete CPU on a single chip. The Intel 4004 (1971), with 2,250 transistors.

Q7. Distinguish between analog and digital computers.

Analog computers work with continuously varying quantities; digital computers work with discrete binary values (0 and 1).

Q8. What is an embedded computer? Give an agricultural example.

A special-purpose microcontroller built into a machine to control it — e.g. a tractor's engine control unit or a drip-irrigation controller.

Q9. Name India's first digital computer and India's first indigenous supercomputer.

HEC-2M (installed at ISI Kolkata, 1955–56) and PARAM 8000 (C-DAC, 1991).

Q10. Define agricultural informatics.

The use of computers and ICT to collect, store, process, analyse and share agricultural information for better decisions.

Long-answer questions (5–10 marks) — answer outlines

Q1. With a neat block diagram, explain the functional units of a computer.

Draw Figure 1. Explain input unit, CPU (control unit + ALU), primary memory, secondary storage and output unit; data flow vs control signals; stored-program concept; give an example such as a weather-station logger.

Q2. Describe the characteristics and limitations of computers.

Speed (time units, MIPS/FLOPS), accuracy and GIGO, diligence, versatility, storage, automation, reliability — each with an example; limitations: no judgement, no feelings, GIGO, dependence on power and skills.

Q3. Trace the history of computers from the abacus to the microprocessor.

Mechanical aids (abacus, Napier, Pascal, Leibniz); Jacquard cards; Babbage's engines and Lovelace; Hollerith; Turing; ENIAC and the stored program; transistor, IC and microprocessor; add India's milestones.

Q4. Compare the five generations of computers in a table.

Use the table in Section 5: period, technology, memory and software, examples and features.

Q5. Classify computers and give examples relevant to agriculture.

Working principle (analog, digital, hybrid), size (super, mainframe, mini/server, micro, embedded) and purpose (general, special) — with farm examples such as weather forecasting, data loggers and tractor controllers.

Q6. Discuss the applications of computers in agriculture.

Records and planning, databases, advisories, modelling (e.g. DSSAT), automation, market information, GIS/GPS, decision support, AI and IoT, engineering design; add advantages and challenges such as the digital divide.

12. Glossary

Term	Meaning
ALU	Arithmetic–logic unit: the part of the CPU that performs calculations and comparisons
Analog computer	A computer that works with continuously varying quantities
Bit	A binary digit, 0 or 1 — the smallest unit of data (Lecture 3)
Control unit	The part of the CPU that interprets instructions and directs the other units
CPU	Central processing unit: control unit plus ALU
Data	Raw facts and figures
Embedded computer	A computer built into another device to control it
FLOPS	Floating-point operations per second, a measure of computing speed
GIGO	Garbage in, garbage out
Hardware	The physical parts of a computer
Hybrid computer	A computer combining analog and digital features
Information	Processed, meaningful data
Integrated circuit (IC)	Many electronic components made together on one small chip
Microprocessor	A complete CPU on a single chip
Program	An ordered set of instructions for a computer
Software	Programs that run on a computer
Stored-program concept	Keeping instructions and data in the same memory
Supercomputer	The fastest class of computer, used for very large calculations
Transistor	A semiconductor device that switches or amplifies electrical signals; it replaced the vacuum tube
Vacuum tube	An electronic switch in a glass tube, used in first-generation computers

References

Computer History Museum. (n.d.-a). *Timeline of computer history: 1946*. Retrieved 8 November 2026, from https://www.computerhistory.org/timeline/1946/

Computer History Museum. (n.d.-b). *Timeline of computer history: 1951*. Retrieved 8 November 2026, from https://www.computerhistory.org/timeline/1951/

Computer History Museum. (n.d.-c). *Timeline of computer history: 1971*. Retrieved 8 November 2026, from https://www.computerhistory.org/timeline/1971/

Computer History Museum. (n.d.-d). *The engines* [The Babbage Engine]. Retrieved 8 November 2026, from https://www.computerhistory.org/babbage/engines/

Food and Agriculture Organization of the United Nations, & International Telecommunication Union. (2016). *E-agriculture strategy guide: Piloted in Asia-Pacific countries*. FAO & ITU. https://www.fao.org/e-agriculture/news/e-agriculture-strategy-guide

Jones, J. W., Hoogenboom, G., Porter, C. H., Boote, K. J., Batchelor, W. D., Hunt, L. A., Wilkens, P. W., Singh, U., Gijsman, A. J., & Ritchie, J. T. (2003). The DSSAT cropping system model. *European Journal of Agronomy, 18*(3–4), 235–265. https://doi.org/10.1016/S1161-0301(02)00107-7

Menabrea, L. F. (1843). Sketch of the Analytical Engine invented by Charles Babbage (A. A. Lovelace, Trans., with notes by the translator). *Scientific Memoirs, 3*, 666–731.

Moore, G. E. (1998). Cramming more components onto integrated circuits. *Proceedings of the IEEE, 86*(1), 82–85. https://doi.org/10.1109/JPROC.1998.658762 (Reprinted from *Electronics, 38*(8), 1965)

Nobel Prize Outreach. (n.d.-a). *The Nobel Prize in Physics 1956*. Retrieved 8 November 2026, from https://www.nobelprize.org/prizes/physics/1956/summary/

Nobel Prize Outreach. (n.d.-b). *The Nobel Prize in Physics 2000*. Retrieved 8 November 2026, from https://www.nobelprize.org/prizes/physics/2000/summary/

Rajaraman, V. (2015). History of computing in India: 1955–2010. *IEEE Annals of the History of Computing, 37*(1), 24–35. https://doi.org/10.1109/MAHC.2015.10

Rajaraman, V., & Adabala, N. (2015). *Fundamentals of computers* (6th ed.). PHI Learning. ISBN 978-81-203-5067-0

Sinha, P. K., & Sinha, P. (2004). *Computer fundamentals* (6th ed.). BPB Publications. ISBN 978-81-7656-752-7

Turing, A. M. (1937). On computable numbers, with an application to the Entscheidungsproblem. *Proceedings of the London Mathematical Society, s2-42*(1), 230–265. https://doi.org/10.1112/plms/s2-42.1.230

U.S. Census Bureau. (n.d.). *Tabulation and processing*. Retrieved 8 November 2026, from https://www.census.gov/about/history/bureau-history/census-innovations/technology/tabulation-and-processing.html

von Neumann, J. (1993). First draft of a report on the EDVAC (M. D. Godfrey, Ed.). *IEEE Annals of the History of Computing, 15*(4), 27–75. https://doi.org/10.1109/85.238389 (Original work written 1945)

All diagrams are original. Explanations are written in original language; standard textbook facts (abacus, Napier, Pascal, Leibniz, Jacquard, generation features) follow Sinha and Sinha (2004) and Rajaraman and Adabala (2015).

Practice MCQs

Q1. The word "computer" comes from the Latin *computare*, meaning

(a) to store
(b) to calculate
(c) to control
(d) to communicate

Q2. GIGO stands for

(a) Gigabyte input, gigabyte output
(b) Garbage in, garbage out
(c) General input, general output
(d) Graphics in, graphics out

Q3. In Babbage's Analytical Engine, the "mill" corresponds to the modern

(a) memory
(b) input unit
(c) processor (ALU)
(d) printer

Q4. First-generation computers used

(a) transistors
(b) integrated circuits
(c) vacuum tubes
(d) microprocessors

Q5. ENIAC was built at the

(a) Massachusetts Institute of Technology
(b) Moore School, University of Pennsylvania
(c) Bell Laboratories
(d) Cambridge University

Q6. The transistor was invented at Bell Laboratories in

(a) 1937
(b) 1947
(c) 1958
(d) 1971

Q7. The Intel 4004 microprocessor (1971) had about

(a) 250 transistors
(b) 2,250 transistors
(c) 22,500 transistors
(d) 2.25 million transistors

Q8. Hollerith's punched-card machines were first used for the US census of

(a) 1850
(b) 1870
(c) 1890
(d) 1910

Q9. The stored-program concept is associated with

(a) Charles Babbage
(b) John von Neumann
(c) Blaise Pascal
(d) Herman Hollerith

Q10. A tractor's engine control unit is an example of a(n)

(a) supercomputer
(b) mainframe
(c) embedded computer
(d) analog computer

Q11. India's first indigenous supercomputer is

(a) TIFRAC
(b) HEC-2M
(c) PARAM 8000
(d) ISIJU

Q12. A computer that works with continuously varying quantities is

(a) digital
(b) analog
(c) hybrid
(d) embedded

Answers

Q1 — (b) to calculate
Q2 — (b) Garbage in, garbage out
Q3 — (c) processor (ALU)
Q4 — (c) vacuum tubes
Q5 — (b) Moore School, University of Pennsylvania
Q6 — (b) 1947
Q7 — (b) 2,250 transistors
Q8 — (c) 1890
Q9 — (b) John von Neumann
Q10 — (c) embedded computer
Q11 — (c) PARAM 8000 — *C-DAC, 1991.*
Q12 — (b) analog