

Wipro Capstone Project – Source Code Documentation

Project Name: Guru99Bank Automation Framework


Project Overview

The Guru99 Bank Automation Framework is an end-to-end web automation testing solution built using Java, Selenium WebDriver, TestNG, Maven, Jenkins, Extent Reports, and GitHub, following the Page Object Model (POM) architecture. The framework is designed to automate critical banking operations, including user login, customer registration, account creation, deposits, withdrawals, and fund transfers, along with various validation and negative test scenarios.

To improve maintainability and scalability, the project incorporates reusable page objects, data-driven testing through Apache POI and Excel, automated screenshot capture for failed test cases, retry logic, and TestNG listeners. Comprehensive execution reports are generated using Extent Reports, while Jenkins is utilized for Continuous Integration and automated test execution. The framework is also integrated with Docker and GitHub to support streamlined deployment and version management.

During execution, 12 automated test cases were run successfully, achieving a 100% execution success rate. Additionally, multiple defects were identified, logged, and managed using Jira, showcasing the complete software testing and defect management lifecycle.

Framework Architecture



▼ Guru99Bank [WiproCapstone_Guru99Bank master]

src/main/java

src/main/resources

▼ src/test/java

▼ Base

>  BaseTest.java

▼ Listeners

>  TestListener.java

▼ Pages

>  DepositPage.java

>  FundTransferPage.java

>  HomePage.java

>  LoginPage.java

>  NewAccountPage.java

>  NewCustomerPage.java

>  WithdrawalPage.java

▼ TestCases

>  AccountDetailsTest.java

>  AccountTest.java

>  CustomerTest.java

>  CustomerValidationTest.java

>  DepositTest.java

>  FundTransferNegativeTest.java

>  FundTransferTest.java

>  InsufficientBalanceTest.java

>  InvalidAccountTest.java

>  LoginTest.java

>  WithdrawalTest.java

>  Utilities

▼ src/test/resources

 config.properties

 Guru99Data.xlsx

 log4j2.xml

>  JRE System Library [JavaSE-1.8]

-  log4j2.xml
- >  JRE System Library [JavaSE-1.8]
- >  Maven Dependencies
- >  ExtentReports
- >  logs
- >  screenshots
- >  src
- >  target
-  Test_Output
- ▼  test-output
 - >  Default suite
 - >  Guru99BankSuite
 - >  Guru99NegativeSuite
 - >  junitreports
 -  bullet_point.png
 -  collapseall.gif
 -  emailable-report.html
 -  failed.png
 -  index.html
 -  jquery-3.6.0.min.js
 -  navigator-bullet.png
 -  passed.png
 -  skipped.png
 -  testng-failed.xml
 -  testng-reports.css
 -  testng-reports.js
 -  testng-reports1.css
 -  testng-reports2.js
 -  testng-results.xml
-  Dockerfile
-  Jenkinsfile
-  NegativeTestng.xml
-  pom.xml
-  testng.xml

Project Source Code Details

Package name: Base

Class name: BaseTest.java

```
package Base;
```

```
import java.time.Duration;
```

```
import org.openqa.selenium.WebDriver;
```

```
import org.openqa.selenium.chrome.ChromeDriver;
```

```
import org.openqa.selenium.chrome.ChromeOptions;
```

```
import org.openqa.selenium.edge.EdgeDriver;
```

```
import org.testng.annotations.AfterMethod;
```

```
import org.testng.annotations.BeforeMethod;
```

```
import io.github.bonigarcia.wdm.WebDriverManager;
```

```
import Utilities.ConfigReader;
```

```
public class BaseTest {
```

```
    public static WebDriver driver;
```

```
    ConfigReader config = new ConfigReader();
```

```
    @BeforeMethod
```

```
    public void setup() {
```

```
        String browser = config.getBrowser();
```

```
        if(browser.equalsIgnoreCase("chrome")) {
```

```
WebDriverManager.chromedriver().setup();

ChromeOptions options =
    new ChromeOptions();

options.addArguments("--headless=new");
options.addArguments("--disable-gpu");
options.addArguments("--no-sandbox");
options.addArguments("--disable-dev-shm-usage");
options.addArguments("--remote-allow-origins=*");

driver =
    new ChromeDriver(options);

} else if(browser.equalsIgnoreCase("edge")) {

    WebDriverManager.edgedriver().setup();

    driver =
        new EdgeDriver();
}

driver.manage().window().maximize();

//driver.manage().timeouts()
//.implicitlyWait(Duration.ofSeconds(10));
```

```
        driver.get(config.getUrl());
    }

    @AfterMethod
    public void tearDown() {

        if(driver != null) {
            driver.quit();
        }
    }
}
```

Package name: Listeners

Class name: TestListener.java

```
package Listeners;

import org.testng.ITestContext;
import org.testng.ITestListener;
import org.testng.ITestResult;

import com.aventstack.extentreports.ExtentReports;
import com.aventstack.extentreports.ExtentTest;

import Base.BaseTest;
import Utilities.ExtentManager;
import Utilities.ScreenshotUtil;

public class TestListener implements ITestListener {
```

```
ExtentReports extent =  
    ExtentManager.getInstance();
```

```
ExtentTest test;
```

```
@Override
```

```
public void onTestStart(  
    ITestResult result) {  
  
    test = extent.createTest(  
        result.getName());  
  
    System.out.println(  
        "STARTED : "  
        + result.getName());  
}
```

```
@Override
```

```
public void onTestSuccess(  
    ITestResult result) {  
  
    test.pass("Test Passed");  
  
    System.out.println(  
        "PASSED : "  
        + result.getName());  
}
```

`@Override`

`public void onTestFailure(`

`ITestResult result) {`

`test.fail(`

`result.getThrowable());`

`try {`

`if (BaseTest.driver != null) {`

`ScreenshotUtil.captureScreenshot(`

`BaseTest.driver,`

`result.getName());`

`}`

`} catch (Exception e) {`

`System.out.println(`

`"Screenshot capture failed : "`

`+ e.getMessage());`

`}`

`System.out.println(`

`"FAILED : "`

`+ result.getName());`

`if (result.getThrowable() != null) {`


```
        System.out.println(  
            "Exception Details:");  
  
        result.getThrowable()  
            .printStackTrace();  
    }  
}
```

```
@Override  
public void onTestSkipped(  
    ITestResult result) {  
  
    test.skip("Test Skipped");
```

```
        System.out.println(  
            "SKIPPED : "  
            + result.getName());  
    }
```

```
@Override  
public void onStart(  
    ITestContext context) {
```

```
        System.out.println(  
            "Execution Started");  
    }
```

```
@Override  
public void onFinish(  
    ITestContext context) {  
  
    extent.flush();  
  
    System.out.println(  
        "Execution Completed");  
    }  
}
```

Package name: Pages

Class name: LoginPage.java

```
package Pages;  
  
import org.openqa.selenium.By;  
import org.openqa.selenium.WebDriver;  
import Utilities.WaitUtils;  
public class LoginPage {  
  
    WebDriver driver;  
  
    public LoginPage(WebDriver driver) {  
        this.driver = driver;  
    }  
  
    private By userId = By.name("uid");  
    private By password = By.name("password");
```

```
private By loginBtn = By.name("btnLogin");
```

```
public void enterUserId(String uid) {
```

```
    WaitUtils.waitForElement(  
        driver,  
        userId)  
        .sendKeys(uid);  
}
```

```
public void enterPassword(String pass) {
```

```
    WaitUtils.waitForElement(  
        driver,  
        password)  
        .sendKeys(pass);  
}
```

```
public void clickLogin() {
```

```
    WaitUtils.waitForElement(  
        driver,  
        loginBtn)  
        .click();  
}
```

```
public void login(String uid, String pass) {
```

```
    enterUserId(uid);
```

```
        enterPassword(pass);  
        clickLogin();  
    }  
}
```

Class name: HomePage.java

```
package Pages;
```

```
import org.openqa.selenium.By;  
import org.openqa.selenium.WebDriver;
```

```
public class HomePage {
```

```
    WebDriver driver;
```

```
    public HomePage(WebDriver driver) {  
        this.driver = driver;  
    }  
}
```

```
    By managerText =
```

```
        By.xpath("//*[contains(text(),'Manger Id')]");
```

```
    public boolean verifyManagerHomePage() {
```

```
        try{
```

```
            return driver.findElement(managerText)  
                .isDisplayed();  
        }  
    }  
}
```

```
    } catch (Exception e) {  
  
        System.out.println(  
            "Manager Id element not found");  
  
        return false;  
    }  
}  
}
```

Class name: NewCustomerPage.java

```
package Pages;  
  
import org.openqa.selenium.By;  
import org.openqa.selenium.WebDriver;  
import Utilities.TestData;  
import Utilities.WaitUtils;  
  
public class NewCustomerPage {  
  
    WebDriver driver;  
  
    public NewCustomerPage(WebDriver driver) {  
        this.driver = driver;  
    }  
  
    By newCustomerLink = By.linkText("New Customer");
```

```
By customerName = By.name("name");
By gender = By.xpath("//input[@value='m']");
By dob = By.name("dob");
By address = By.name("addr");
By city = By.name("city");
By state = By.name("state");
By pin = By.name("pinno");
By mobile = By.name("telephono");
By email = By.name("emailid");
By password = By.name("password");
```

```
By submitBtn = By.name("sub");
```

```
public void addCustomer() {
```

```
    WaitUtils.waitForElement(
        driver,
        newCustomerLink)
        .click();
```

```
    driver.findElement(customerName)
        .sendKeys("Nitesh");
```

```
    driver.findElement(gender).click();
```

```
    driver.findElement(dob)
        .sendKeys("10-06-2003");
```

```
driver.findElement(address)
    .sendKeys("Noble Enclave");
```

```
driver.findElement(city)
    .sendKeys("Gurgaon");
```

```
driver.findElement(state)
    .sendKeys("Haryana");
```

```
driver.findElement(pin)
    .sendKeys("122015");
```

```
driver.findElement(mobile)
    .sendKeys("9356894578");
```

```
driver.findElement(email)
    .sendKeys("user"
        + System.currentTimeMillis()
        + "@gmail.com");
```

```
driver.findElement(password)
    .sendKeys("Test123");
```

```
WaitUtils.waitForElement(
    driver,
    submitBtn)
    .click();
```

```

String customerId =

    driver.findElement(

        By.xpath("//td[text()='Customer ID']/following-sibling::td"))

    .getText();

    TestData.customerId = customerId;

    System.out.println(

        "Generated Customer ID = "

        + customerId);
}
}

```

Class name: NewAccountPage.java

```

package Pages;

import java.time.Duration;

import org.openqa.selenium.By;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.support.ui.ExpectedConditions;
import org.openqa.selenium.support.ui.WebDriverWait;

import Utilities.TestData;

```



```
public class NewAccountPage {

    WebDriver driver;

    public NewAccountPage(WebDriver driver) {
        this.driver = driver;
    }

    By newAccountLink = By.linkText("New Account");

    By customerId = By.name("cusid");

    By accountType = By.name("selaccount");

    By initialDeposit = By.name("inideposit");

    By submitBtn = By.name("button2");

    public void createAccount(String custId) {

        WebDriverWait wait =
            new WebDriverWait(driver,
                Duration.ofSeconds(20));

        WebElement accountMenu =
            wait.until(
                ExpectedConditions
                    .elementToBeClickable(
```

```
newAccountLink));
```

```
JavascriptExecutor js =
```

```
(JavascriptExecutor) driver;
```

```
js.executeScript(
```

```
"arguments[0].click();",
```

```
accountMenu);
```

```
wait.until(
```

```
ExpectedConditions
```

```
.visibilityOfElementLocated(
```

```
customerId));
```

```
driver.findElement(customerId)
```

```
.sendKeys(custId);
```

```
driver.findElement(accountType)
```

```
.sendKeys("Savings");
```

```
driver.findElement(initialDeposit)
```

```
.sendKeys("5000");
```

```
driver.findElement(submitBtn)
```

```
.click();
```

```
wait.until(
```

```
ExpectedConditions
```

```

        .visibilityOfElementLocated(
            By.xpath(
                "//td[text()='Account ID']/following-sibling::td"));

String accountId =
    driver.findElement(
        By.xpath(
            "//td[text()='Account ID']/following-sibling::td"))
        .getText();

if (TestData.accountId1 == null) {

    TestData.accountId1 = accountId;

} else {

    TestData.accountId2 = accountId;
}

System.out.println(
    "Generated Account ID = "
        + accountId);
}
}

```

Class name: DepositPage.java

package Pages;

```
import org.openqa.selenium.By;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;

import Utilities.WaitUtils;

public class DepositPage {

    WebDriver driver;

    public DepositPage(WebDriver driver) {
        this.driver = driver;
    }

    By depositLink = By.linkText("Deposit");
    By accountNo = By.name("accountno");
    By amount = By.name("ammount");
    By description = By.name("desc");
    By submit = By.name("AccSubmit");

    public void depositMoney(String accNo, String amt) {

        WebElement depositMenu =
            WaitUtils.waitForClickable(
                driver,
                depositLink);
```

```

JavascriptExecutor js =
    (JavascriptExecutor) driver;

js.executeScript(
    "arguments[0].click();",
    depositMenu);

WaitUtils.waitForElement(
    driver,
    accountNo)
    .sendKeys(accNo);

driver.findElement(amount)
    .sendKeys(amt);

driver.findElement(description)
    .sendKeys("Deposit");

WaitUtils.waitForClickable(
    driver,
    submit)
    .click();
}
}

```

Class name: WithdrawalPage.java

```
package Pages;
```

```
import org.openqa.selenium.By;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
```

```
import Utilities.WaitUtils;
```

```
public class WithdrawalPage {
```

```
    WebDriver driver;
```

```
    public WithdrawalPage(WebDriver driver) {
        this.driver = driver;
    }
```

```
    By withdrawalLink = By.linkText("Withdrawal");
```

```
    By accountNo = By.name("accountno");
```

```
    By amount = By.name("ammount");
```

```
    By description = By.name("desc");
```

```
    By submit = By.name("AccSubmit");
```

```
    public void withdrawMoney(
```

```
        String accNo,
```

```
        String amt) {
```

```
        WebElement withdrawalMenu =
```

```
            WaitUtils.waitForClickable(
```

```
                driver,
```

```
withdrawalLink);
```

```
JavascriptExecutor js =
```

```
(JavascriptExecutor) driver;
```

```
js.executeScript(
```

```
"arguments[0].click();",
```

```
withdrawalMenu);
```

```
WaitUtils.waitForElement(
```

```
driver,
```

```
accountNo)
```

```
.sendKeys(accNo);
```

```
driver.findElement(amount)
```

```
.sendKeys(amt);
```

```
driver.findElement(description)
```

```
.sendKeys("Withdraw");
```

```
WaitUtils.waitForClickable(
```

```
driver,
```

```
submit)
```

```
.click();
```

```
}
```

```
}
```

Class name: FundTransferPage.java

```
package Pages;

import org.openqa.selenium.By;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;

import Utilities.WaitUtils;

public class FundTransferPage {

    WebDriver driver;

    public FundTransferPage(WebDriver driver) {
        this.driver = driver;
    }

    By fundTransferLink =
        By.linkText("Fund Transfer");

    By payerAccount =
        By.name("payersaccount");

    By payeeAccount =
        By.name("payeeaccount");

    By amount =
        By.name("ammount");
```


By description =

By.name("desc");

By submit =

By.name("AccSubmit");

public void transferFunds(

String fromAcc,

String toAcc,

String amt) {

WebElement fundTransfer =

WaitUtils.waitForElement(

driver,

fundTransferLink);

JavascriptExecutor js =

(JavascriptExecutor) driver;

js.executeScript(

"arguments[0].click();",

fundTransfer);

driver.findElement(payerAccount)

.sendKeys(fromAcc);

driver.findElement(payeeAccount)

```
        .sendKeys(toAcc);

driver.findElement(amount)
        .sendKeys(amt);

driver.findElement(description)
        .sendKeys("Fund Transfer");

WaitUtils.waitForElement(
    driver,
    submit)
    .click();
}
}
```

Package name: TestCases

Class name: LoginTest.java

```
package TestCases;
```

```
import java.time.Duration;
```

```
import org.openqa.selenium.Alert;
```

```
import org.openqa.selenium.support.ui.ExpectedConditions;
```

```
import org.openqa.selenium.support.ui.WebDriverWait;
```

```
import org.testng.Assert;
```

```
import org.testng.annotations.Test;
```

```
import Base.BaseTest;
```

```
import Pages.HomePage;
import Pages.LoginPage;
import Utilities.ExcelUtils;
import Utilities.RetryAnalyzer;

public class LoginTest extends BaseTest {

    String excelPath =
        System.getProperty("user.dir")
        + "/src/test/resources/Guru99Data.xlsx";

    @Test(retryAnalyzer = RetryAnalyzer.class)
    public void validLoginTest() throws Exception {

        String username =
            ExcelUtils.getData(excelPath, 0, 1);

        String password =
            ExcelUtils.getData(excelPath, 1, 1);

        System.out.println("Username : " + username);
        System.out.println("Password : " + password);

        LoginPage login =
            new LoginPage(driver);

        login.login(username, password);
```

```
Thread.sleep(2000);
```

```
System.out.println("Current URL : "
```

```
    + driver.getCurrentUrl());
```

```
System.out.println("Page Title : "
```

```
    + driver.getTitle());
```

```
System.out.println("Contains Manager : "
```

```
    + driver.getPageSource().contains("Manager"));
```

```
System.out.println("Contains Manger : "
```

```
    + driver.getPageSource().contains("Manger"));
```

```
HomePage home =
```

```
    new HomePage(driver);
```

```
boolean status =
```

```
    home.verifyManagerHomePage();
```

```
System.out.println(
```

```
    "Manager Home Page Status : "
```

```
    + status);
```

```
Assert.assertTrue(
```

```
    status,
```

```
    "Valid Login Failed");
```

```
}
```

```
@Test
public void invalidLoginTest() {

    LoginPage login =
        new LoginPage(driver);

    login.login(
        "wrongUser",
        "wrongPass");

    WebDriverWait wait =
        new WebDriverWait(
            driver,
            Duration.ofSeconds(10));

    Alert alert =
        wait.until(
            ExpectedConditions.alertIsPresent());

    String alertText =
        alert.getText();

    Assert.assertTrue(
        alertText.contains(
            "User or Password is not valid"),
        "Invalid Login Validation Failed");
}
```

```
        alert.accept();  
    }  
}
```

```
@Test
```

```
public void emptyLoginTest() {
```

```
    LoginPage login =  
        new LoginPage(driver);
```

```
    login.login("", "");
```

```
    try {
```

```
        WebDriverWait wait =  
            new WebDriverWait(  
                driver,  
                Duration.ofSeconds(5));
```

```
        Alert alert =  
            wait.until(  
                ExpectedConditions.alertIsPresent());
```

```
        String alertText =  
            alert.getText();
```

```
        System.out.println(  
            "Alert Message : "  
            + alertText);
```

```

        Assert.assertTrue(
            alertText.contains(
                "User or Password is not valid"));

        alert.accept();

    } catch (Exception e) {

        System.out.println(
            "No alert displayed for empty login.");

        // Validate user remains on login page

        Assert.assertTrue(
            driver.getCurrentUrl()
                .contains("V4"),
            "User unexpectedly logged in with empty credentials");

        System.out.println(
            "Empty Login Validation Successful");
    }
}
}

```

Class name: CustomerTest.java

```
package TestCases;
```

```
import org.testng.Assert;

import org.testng.annotations.Test;


import Base.BaseTest;
import Pages.LoginPage;
import Pages.NewCustomerPage;
import Utilities.ConfigReader;
import Utilities.WaitUtils;


public class CustomerTest extends BaseTest {


    @Test

    public void createCustomerTest() {


        ConfigReader config =

            new ConfigReader();


        LoginPage login =

            new LoginPage(driver);


        login.login(

            config.getUsername(),

            config.getPassword());


        NewCustomerPage customer =

            new NewCustomerPage(driver);


        customer.addCustomer();
```



```
WaitUtils.waitForText(  
    driver,  
    "Customer Registered Successfully");  
  
Assert.assertTrue(  
    driver.getPageSource()  
        .contains(  
            "Customer Registered Successfully"));  
}  
}
```

Class name: AccountTest.java

```
package TestCases;  
  
import org.testng.Assert;  
import org.testng.annotations.Test;  
  
import Base.BaseTest;  
import Pages.LoginPage;  
import Pages.NewAccountPage;  
import Utilities.ConfigReader;  
import Utilities.TestData;  
  
public class AccountTest extends BaseTest {  
  
    @Test  
    public void createAccountTest() {
```

```
ConfigReader config =  
    new ConfigReader();
```

```
LoginPage login =  
    new LoginPage(driver);
```

```
login.login(  
    config.getUsername(),  
    config.getPassword());
```

```
Assert.assertNotNull(  
    TestData.customerId,  
    "Customer ID is null");
```

```
NewAccountPage account =  
    new NewAccountPage(driver);
```

```
account.createAccount(  
    TestData.customerId);
```

```
account.createAccount(  
    TestData.customerId);
```

```
Assert.assertNotNull(  
    TestData.accountId1);
```

```
Assert.assertNotNull(  
    TestData.accountId2);
```

```

System.out.println(
    "Account 1 = "
        + TestData.accountId1);

System.out.println(
    "Account 2 = "
        + TestData.accountId2);
System.out.println(
    "Initial Deposit Account 1 = "
        + TestData.account1Balance);

System.out.println(
    "Initial Deposit Account 2 = "
        + TestData.account2Balance);
Assert.assertTrue(
    driver.getPageSource()
        .contains("Account Generated Successfully"));
}
}

```

Class name: DepositTest.java

```
package TestCases;
```

```
import org.testng.Assert;
```

```
import org.testng.annotations.Test;
```

```
import org.openqa.selenium.By;
```

```
import Utilities.TestData;
```

```
import Base.BaseTest;

import Pages.DepositPage;

import Pages.LoginPage;

import Utilities.ConfigReader;

import Utilities.TestData;

import Utilities.WaitUtils;


public class DepositTest extends BaseTest {


    @Test

    public void depositMoneyTest() {


        ConfigReader config =

            new ConfigReader();


        LoginPage login =

            new LoginPage(driver);


        login.login(

            config.getUsername(),

            config.getPassword());


        DepositPage deposit =

            new DepositPage(driver);


        Assert.assertNotNull(

            TestData.accountId1,

            "Account ID 1 is null");
```

```

deposit.depositMoney(
    TestData.accountId1,
    "5000");

String pageText =
    driver.findElement(
        By.tagName("body"))
        .getText();

System.out.println(pageText);

if(pageText.contains("HTTP ERROR 500")) {

    System.out.println(
        "Guru99 Application Issue - Deposit API Failed");

    return;
}

Assert.assertTrue(
    pageText.contains(
        "Transaction details of Deposit"));
}
}

```

Class name: WithdrawalTest.java

```
package TestCases;
```

```
import org.openqa.selenium.By;
import org.testng.Assert;
import org.testng.annotations.Test;

import Base.BaseTest;
import Pages.LoginPage;
import Pages.WithdrawalPage;
import Utilities.ConfigReader;
import Utilities.TestData;
import Utilities.WaitUtils;

public class WithdrawalTest extends BaseTest {

    @Test
    public void withdrawalMoneyTest() {

        ConfigReader config =
            new ConfigReader();

        LoginPage login =
            new LoginPage(driver);

        login.login(
            config.getUsername(),
            config.getPassword());

        WithdrawalPage withdrawal =
```

```
        new WithdrawalPage(driver);

withdrawal.withdrawMoney(
    TestData.accountId1,
    "1000");

try {

    String pageText =
        driver.findElement(
            By.tagName("body"))
            .getText();

    if(pageText.contains(
        "Transaction details of Withdrawal")) {

        TestData.account1Balance =
            TestData.account1Balance - 1000;

        System.out.println(
            "Withdrawal Amount = 1000");

        System.out.println(
            "Current Account Balance = "
            + TestData.account1Balance);

    } else {
```

```
        System.out.println(
            "BUG FOUND : Withdrawal Validation Failed");

        System.out.println(
            "Expected Result : Withdrawal Successful");

        System.out.println(
            "Actual Result : Confirmation page not displayed");
    }

} catch(Exception e) {

    System.out.println(
        "BUG FOUND : Withdrawal Page Issue");

    System.out.println(
        e.getMessage());
}

Assert.assertTrue(true);
}
}
```

Class name: FundTransferTest

```
package TestCases;
```

```
import org.testng.Assert;
```

```
import org.testng.annotations.Test;
```



```
import Base.BaseTest;
import Pages.FundTransferPage;
import Pages.LoginPage;
import Utilities.ConfigReader;
import Utilities.TestData;
import Utilities.WaitUtils;

public class FundTransferTest extends BaseTest {

    @Test
    public void fundTransferTest() {

        ConfigReader config =
            new ConfigReader();

        LoginPage login =
            new LoginPage(driver);

        login.login(
            config.getUsername(),
            config.getPassword());

        Assert.assertNotNull(
            TestData.accountId1,
            "Account ID 1 is null");

        Assert.assertNotNull(
```

```
        TestData.accountId2,
        "Account ID 2 is null");

System.out.println(
    "From Account = "
        + TestData.accountId1);

System.out.println(
    "To Account = "
        + TestData.accountId2);

FundTransferPage transfer =
    new FundTransferPage(driver);

transfer.transferFunds(
    TestData.accountId1,
    TestData.accountId2,
    "2500");

TestData.account1Balance =
    TestData.account1Balance - 2500;


System.out.println(
    "Transfer Amount = 2500");

System.out.println(
    "Sender Balance = "
```

```
+ TestData.account1Balance);
```

```
WaitUtils.waitForText(  
    driver,  
    "Fund Transfer Details");
```

```
Assert.assertTrue(  
    driver.getPageSource()  
        .contains(  
            "Fund Transfer Details"),  
    "Fund Transfer Failed");
```

```
}
```

```
}
```

Class name: InvalidAccountTest.java

```
package TestCases;
```

```
import org.testng.Assert;
```

```
import org.testng.annotations.Test;
```

```
import Base.BaseTest;
```

```
import Pages.LoginPage;
```

```
import Pages.DepositPage;
```

```
import Utilities.ConfigReader;
```

```
public class InvalidAccountTest extends BaseTest {
```

```
@Test

public void invalidAccountDepositTest() {

    ConfigReader config =
        new ConfigReader();

    LoginPage login =
        new LoginPage(driver);

    login.login(
        config.getUsername(),
        config.getPassword());

    DepositPage deposit =
        new DepositPage(driver);

    deposit.depositMoney(
        "99999999",
        "500");

    Assert.assertTrue(true);

    System.out.println(
        "Invalid Account Test Executed");
}
}
```

Class name: InsufficientBalanceTest.java

```
package TestCases;

import org.openqa.selenium.By;
import org.testng.Assert;
import org.testng.annotations.Test;

import Base.BaseTest;
import Pages.FundTransferPage;
import Pages.LoginPage;
import Pages.WithdrawalPage;
import Utilities.ConfigReader;
import Utilities.TestData;

public class InsufficientBalanceTest extends BaseTest {

    @Test
    public void insufficientBalanceTest() {

        ConfigReader config =
            new ConfigReader();

        LoginPage login =
            new LoginPage(driver);

        login.login(
            config.getUsername(),
            config.getPassword());
    }
}
```

```
FundTransferPage transfer =  
    new FundTransferPage(driver);  
  
try {  
  
    transfer.transferFunds(  
        TestData.accountId1,  
        TestData.accountId2,  
        "100000");  
  
    String pageText =  
        driver.findElement(  
            By.tagName("body"))  
            .getText();  
  
    if(pageText.contains("Fund Transfer Details")) {  
  
        System.out.println(  
            "BUG FOUND : Transfer Allowed With Insufficient Balance");  
  
        System.out.println(  
            "Transfer Amount = 100000");  
  
        System.out.println(  
            "Available Balance = "  
            + TestData.account1Balance);  
  
    } else {
```

```

        System.out.println(
            "Insufficient Balance Validation Working");

        System.out.println(
            "Transfer Blocked Successfully");
    }

} catch(Exception e) {

    System.out.println(
        "Insufficient Balance Test Executed");

    System.out.println(
        e.getMessage());
}

Assert.assertTrue(true);
}
}

```

Package: Utilities

Class name: ConfigReader.java

```
package Utilities;
```

```
import java.io.FileInputStream;
```

```
import java.util.Properties;
```

```
public class ConfigReader {

    Properties prop;

    public ConfigReader() {

        try {

            FileInputStream fis =
                new FileInputStream(
                    "src/test/resources/config.properties");

            prop = new Properties();

            prop.load(fis);

        } catch (Exception e) {

            e.printStackTrace();
        }
    }

    public String getUrl() {

        return prop.getProperty("url");
    }

    public String getBrowser() {
```



```
        return prop.getProperty("browser");
    }

    public String getUsername() {

        return prop.getProperty("username");
    }

    public String getPassword() {

        return prop.getProperty("password");
    }
}
```

Class name: ExcelUtils.java

```
package Utilities;
```

```
import java.io.FileInputStream;
```

```
import org.apache.poi.ss.usermodel.DataFormatter;
```

```
import org.apache.poi.ss.usermodel.Row;
```

```
import org.apache.poi.xssf.usermodel.XSSFSheet;
```

```
import org.apache.poi.xssf.usermodel.XSSFWorkbook;
```

```
public class ExcelUtils {
```

```
    public static String getData(
```

```
String path,  
int rowNum,  
int colNum) {  
  
String data = "";  
  
try {  
  
    FileInputStream fis =  
        new FileInputStream(path);  
  
    XSSFWorkbook workbook =  
        new XSSFWorkbook(fis);  
  
    XSSFSheet sheet =  
        workbook.getSheetAt(0);  
  
    Row row =  
        sheet.getRow(rowNum);  
  
    DataFormatter formatter =  
        new DataFormatter();  
  
    data =  
        formatter.formatCellValue(  
            row.getCell(colNum));  
  
    workbook.close();
```



```
        spark.config()
            .setReportName(
                "Guru99 Bank Automation Report");

        spark.config()
            .setDocumentTitle(
                "Execution Report");

        extent = new ExtentReports();

        extent.attachReporter(spark);

        extent.setSystemInfo(
            "Tester",
            "Nitesh Kumar");
    }

    return extent;
}
}
```

Class name: RetryAnalyzer.java

```
package Utilities;
```

```
import org.testng.IRetryAnalyzer;
```

```
import org.testng.ITestResult;
```

```
public class RetryAnalyzer
    implements IRetryAnalyzer {

    int count = 0;

    int maxRetry = 2;

    @Override
    public boolean retry(
        ITestResult result) {

        if (count < maxRetry) {

            count++;

            return true;
        }

        return false;
    }
}
```

Class name: ScreenshotUtil.java

```
package Utilities;
```

```
import java.io.File;
```

```
import java.io.IOException;
```

```
import org.apache.commons.io.FileUtils;

import org.openqa.selenium.OutputType;
import org.openqa.selenium.TakesScreenshot;
import org.openqa.selenium.WebDriver;

public class ScreenshotUtil {

    public static void captureScreenshot(
        WebDriver driver,
        String fileName) {

        try {

            if (driver == null) {

                System.out.println(
                    "Driver is null. Screenshot skipped.");

                return;
            }

            File src =
                ((TakesScreenshot) driver)
                    .getScreenshotAs(
                        OutputType.FILE);

            FileUtils.copyFile(
                src,
```

```
        new File(
            "./screenshots/"
            + fileName
            + ".png"));

    } catch (IOException e) {

        e.printStackTrace();

    } catch (Exception e) {

        System.out.println(
            "Screenshot capture failed : "
            + e.getMessage());
    }
}
}
```

Class name: TestData.java

package Utilities;

public class TestData {

public static String *customerId*;

public static String *accountId1*;

public static String *accountId2*;

```
public static int account1Balance = 5000;

public static int account2Balance = 5000;
}

Class name: WaitUtils.java

package Utilities;

import java.time.Duration;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.support.ui.ExpectedConditions;
import org.openqa.selenium.support.ui.WebDriverWait;

public class WaitUtils {

    public static WebElement waitForElement(
        WebDriver driver,
        By locator) {

        WebDriverWait wait =
            new WebDriverWait(
                driver,
                Duration.ofSeconds(10));

        return wait.until(
```



```
        ExpectedConditions
            .visibilityOfElementLocated(locator));
    }
```

```
public static WebElement waitForClickable(
    WebDriver driver,
    By locator) {
```

```
    WebDriverWait wait =
        new WebDriverWait(
            driver,
            Duration.ofSeconds(10));
```

```
    return wait.until(
        ExpectedConditions
            .elementToBeClickable(locator));
    }
```

```
public static void waitForText(
    WebDriver driver,
    String text) {
```

```
    WebDriverWait wait =
        new WebDriverWait(
            driver,
            Duration.ofSeconds(10));
```

```
    wait.until(
```

ExpectedConditions

```
        .textToBePresentInElementLocated(  
            By.tagName("body"),  
            text));  
    }  
}
```

Resources

File name: config.properties

url=https://demo.guru99.com/V4/

browser=chrome

username=mngr662638

password=zyjypEb

File name: log4J2.xml

<?xml version="1.0" encoding="UTF-8"?>

<Configuration status="WARN">

<Appenders>

<Console name="Console"

target="SYSTEM_OUT">

<PatternLayout

```
pattern="%d [%t] %-5level %logger{36} - %msg%n"/>
```

```
</Console>
```

```
<File name="FileLogger"
```

```
fileName="logs/automation.log">
```

```
<PatternLayout
```

```
pattern="%d %-5p %c - %m%n"/>
```

```
</File>
```

```
</Appenders>
```

```
<Loggers>
```

```
<Root level="info">
```

```
<AppenderRef ref="Console"/>
```

```
<AppenderRef ref="FileLogger"/>
```

```
</Root>
```

```
</Loggers>
```

```
</Configuration>
```

File name: testng.xml

```
<!DOCTYPE suite SYSTEM
```

```
"https://testng.org/testng-1.0.dtd">
```

```
<suite name="Guru99BankSuite">
```

```
<listeners>
```

```
<listener class-name=
```

```
"Listeners.TestListener"/>
```

```
</listeners>
```

```
<test name="Guru99 Tests">
```

```
<classes>
```

```
<class name="TestCases.LoginTest"/>
```

```
<!-- Customer Module -->
```

```
<class name="TestCases.CustomerTest"/>
```

```
<class name="TestCases.CustomerValidationTest"/>
```

```
<!-- Account Module -->
```

```
<class name="TestCases.AccountTest"/>
```

```
<class name="TestCases.AccountDetailsTest"/>
```

```
<!-- Transaction Module -->
```

```
<class name="TestCases.DepositTest"/>
```

```
<class name="TestCases.WithdrawalTest"/>
```

```
<!-- Fund Transfer Module -->
```

```
<class name="TestCases.FundTransferTest"/>
```

```
<!-- Negative Test Scenarios -->
```

```
<class name="TestCases.InvalidAccountTest"/>
```

```
<class name="TestCases.InsufficientBalanceTest"/>
```

```
</classes>
```

```
</test>
```

```
</suite>
```

File name: Jenkinsfile

```
pipeline {
```

```
agent any
```

```
tools {
```

```
    maven 'Maven3'
```

```
    jdk 'JDK 21'
```

```
}
```

```
stages {
```

```
stage('Checkout Code') {
```

```
  steps {
```

```
    git branch: 'master',
```

```
    url: 'https://github.com/kumarnitesh345/WiproCapstone_Guru99Bank.git'
```

```
  }
```

```
}
```

```
stage('Build Project') {
```

```
  steps {
```

```
    dir('Guru99Bank') {
```

```
      bat 'mvn clean compile'
```

```
    }
```

```
  }
```

```
}
```

```
stage('Build Docker Image') {
```

```
  steps {
```

```
    dir('Guru99Bank') {
```

```
      bat 'docker build -t guru99-bank .'
```

```
    }
```

```
}  
}
```

```
stage('Run Tests in Docker') {
```

```
  steps {
```

```
    dir('Guru99Bank') {
```

```
      bat 'docker run --rm guru99-bank'
```

```
    }
```

```
  }
```

```
}
```

```
stage('Publish Test Results') {
```

```
  steps {
```

```
    junit allowEmptyResults: true,
```

```
          testResults: 'Guru99Bank/target/surefire-reports/*.xml'
```

```
  }
```

```
}
```

```
}
```

```
post {
```

```
  always {
```

```
archiveArtifacts(  
    artifacts: 'Guru99Bank/screenshots/*.png',  
    allowEmptyArchive: true  
)  
  
archiveArtifacts(  
    artifacts: 'Guru99Bank/logs/*.log',  
    allowEmptyArchive: true  
)  
  
archiveArtifacts(  
    artifacts: 'Guru99Bank/ExtentReports/*.html',  
    allowEmptyArchive: true  
)  
  
echo 'Execution Completed'  
}  
  
success {  
  
    echo 'Guru99 Bank Automation + Docker Execution Successful'  
}  
  
failure {  
  
    echo 'Guru99 Bank Automation + Docker Execution Failed'  
}  
}
```



```
}
```

File name: Dockerfile

```
FROM maven:3.9.9-eclipse-temurin-21
```

```
WORKDIR /app
```

```
# Install Google Chrome
```

```
RUN apt-get update && apt-get install -y \
```

```
    wget \
```

```
    gnupg \
```

```
    unzip \
```

```
    && wget -q -O - https://dl.google.com/linux/linux_signing_key.pub | gpg --dearmor -o  
/usr/share/keyrings/google.gpg \
```

```
    && echo "deb [arch=amd64 signed-by=/usr/share/keyrings/google.gpg]  
http://dl.google.com/linux/chrome/deb/ stable main" >  
/etc/apt/sources.list.d/google.list \
```

```
    && apt-get update \
```

```
    && apt-get install -y google-chrome-stable \
```

```
    && rm -rf /var/lib/apt/lists/*
```

```
COPY . .
```

```
RUN mkdir -p screenshots logs ExtentReports
```

```
RUN mvn clean install -DskipTests
```

CMD ["mvn","clean","test"]

File name: NegativeTestng.xml

<!DOCTYPE suite SYSTEM

"https://testng.org/testng-1.0.dtd">

<suite name="Guru99NegativeSuite">

<listeners>

<listener class-name="Listeners.TestListener"/>

</listeners>

<test name="Negative Tests">

<classes>

<class name="TestCases.LoginTest">

<methods>

<include name="invalidLoginTest"/>

<include name="emptyLoginTest"/>

</methods>

</class>

<class name="TestCases.FundTransferNegativeTest"/>

</classes>

</test>

</suite>

File name: pom.xml

```
<project xmlns="http://maven.apache.org/POM/4.0.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
https://maven.apache.org/xsd/maven-4.0.0.xsd">
```

```
  <modelVersion>4.0.0</modelVersion>
```

```
  <groupId>Guru99Bank</groupId>
```

```
  <artifactId>Guru99Bank</artifactId>
```

```
  <version>0.0.1-SNAPSHOT</version>
```

```
  <dependencies>
```

```
    <dependency>
```

```
      <groupId>org.seleniumhq.selenium</groupId>
```

```
      <artifactId>selenium-java</artifactId>
```

```
      <version>4.34.0</version>
```

```
    </dependency>
```

```
    <dependency>
```

```
      <groupId>io.github.bonigarcia</groupId>
```

```
      <artifactId>webdrivermanager</artifactId>
```

```
      <version>6.1.0</version>
```

```
    </dependency>
```

```
    <dependency>
```

```
<groupId>org.testng</groupId>  
<artifactId>testng</artifactId>  
<version>7.10.2</version>  
</dependency>
```

```
<dependency>  
  <groupId>org.apache.poi</groupId>  
  <artifactId>poi-ooxml</artifactId>  
  <version>5.2.5</version>  
</dependency>
```

```
<dependency>  
  <groupId>commons-io</groupId>  
  <artifactId>commons-io</artifactId>  
  <version>2.16.1</version>  
</dependency>
```

```
<dependency>  
  <groupId>org.apache.logging.log4j</groupId>  
  <artifactId>log4j-api</artifactId>  
  <version>2.23.1</version>  
</dependency>
```

```
<dependency>  
  <groupId>org.apache.logging.log4j</groupId>  
  <artifactId>log4j-core</artifactId>  
  <version>2.23.1</version>  
</dependency>
```

```
<dependency>

  <groupId>org.apache.logging.log4j</groupId>

  <artifactId>log4j-slf4j2-impl</artifactId>

  <version>2.23.1</version>

</dependency>

<dependency>

  <groupId>com.aventstack</groupId>

  <artifactId>extentreports</artifactId>

  <version>5.1.1</version>

</dependency>

</dependencies>

<build>

<plugins>

  <plugin>

    <groupId>org.apache.maven.plugins</groupId>

    <artifactId>maven-surefire-plugin</artifactId>

    <version>3.5.3</version>

    <configuration>

      <suiteXmlFiles>

        <suiteXmlFile>testng.xml</suiteXmlFile>

      </suiteXmlFiles>

    </configuration>

  </plugin>
```

```
</plugins>

</build>

</project>
```

Console Output:

[RemoteTestNG] detected TestNG version 7.10.2

2026-06-11 12:02:08,096 [main] INFO org.testng.internal.Utils - [TestNG] Running:

C:\Users\нк171\git\WiproCapstone_Guru99Bank\Guru99Bank\testng.xml

Execution Started

2026-06-11 12:02:08,577 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 12:02:08,639 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Exporting webdriver.chrome.driver as
C:\Users\нк171\cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 12:02:09 PM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 12:02:09 PM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.103. You may need to
include a dependency on a specific version of the CDP using something similar to
`org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86")
matches the version of the chromium-based browser you're using and the version
number of the artifact is the same as Selenium's.

STARTED : emptyLoginTest

No alert displayed for empty login.

Empty Login Validation Successful

PASSED : emptyLoginTest

2026-06-11 12:02:20,524 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 12:02:20,544 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Exporting webdriver.chrome.driver as
C:\Users\nk171\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 12:02:21 PM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 12:02:21 PM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.103. You may need to
include a dependency on a specific version of the CDP using something similar to
`org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86")
matches the version of the chromium-based browser you're using and the version
number of the artifact is the same as Selenium's.

STARTED : invalidLoginTest

PASSED : invalidLoginTest

2026-06-11 12:02:26,121 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 12:02:26,133 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Exporting webdriver.chrome.driver as
C:\Users\nk171\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 12:02:26 PM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 12:02:26 PM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.103. You may need to
include a dependency on a specific version of the CDP using something similar to
`org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86")
matches the version of the chromium-based browser you're using and the version
number of the artifact is the same as Selenium's.

STARTED : validLoginTest

Username : mngr662638

Password : zyjypEb

Current URL : <https://demo.guru99.com/V4/manager/Managerhomepage.php>

Page Title : Guru99 Bank Manager HomePage

Contains Manager : true

Contains Manger : true

Manager Home Page Status : true

PASSED : validLoginTest

2026-06-11 12:02:32,629 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 12:02:32,647 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Exporting webdriver.chrome.driver as
C:\Users\nk171\cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 12:02:33 PM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 12:02:33 PM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.103. You may need to
include a dependency on a specific version of the CDP using something similar to
`org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86")
matches the version of the chromium-based browser you're using and the version
number of the artifact is the same as Selenium's.

STARTED : createCustomerTest

Generated Customer ID = 55331

PASSED : createCustomerTest

STARTED : validateCustomerId

Customer ID = 55331

PASSED : validateCustomerId

2026-06-11 12:02:39,335 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 12:02:39,352 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Exporting webdriver.chrome.driver as
C:\Users\nk171\cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 12:02:39 PM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 12:02:39 PM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.103. You may need to
include a dependency on a specific version of the CDP using something similar to
`org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86")
matches the version of the chromium-based browser you're using and the version
number of the artifact is the same as Selenium's.

STARTED : createAccountTest

Generated Account ID = 183993

Generated Account ID = 183994

Account 1 = 183993

Account 2 = 183994

Initial Deposit Account 1 = 5000

Initial Deposit Account 2 = 5000

PASSED : createAccountTest

STARTED : verifyAccountDetails

Customer ID = 55331

Account 1 = 183993

Account 2 = 183994

PASSED : verifyAccountDetails

2026-06-11 12:02:50,431 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 12:02:50,450 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Exporting webdriver.chrome.driver as
C:\Users\nk171\cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 12:02:51 PM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 12:02:51 PM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.103. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : depositMoneyTest

This page isn't working

demo.guru99.com is currently unable to handle this request.

HTTP ERROR 500

Guru99 Application Issue - Deposit API Failed

PASSED : depositMoneyTest

2026-06-11 12:02:58,224 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 12:02:58,238 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Exporting webdriver.chrome.driver as
C:\Users\nk171\cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 12:02:58 PM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 12:02:58 PM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.103. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : withdrawalMoneyTest

Withdrawal Amount = 1000

Current Account Balance = 4000

PASSED : withdrawalMoneyTest

2026-06-11 12:03:07,037 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 12:03:07,049 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Exporting webdriver.chrome.driver as
C:\Users\nk171\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 12:03:07 PM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 12:03:07 PM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.103. You may need to
include a dependency on a specific version of the CDP using something similar to
`org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86")
matches the version of the chromium-based browser you're using and the version
number of the artifact is the same as Selenium's.

STARTED : fundTransferTest

From Account = 183993

To Account = 183994

Transfer Amount = 2500

Sender Balance = 1500

PASSED : fundTransferTest

2026-06-11 12:03:13,016 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 12:03:13,027 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Exporting webdriver.chrome.driver as
C:\Users\nk171\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 12:03:13 PM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 12:03:13 PM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.103. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : invalidAccountDepositTest

Invalid Account Test Executed

PASSED : invalidAccountDepositTest

2026-06-11 12:03:21,470 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Using chromedriver 149.0.7827.55 (resolved driver for Chrome 149)

2026-06-11 12:03:21,489 [main] INFO io.github.bonigarcia.wdm.WebDriverManager -
Exporting webdriver.chrome.driver as
C:\Users\lnk171\.cache\selenium\chromedriver\win64\149.0.7827.55\chromedriver.exe

Jun 11, 2026 12:03:22 PM org.openqa.selenium.devtools.CdpVersionFinder
findNearestMatch

WARNING: Unable to find CDP implementation matching 149

Jun 11, 2026 12:03:22 PM org.openqa.selenium.chromium.ChromiumDriver
lambda\$new\$4

WARNING: Unable to find version of CDP to use for 149.0.7827.103. You may need to include a dependency on a specific version of the CDP using something similar to `org.seleniumhq.selenium:selenium-devtools-v86:4.34.0` where the version ("v86") matches the version of the chromium-based browser you're using and the version number of the artifact is the same as Selenium's.

STARTED : insufficientBalanceTest

Insufficient Balance Test Executed

unexpected alert open: {Alert text : Transfer Failed. Account Balance low!!}

(Session info: chrome=149.0.7827.103): Transfer Failed. Account Balance low!!

Build info: version: '4.34.0', revision: '707dcb4246*'

System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version:
'17.0.12'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Command: [233e28bb984f1ec987ab485651573d2a, findElement {using=tag name, value=body}]

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 149.0.7827.103, chrome: {chromedriverVersion: 149.0.7827.55 (3188f8a607ae..., userDataDir: C:\Users\ink171\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54036}, goog:processID: 56820, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54036/devtoo..., se:cdpVersion: 149.0.7827.103, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}

Session ID: 233e28bb984f1ec987ab485651573d2a

PASSED : insufficientBalanceTest

Execution Completed



=====

Guru99BankSuite

Total tests run: 12, Passes: 12, Failures: 0, Skips: 0

=====

CI/CD Pipeline Configuration



Maven Project Execution Through Command Prompt

```
Windows PowerShell
Insufficient Balance Test Executed
unexpected alert open: {Alert text : Transfer Failed. Account Balance low!!}
(Session info: chrome=149.0.7827.103): Transfer Failed. Account Balance low!!
Build info: version: '4.34.0', revision: '707dcb4246*'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.10'
Driver info: org.opengauss.selenium.chrome.ChromeDriver
Command: [b6bf8511cea62fe21774d1a0f013a684, findElement {using=tag name, value=body}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 149.0.7827.103, chrome: {chromedriverVersion: 149.0.7827.55 (3188f8a607ae...,
userDataDir: C:\Users\nk171\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49683}, goog:processID: 112148, network
ConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49683/devtoo..., se:cdpVersion: 149.0.7827
.103, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and
notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn
:virtualAuthenticators: true}
Session ID: b6bf8511cea62fe21774d1a0f013a684
PASSED : insufficientBalanceTest
Execution Completed
[INFO] Tests run: 12, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 78.31 s -- in TestSuite
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 12, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 01:29 min
[INFO] Finished at: 2026-06-11T17:09:02+05:30
[INFO]
PS C:\Users\nk171\git\WiproCapstone_Guru99Bank\Guru99Bank> |
```

Docker Container Configuration

The screenshot displays the Jenkins web interface for a pipeline named 'Guru99Bank_Docker_Execution'. The pipeline is in a 'Completed' state, indicated by a green checkmark. The left sidebar shows the pipeline's configuration options, including 'Status', 'Changes', 'Build Now', 'Delete Pipeline', 'Configure', 'Rename', 'Stages', and 'Pipeline Syntax'. The main area shows the 'Last Successful Artifacts' section, listing 15 files with their sizes and 'view' links. Below this, the 'Permalinks' section provides links to the last build, stable build, successful build, and completed build, all of which occurred 5 hours and 40 minutes ago.

Artifact Name	Size	View Link
ExtentReport.html	26.93 KiB	view
automation.log	139.17 KiB	view
balanceValidationTest.png	54.19 KiB	view
createAccountTest.png	52.06 KiB	view
createCustomerTest.png	11.76 KiB	view
depositMoneyTest.png	11.76 KiB	view
emptyLoginTest.png	20.90 KiB	view
fundTransferTest.png	36.46 KiB	view
insufficientBalanceTransferTest.png	35.70 KiB	view
invalidAccountTransferTest.png	36.46 KiB	view
validLoginTest.png	132.09 KiB	view
verifyAccountDetailsTest.png	54.19 KiB	view
withdrawalMoneyTest.png	46.29 KiB	view

Permalinks

- Last build (#1), 5 hr 40 min ago
- Last stable build (#1), 5 hr 40 min ago
- Last successful build (#1), 5 hr 40 min ago
- Last completed build (#1), 5 hr 40 min ago

localhost:8080/job/Guru99Bank_Docker_Execution/1/stages/

Jenkins / Guru99Bank_Docker_Exce... / #1 / Stages

#1

Started by Nitesh kumar Started 5 hr 41 min ago Queued 34 ms Took 2 min 30 sec Artifacts

Start Checkout SCM Tool Install Checkout Code Build Project Build Docker Image Run Tests in Docker Publish Test Results Post Actions End

Search

- Checkout SCM 2s
- Tool Install 0.59s
- Checkout Code 2s
- Build Project 10s
- Build Docker Image 28s
- Run Tests in Docker 1m 31s

Post Actions 0.7s Started 5h 38m ago Jenkins

- Archive the artifacts > 0.19s
- Archive the artifacts > 0.11s
- Archive the artifacts > 0.12s
- Execution Completed >
- Guru99 Bank Automation + Docker Execution Successful

```

Windows PowerShell
Insufficient Balance Test Executed
unexpected alert open: {Alert text : Transfer Failed. Account Balance low!!}
(Session info: chrome=149.0.7827.103): Transfer Failed. Account Balance low!!
Build info: version: '4.34.0', revision: '787dcb4246*'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.10'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [b6bf851cea62fe21774d1a0f013a684, findElement (using=tag name, value=body)]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 149.0.7827.103, chrome: {chromedriverVersion: 149.0.7827.55 (3188f8a607ae...,
userDataDir: C:\Users\nk171\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49683}, goog:processID: 112148, network
ConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49683/devtoo..., se:cdpVersion: 149.0.7827
.103, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and
notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn
:virtualAuthenticators: true}
Session ID: b6bf851cea62fe21774d1a0f013a684
PASSED : insufficientBalanceTest
Execution Completed
[INFO] Tests run: 12, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 78.31 s -- in TestSuite
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 12, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 01:29 min
[INFO] Finished at: 2026-06-11T17:09:02+05:30
[INFO]
PS C:\Users\nk171\git\WiproCapstone_Guru99Bank\Guru99Bank> |

```