```
<!DOCTYPE html><html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Happy Birthday 🎉 </title>
 <style>
  body {
   margin: 0;
   height: 100vh;
   display: flex;
   justify-content: center;
   align-items: center;
   background: linear-gradient(135deg, #ffdde1, #ee9ca7);
   font-family: 'Comic Sans MS', cursive;
   overflow: hidden;
  }.card {
 text-align: center;
 background: white;
 padding: 40px;
 border-radius: 20px;
 box-shadow: 0 10px 30px rgba(0, 0, 0, 0.2);
 position: relative;
 z-index: 2;
 animation: fadeIn 2s ease-in-out;
}
.card h1 {
 font-size: 2.5rem;
 color: #e91e63;
 margin-bottom: 10px;
 animation: bounce 2s infinite;
}
.card p {
 font-size: 1.2rem;
 color: #333;
 margin-top: 10px;
 animation: fadeInUp 2s ease-in-out;
}
/* Floating balloons */
.balloon {
 position: absolute;
 bottom: -150px;
 width: 60px;
```

```
height: 80px;
 border-radius: 50%;
 background-color: red;
 animation: float 8s ease-in-out infinite;
}
.balloon::after {
 content: "";
 position: absolute;
 bottom: -40px;
 left: 50%;
 width: 2px;
 height: 40px;
 background: #555;
}
@keyframes float {
 0% { transform: translateY(0) rotate(0deg); }
 50% { transform: translateY(-400px) rotate(10deg); }
 100% { transform: translateY(0) rotate(0deg); }
}
@keyframes fadeIn {
 from { opacity: 0; transform: scale(0.8); }
 to { opacity: 1; transform: scale(1); }
}
@keyframes fadeInUp {
 from { opacity: 0; transform: translateY(30px); }
 to { opacity: 1; transform: translateY(0); }
}
@keyframes bounce {
 0%, 100% { transform: translateY(0); }
 50% { transform: translateY(-10px); }
}
 </style>
</head>
<body>
 <div class="card">
  <h1>🎉 Happy Birthday My Dear Friend 💖</h1>
  <e May your special day be filled with joy, love & laughter <a href="#">6

→ Sending you hugs, smiles & endless blessings 
→
```

```
</div> <!-- Balloons --> <div class="balloon" style="left: 10%; background: #ff4d6d; animation-delay: 0s;">
</div>
 <div class="balloon" style="left: 30%; background: #ffd166; animation-delay: 2s;"></div>
 <div class="balloon" style="left: 50%; background: #06d6a0; animation-delay: 4s;"></div>
 <div class="balloon" style="left: 70%; background: #118ab2; animation-delay: 6s;"></div>
 <div class="balloon" style="left: 90%; background: #9b5de5; animation-delay: 3s;"></div> <script>
  // Add confetti effect 🎊
  function createConfetti() {
   const confetti = document.createElement("div");
   confetti.innerHTML = "\(\frac{1}{2}\)";
   confetti.style.position = "absolute";
   confetti.style.fontSize = Math.random() * 20 + 10 + "px";
   confetti.style.left = Math.random() * window.innerWidth + "px";
   confetti.style.top = "-20px";
   confetti.style.animation = "fall 5s linear forwards";
   document.body.appendChild(confetti);
   setTimeout(() => confetti.remove(), 5000);
  }
  setInterval(createConfetti, 300);
  // Falling confetti animation
  const style = document.createElement('style');
  style.innerHTML = `
   @keyframes fall {
    to {
     transform: translateY(${window.innerHeight}px) rotate(360deg);
     opacity: 0;
    }
  }
  document.head.appendChild(style);
 </script></body>
</html>
```