

Assignment 5 — MySQL Solutions

Corrected, clean, GitHub-ready SQL reference

Important Corrections

Original issue	Correct form
insert into employee (values...)	INSERT INTO employee VALUES (...)
update from employee ...	UPDATE employee SET ...
WHERE placed before GROUP BY	GROUP BY ... HAVING ...
group by department	GROUP BY emp_department
LIKE written with =	Use LIKE with % / _ wildcards
SELECT emp_city with GROUP BY emp_department	GROUP BY emp_city when counting cities
SELECT emp_department AVG(...)	SELECT emp_department, AVG(...)

1. Insert Employee Data

```
INSERT INTO employee
VALUES
(101, 'Aditya', 19, 'IT', 60000, 'Delhi'),
(102, 'Aman', 20, 'HR', 65000, 'Delhi'),
(103, 'Arun', 22, 'IT', 68000, 'Lucknow'),
(104, 'Anil', 21, 'CSE', 70000, 'Hydrabad'),
(105, 'Saurabh', 21, 'CSD', 960000, 'Sitapur'),
(106, 'Shivam', 21, 'IT', 899999, 'Jaunpur'),
(107, 'Krishna', 22, 'HR', 78000, 'Lucknow'),
(108, 'Adarsh', 22, 'CSE', 69000, 'Delhi'),
(109, 'Chandan', 21, 'IT', 80000, 'Ballia'),
(110, 'Sunil', 21, 'IT', 90000, 'Jaunpur');
```

2. Find Employee from Sitapur

```
SELECT emp_name
FROM employee
WHERE emp_city = 'Sitapur';
```

3. Update Saurabh's Salary

```
UPDATE employee
SET emp_salary = 10000000
WHERE emp_name = 'Saurabh';
```

4. Update Employee Name

```
UPDATE employee
SET emp_name = 'XYZ'
WHERE emp_id = 104;
```

5. Employees with Salary > 70000

```
SELECT *
FROM employee
WHERE emp_salary > 70000;
```

6. Employees in IT Department

```
SELECT *
FROM employee
WHERE emp_department = 'IT';
```

7. Employees from Lucknow

```
SELECT *
FROM employee
WHERE emp_city = 'Lucknow';
```

8. Salary Between 70000 and 90000

```
SELECT *
FROM employee
WHERE emp_salary > 70000
    AND emp_salary < 90000;
```

9. Names Starting with A

```
SELECT *
FROM employee
WHERE emp_name LIKE 'A%';
```

10. Names Ending with a

```
SELECT *
FROM employee
WHERE emp_name LIKE '%a';
```

11. Employees in IT or HR

```
SELECT *
FROM employee
WHERE emp_department = 'IT'
    OR emp_department = 'HR';
```

12. Age > 21 and Salary > 70000

```
SELECT *
FROM employee
WHERE emp_age > 21
    AND emp_salary > 70000;
```

13. Delete Employee by ID

```
DELETE FROM employee
WHERE emp_id = 110;
```

14. Delete Employee by Name

```
DELETE FROM employee
WHERE emp_name = 'Aditya';
```

15. Sort Employees by Salary — Ascending

```
SELECT *
FROM employee
ORDER BY emp_salary ASC;
```

16. Sort Employees by Salary — Descending

```
SELECT *
FROM employee
ORDER BY emp_salary DESC;
```

17. Count Employees by Department

```
SELECT emp_department, COUNT(emp_name)
FROM employee
GROUP BY emp_department;
```

18. Average Salary by Department

```
SELECT emp_department, AVG(emp_salary)
FROM employee
GROUP BY emp_department;
```

19. Maximum Salary by Department

```
SELECT emp_department, MAX(emp_salary) AS max_salary
FROM employee
GROUP BY emp_department;
```

20. Departments Having More Than 2 Employees

```
SELECT emp_department
FROM employee
GROUP BY emp_department
HAVING COUNT(emp_name) > 2;
```

21. Departments with Average Salary > 70000

```
SELECT emp_department
FROM employee
GROUP BY emp_department
HAVING AVG(emp_salary) > 70000;
```

22. Departments Ordered by Average Salary

```
SELECT emp_department
FROM employee
GROUP BY emp_department
ORDER BY AVG(emp_salary) ASC;
```

23. Average Salary by Department — Named Column

```
SELECT emp_department,
       AVG(emp_salary) AS avg_salary
FROM employee
GROUP BY emp_department
ORDER BY AVG(emp_salary) ASC;
```

24. Number of Employees by City

```
SELECT emp_city,
       COUNT(emp_name) AS Number_Of_emp
FROM employee
GROUP BY emp_city;
```

25. Cities Having More Than 1 Employee

```
SELECT emp_city
FROM employee
GROUP BY emp_city
HAVING COUNT(emp_name) > 1;
```