## CS 224n Assignment #2: Written Assignment

## Yoshihiro Kumazawa

May 27, 2020

(a)
$$-\sum_{w \in Vocab} y_w \log(\hat{y}_w) = \sum_{w=o} \log(\hat{y}_w) = \log(\hat{y}_o).$$

(b)  $\frac{\partial}{\partial \boldsymbol{v}_{c}} \boldsymbol{J}_{\text{naive-softmax}}(\boldsymbol{v}_{c}, o, \boldsymbol{U}) = \frac{\partial}{\partial \boldsymbol{v}_{c}} \left( -\log \left( \frac{\exp(\boldsymbol{u}_{o}^{\top} \boldsymbol{v}_{c})}{\sum_{w \in Vocab} \exp(\boldsymbol{u}_{w}^{\top} \boldsymbol{v}_{c})} \right) \right) \\
= \frac{\partial}{\partial \boldsymbol{v}_{c}} \left( \log \left( \sum_{w \in Vocab} \exp(\boldsymbol{u}_{w}^{\top} \boldsymbol{v}_{c}) \right) - \log \left( \exp(\boldsymbol{u}_{o}^{\top} \boldsymbol{v}_{c}) \right) \right) \\
= \frac{\partial}{\partial \boldsymbol{v}_{c}} \log \left( \sum_{w \in Vocab} \exp(\boldsymbol{u}_{w}^{\top} \boldsymbol{v}_{c}) \right) - \frac{\partial}{\partial \boldsymbol{v}_{c}} \boldsymbol{u}_{o}^{\top} \boldsymbol{v}_{c} \\
= \frac{\sum_{x \in Vocab} \exp(\boldsymbol{u}_{x}^{\top} \boldsymbol{v}_{c}) \boldsymbol{u}_{x}}{\sum_{w \in Vocab} \exp(\boldsymbol{u}_{w}^{\top} \boldsymbol{v}_{c})} - \boldsymbol{u}_{o} \\
= \sum_{x \in Vocab} \frac{\exp(\boldsymbol{u}_{x}^{\top} \boldsymbol{v}_{c})}{\sum_{w \in Vocab} \exp(\boldsymbol{u}_{w}^{\top} \boldsymbol{v}_{c})} \boldsymbol{u}_{x} - \boldsymbol{u}_{o} \\
= \sum_{x \in Vocab} \hat{\boldsymbol{y}}_{x} \boldsymbol{u}_{x} - \sum_{x \in Vocab} \boldsymbol{y}_{x} \boldsymbol{u}_{x} \\
= \sum_{x \in Vocab} \boldsymbol{u}_{x} (\hat{\boldsymbol{y}}_{x} - \boldsymbol{y}_{x}) \\
= \boldsymbol{U}(\hat{\boldsymbol{y}} - \boldsymbol{y}).$ 

$$\begin{aligned} \text{(c)} \quad & \frac{\partial}{\partial \boldsymbol{u}_w} \boldsymbol{J}_{\text{naive-softmax}}(\boldsymbol{v}_c, o, \boldsymbol{U}) = \frac{\partial}{\partial \boldsymbol{u}_w} \log \left( \sum_{w \in Vocab} \exp(\boldsymbol{u}_w^\top \boldsymbol{v}_c) \right) - \frac{\partial}{\partial \boldsymbol{u}_w} \boldsymbol{u}_o^\top \boldsymbol{v}_c \\ & = \frac{\exp(\boldsymbol{u}_w^\top \boldsymbol{v}_c)}{\sum_{w \in Vocab} \exp(\boldsymbol{u}_w^\top \boldsymbol{v}_c)} \boldsymbol{v}_c - \boldsymbol{y}_w \boldsymbol{v}_c \\ & = \hat{\boldsymbol{y}}_w \boldsymbol{v}_c - \boldsymbol{y}_w \boldsymbol{v}_c \\ & = \boldsymbol{v}_c(\hat{\boldsymbol{y}}_w - \boldsymbol{y}_w). \end{aligned}$$

(d) 
$$\frac{d}{d\mathbf{x}}\sigma(\mathbf{x}) = \frac{d}{d\mathbf{x}}\frac{1}{1+e^{-\mathbf{x}}} = \frac{e^{-\mathbf{x}}}{(1+e^{-\mathbf{x}})^2} = \sigma(\mathbf{x})(1-\sigma(\mathbf{x})).$$

(e)

$$\begin{split} \frac{\partial}{\partial \boldsymbol{v}_c} \boldsymbol{J}_{\text{neg-sample}}(\boldsymbol{v}_c, o, \boldsymbol{U}) &= \frac{\partial}{\partial \boldsymbol{v}_c} \left( -\log(\sigma(\boldsymbol{u}_o^\top \boldsymbol{v}_c)) - \sum_{k=1}^K \log(\sigma(-\boldsymbol{u}_k^\top \boldsymbol{v}_c)) \right) \\ &= -\frac{\partial}{\partial \boldsymbol{v}_c} \log(\sigma(\boldsymbol{u}_o^\top \boldsymbol{v}_c)) - \sum_{k=1}^K \frac{\partial}{\partial \boldsymbol{v}_c} \log(1 - \sigma(\boldsymbol{u}_k^\top \boldsymbol{v}_c)) \\ &= \frac{\sigma(\boldsymbol{u}_o^\top \boldsymbol{v}_c)(1 - \sigma(\boldsymbol{u}_o^\top \boldsymbol{v}_c))}{\sigma(\boldsymbol{u}_o^\top \boldsymbol{v}_c)} \boldsymbol{u}_o + \sum_{k=1}^K \frac{(1 - \sigma(\boldsymbol{u}_k^\top \boldsymbol{v}_c))\sigma(\boldsymbol{u}_k^\top \boldsymbol{v}_c)}{1 - \sigma(\boldsymbol{u}_k^\top \boldsymbol{v}_c)} \boldsymbol{u}_k \\ &= (1 - \sigma(\boldsymbol{u}_o^\top \boldsymbol{v}_c))\boldsymbol{u}_o + \sum_{k=1}^K \sigma(\boldsymbol{u}_k^\top \boldsymbol{v}_c)\boldsymbol{u}_k. \\ &\frac{\partial}{\partial \boldsymbol{u}_o} \boldsymbol{J}_{\text{neg-sample}}(\boldsymbol{v}_c, o, \boldsymbol{U}) = -\frac{\partial}{\partial \boldsymbol{u}_o} \log(\sigma(\boldsymbol{u}_o^\top \boldsymbol{v}_c)) = (1 - \sigma(\boldsymbol{u}_o^\top \boldsymbol{v}_c))\boldsymbol{v}_c. \\ &\frac{\partial}{\partial \boldsymbol{u}_k} \boldsymbol{J}_{\text{neg-sample}}(\boldsymbol{v}_c, o, \boldsymbol{U}) = -\sum_{k=1}^K \frac{\partial}{\partial \boldsymbol{u}_k} \log(1 - \sigma(\boldsymbol{u}_k^\top \boldsymbol{v}_c)) = \sum_{k=1}^K \sigma(\boldsymbol{u}_k^\top \boldsymbol{v}_c)\boldsymbol{v}_c. \end{split}$$

These are computationally less expensive than the naive-softmax loss because its summation ranges over only K numbers, which is usually much smaller than |Vocab|.

(f) (i) 
$$\partial \mathbf{J}_{\text{skip-gram}}(\mathbf{v}_c, w_{t-m}, \dots, w_{t+m}, \mathbf{U}) / \partial \mathbf{U} = \sum_{\substack{-m \leq j \leq m \\ i \neq 0}} \partial \mathbf{J}(\mathbf{v}_c, w_{t+j}, \mathbf{U}) / \partial \mathbf{U}.$$

(ii) 
$$\partial \boldsymbol{J}_{\text{skip-gram}}(\boldsymbol{v}_c, w_{t-m}, \dots, w_{t+m}, \boldsymbol{U}) / \partial \boldsymbol{v}_c = \sum_{\substack{-m \leq j \leq m \ j \neq 0}} \partial \boldsymbol{J}(\boldsymbol{v}_c, w_{t+j}, \boldsymbol{U}) / \partial \boldsymbol{v}_c.$$

(iii) 
$$\partial \mathbf{J}_{\text{skip-gram}}(\mathbf{v}_c, w_{t-m}, \dots, w_{t+m}, \mathbf{U})/\partial \mathbf{v}_w = 0.$$