

kurrebucket-711 [Info](#)

[Objects](#)[Metadata](#)[Properties](#)[Permissions](#)[Metrics](#)[Management](#)[Access Points](#)

Objects (1)

[Copy S3 URI](#)[Copy URL](#)[Download](#)[Open ↗](#)[Delete](#)[Actions ▼](#)[Create folder](#)[Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

☐ Show versions

< 1 >



<input type="checkbox"/>	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	index.html	html	January 7, 2026, 22:11:50 (UTC+00:00)	45.9 KB	Standard

Static website hosting

[Edit](#)

Use this bucket to host a website or redirect requests. [Learn more](#)



We recommend using AWS Amplify Hosting for static website hosting

Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. Learn more about [Amplify Hosting](#) or [View your existing Amplify apps](#)

[Create Amplify app](#)

S3 static website hosting


Enabled

Hosting type

Bucket hosting


Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)

 <http://kurrebucket-711.s3-website-us-east-1.amazonaws.com>

Edit Block public access (bucket settings) [Info](#)

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#) 

☐ **Block *all* public access**

Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

☐ **Block public access to buckets and objects granted through *new* access control lists (ACLs)**

S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

☐ **Block public access to buckets and objects granted through *any* access control lists (ACLs)**

S3 will ignore all ACLs that grant public access to buckets and objects.

☐ **Block public access to buckets and objects granted through *new* public bucket or access point policies**

S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.


☐ **Block public and cross-account access to buckets and objects through *any* public bucket or access point policies**

S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Bucket policy

[Edit](#)[Delete](#)

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts.

[Learn more](#) 

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::kurrebucket-711/*"
    }
  ]
}
```

[Copy](#)

General purpose buckets (2) [Info](#)



Copy ARN

Empty

Delete

Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

< 1 >



	Name ▲	AWS Region ▼	Creation date ▼
<input type="radio"/>	kalibucket-711	US East (N. Virginia) us-east-1	January 7, 2026, 21:29:00 (UTC+00:00)
<input type="radio"/>	kurrebucket-711	US East (N. Virginia) us-east-1	January 7, 2026, 11:56:32 (UTC+00:00)