

Kumosi

/

Nza.ntangi

Whitepaper

Updated: 2025-05-25

V0.4.5

Table of contents

Table of contents.....	2
1. Introduction.....	4
2. Infrastructure: Kumosi.....	5
2.1. Problem.....	5
2.1.1. Benefits	5
2.2. Protocol architecture	6
2.2.1 Data nodes	6
2.3.1. Management-Node	7
2.3. Tokenomics: MOSI Token.....	7
2.3.1. Token Utility	7
2.3.2. Government.....	7
2.3.3. Fees.....	8
2.3.4. Staking.....	8
2.3.5. Token Distribution	8
2.3.6. Inventor	11
2.4. Ecosystem.....	11
2.4.1. Possible future developments.....	11
2.5. Roadmap.....	12
2.5.1. Phase 0: Seed	12
2.5.2. Phase 1: Research.....	12
2.5.3. Phase 2: Prototype development.....	12
2.5.4. Phase 3: Prototype development.....	12
2.5.5. Phase 4: Prototype development.....	12
2.5.6. Phase 5: Alpha development.....	13
2.5.7. Phase 6: Alpha release	13
2.5.8. Phase 7:	13
3. Game: Nza.ntangi.....	14
3.1. Introduction.....	14
3.2. Infrastructure.....	14
3.2.1. Management-Nodes.....	14
3.3. Game-Modes.....	15
3.3.1. Single-Player	15
3.3.2. Multi-Player.....	16
3.4. Tokenomics: TANGA Token	16
3.4.1. Token utility.....	16

3.4.2.	Government.....	16
3.4.3.	Fees.....	16
3.4.4.	Skill competition prizes	17
3.4.5.	Staking.....	17
3.4.6.	Token Distribution	18
3.5.	Roadmap.....	20
3.5.1.	Phase 1: Research.....	20
3.5.2.	Phase 2: Prototype Development	20
3.5.3.	Phase 3: Prototype Development	20
3.5.4.	Phase 4: Prototype Development	20
3.5.5.	Phase 5: Prototype Development – Single Player	21
3.5.6.	Phase 6: Single Player Alpha	21
3.5.7.	Phase 7:	21

1. Introduction

Today, computers and AI are used to improve people's lives. But the way computers are used leads to human dependence. Tasks performed by computers cause people to no longer use them and forget the skills required to complete the task. In nature, everything that isn't used is removed. This means that natural selection is taking place. To prevent this natural selection, attempts are being made to use more technology that directly intervenes in the human body and DNA via external means, such as Neuralink, etc., which increases human dependence on technology.

External interventions in human DNA, etc., also lead to a situation where natural evolution will no longer be possible at some point. Evolution and, if necessary, adaptations to natural changes (cycles in nature, the world, the solar system, the galaxy, the universe) can only occur artificially. If humans are then unable to make the necessary adjustments at the right time, and humans no longer have the natural ability to adapt, then that would be the end.

Any mistake in development would always have significant consequences. If one looks at human history, one realizes that the worst catastrophes, which have killed the most people and other living beings, or even wiped-out entire groups of people and living beings, were initiated and driven by humans themselves, through wars and interference with nature through greed, etc. Most natural changes have also led to natural adaptations among humans.

If development continues like this, at some point only the rich will be able to live in freedom and develop further through more technology. Those who aren't born into a wealthy family will no longer have a chance to change that. A permanently class-based society will emerge.

The goal of this project is to use computers and AI to promote, strengthen and improve human's natural abilities in a natural way. Technology should continue to be used and developed further, but it should no longer lead to the forgetting of important skills, such as social behavior, navigating one's way without Google Maps, etc., and humans should not become dependent on technology.

2. Infrastructure: Kumosi

2.1. Problem

Human history is full of wars and catastrophes, and many achievements have been lost. Many had to be rediscovered or laboriously reconstructed.

Many inventions and innovations are never produced, and inventors are often left with the costs. But years or decades later, the invention is commercialized, but by then the inventor is usually already dead.

Kumosi is a platform that attempts to remedy this.

Kumosi describes and stores the inventions and innovations, and the processes used to create them. In addition, the inventors receive compensation for their work.

2.1.1. Benefits

Some of Kumosi's functions and tasks include:

- Storing information about existing or new inventions:
Information is no longer local, where a natural disaster can destroy accumulated knowledge, or where a central organization can destroy or centralize knowledge, as has happened in the past, and this continues to happen today.
- Storing the individual steps of a production/invention.
- Dividing processes into possible sub-processes:
Recording and describing the sub-processes in detail so that the sub-processes can be executed.
- Storing information about the inventor(s) and, if necessary, providing financial support or compensation.
Inventors receive some or all the funds they used for development back. The problem many inventors face in today's world is that if they don't invent the right invention at the right time, they always face financial difficulties, even though their inventions could help many people.
- Discovering new process steps or optimizations.
- Protection against knowledge loss using different storage media:
For example, invention processes can be printed as books, on paper, on images, etc. The printed books/papers/images containing the processes can be scanned again. The database can be regenerated from books/papers/images.
- Everyone can individually apply the processes to optimize their lives or further develop the processes into a business for the benefit of society.
- Exchange between individual inventors around the world.

2.2. Protocol architecture

Kumosi works with different hardware and software nodes that communicate with each other and form one or more networks. Different node types perform specific functions and tasks together.

The different node types can be located on the same physical device, or they can be distributed across different physical devices.

2.2.1 Data nodes

Data nodes are connected via peer-to-peer connections and synchronize with each other based on consensus.

Data nodes are rewarded for availability via a reward system.

2.2.1.1 *Language data nodes*

Language data nodes store the translation data for the inventions. The invention processes can be viewed or translated into different languages.

2.2.1.2 *Process data nodes*

Process data nodes store the data of the inventions, such as the individual steps for manufacturing and provide applications for querying and processing the data. Each invention process consists of several sub-processes, which can in turn be divided into sub-processes.




Figure 1: Inventions process and sub-processes

Metadata may be stored for the process, such as:

- Reporter
- Inventor
- Date
- etc.

Based on the metadata, the monetary aspects can be processed/resolved using the MOSI token.

The API allows the data to be queried, manually or via AI, to perform certain actions, such as:

- Viewing data
- Querying metadata
- Searching for specific processes
- Finding alternative ways to complete a process
- Optimizing processes
- Statistics
- Data visualization

2.2.1.3 *Data availability*

An independent peer-to-peer network ensures data availability. Within the network, the data nodes communicate with each other and synchronize.

2.3.1. Management-Node

The management node contains various applications for communicating with the data nodes via a privileged API or the general API.

- Application for
 - o creating processes
 - o editing processes
 - o deleting processes
 - o etc.
- Application for generating statistics and visualizing data.
 - o Provide the data in a way that can be memorized by humans the more they use the data. Create a natural Mind-Map that expands, like the brain of every human when they were kids.
- Application for communication and logging
- etc.

2.3.1.1. *Communication protocol*

A communication application is also implemented in the management node for coordination between participants such as editors, inventors, and users. The conducted communication or the created communication protocol can be saved, if relevant.

2.3. Tokenomics: MOSI Token

2.3.1. Token Utility

MOSI tokens are used to perform certain actions and to influence the development of Kumosi.

2.3.2. Government

You can influence the development of Kumosi through government decisions (see 1.3.3. Staking).

- Government decisions can include:
 - Fees (minimum/maximum)
 - API queries
 - Staking: Adding MOSI tokens
 - Staking: Removing MOSI tokens
 - Invention criteria: What counts as an invention
 - Influence on the amount of revenue for providing nodes (data node, management node, etc.)
 - Criteria for dividing the Inventor wallet among the different countries (see 1.3.5. Inventor)
 - Influence on the possible minimum or maximum staking duration
 - Influence on the amount of interest earned by a MOSI token staker
 - Influence on the number of MOSI tokens released per time interval or day
 - Influence on the direction of development (priorities)
 - etc.

2.3.3. Fees

A certain amount of MOSI tokens is collected to perform certain actions and execute certain tasks. The collected fees are then distributed within the KUMOSI ecosystem (see 1.3.5. Token Distribution). Fees are collected, for example, for API queries from dApps, etc.

2.3.4. Staking

MOSI tokens can be staked. This involves the user holding a certain number of MOSI tokens for a specific period of time.

Token stakers can stake MOSI tokens to earn more MOSI tokens, depending on the number of MOSI Tokens staked, also they can stake MOSI Tokens to participate in government decisions. When participating in government decisions, the staker receives a specific number of votes relatively to the number of MOSI tokens they have staked (see 1.3.1.1 Government).

2.3.5. Token Distribution

Wallet	Fee distribution	Time interval distribution	Initial + Public	Description
Inventor	30%	30%	-	
Marketing	10%	10%	20%	
Development	25% (minimal)	25% (minimal)	50%	Development of Kumosi and dApps

Ecosystem	30%	30%	- Community: - Staking Active stakers in existing frameworks and pools. Node providers Liquidity on exchanges and alternative L1s and L2s L1 for example: - Binance Blockchain - Avalanche - Ethereum - Polkadot - etc. etc.																		
Reserve/ Treasury	5% (minimal)	5% (minimal)	30% Treasury - Liquidity on exchanges and alternative L1s and L2s - Buy back																		
Seed phase		~	Investor gets x3 of investment amount > \$10																		
Initial public sell		~	Investors can get up to x3 of the investment amount <table><tr><th>Amount</th><th>Factor</th></tr><tr><td>>= \$10000</td><td>3</td></tr><tr><td>>= \$5000</td><td>2.75</td></tr><tr><td>>= \$1000</td><td>2.5</td></tr><tr><td>>= \$500</td><td>2.25</td></tr><tr><td>>= \$100</td><td>2</td></tr><tr><td>>= \$50</td><td>1.75</td></tr><tr><td>>= \$10</td><td>1.5</td></tr><tr><td>< \$10</td><td>1.25</td></tr></table>	Amount	Factor	>= \$10000	3	>= \$5000	2.75	>= \$1000	2.5	>= \$500	2.25	>= \$100	2	>= \$50	1.75	>= \$10	1.5	< \$10	1.25
Amount	Factor																				
>= \$10000	3																				
>= \$5000	2.75																				
>= \$1000	2.5																				
>= \$500	2.25																				
>= \$100	2																				
>= \$50	1.75																				
>= \$10	1.5																				
< \$10	1.25																				
Public sell 1		~	Investor gets x1.5 of investment amount > \$10																		
Public sell 2		~	Investor gets x1.25 of investment amount > \$10																		
100%																					

2.3.5.1. *Token distribution at specific time interval*

At specific time intervals, a certain amount of MOSI tokens is generated and distributed according to specific criteria. If for example the MOSI token price is falling, there might be no token generation and distribution at that time. This means that token generation and distribution

at that specific time interval is skipped. The time interval, distribution and criteria can be influenced by government decisions.




Figure 2: Possible MOSI Token distribution at specific time intervals

2.3.5.2. *Token supply schedule*

Tokens from the Initial public sell, Public sell 1 and Public sell 2 are subject to a vesting period.

Each month a certain number of MOSI tokens will be unlocked.




Figure 3: MOSI Token supply schedule

2.3.6. Inventor

Inventors receive a different percentage of the revenue of the Inventor Wallet depending on which country they live in. The criteria that determine which country receives which percentage are for example:

- how easy/difficult it is for the inventor to participate in other earning mechanisms in the Kumosi ecosystem.
 - o Staking (the amount of revenue that can be generated from this)
 - o Node providers (the amount of revenue that can be generated from this)
 - o etc.

2.4. Ecosystem

2.4.1. Possible future developments

- Use the invention process data in a virtual reality
- Use the invention process data in augmented reality
- Extend virtual reality and augmented reality with AI
- Extend language data nodes with AI
 - o Text to speech
 - o Speech to text
 - o Text translations
 - o Speech translation

2.5. Roadmap

2.5.1. Phase 0: Seed

- Seed public sell
- Website
- Social-Media
- Whitepaper
- Opportunities research
- Challenges research
- Available technology research

2.5.2. Phase 1: Research + Init prototype

- Initial public sell
- Marketing: Website
- Marketing: Social-Media
- Whitepaper
- Opportunities research
- Challenges research
- Available technology research
- Kumosi-Data-Node prototype

2.5.3. Phase 2: Prototype development

- Public Token sell
- Kumosi-Data-Node prototype
 - o Data structure
 - o APIs
- Kumosi-Management-Node prototype
 - o Get + Add + Update + Delete

2.5.4. Phase 3: Prototype development

- Public Token sell
- Kumosi-Data-Node prototype
 - o Data history
 - o APIs
- Kumosi-Management-Node prototype
 - o History-Calls
 - o Conflict resolution

2.5.5. Phase 4: Prototype development

- Public Token sell
- Staking/Pools
- Kumosi-Data-Node Prototype

- Data history
 - APIs
- Kumosi-Management-Node Prototype
 - Conflict resolution
 - Communication/Protocols

2.5.6. Phase 5: Alpha development

- Token release
- Kumosi-Data-Node
 - Data availability
 - Node network: Peer-to-Peer
 - Node sync
- Kumosi-Management-Node
 - Availability
 - Node network
 - Node sync
- Government-Node
 - Contracts

2.5.7. Phase 6: Alpha release

- Kumosi alpha release

2.5.8. Phase 7: ...

...

3. Game: Nza.ntangi

3.1. Introduction

Nza.ntangi is a Role-playing game whose primary purpose is to expand and deepen the players' knowledge and understanding. Based on Kumosi data, various scenarios are created that the user solves playfully. This allows the user to gain new knowledge and deepen existing knowledge and understanding.

The world that the player creates in Nza.ntangi is also intended to serve as a memory palace in which he can store information and easily retrieve it (Method of Loci).

3.2. Infrastructure

There are two different types of nodes that ensure the functionality and operation of Nza.ntangi: management nodes and game nodes.

3.2.1. Management-Nodes

The management nodes store the generated hash addresses of all users. Individual user attributes, such as the users' existing NFTs, are also stored here.

3.2.1.1. *NFTs*

NFTs can be, for example, users' skill certificates, credentials or rights.

3.2.1.2. *Skill-Assessment*

Skill assessments are set up/defined and initiated via the management nodes. Users who meet the criteria for the skill assessment can take the test to earn skill certificates or diplomas.

Skill assessments can be created by AI or by a user. Generation can occur randomly or according to specific criteria.

Minimum criteria for participation in skill assessments can be defined.

3.2.1.3. *Skill-Competition*

In addition to skill assessments, skill competitions can also be set up/defined via the management nodes. Skill competitions can be created for:

- Single player
- Single player competition
- Group collaboration
- Group competition
- etc.

Participation in skill competitions and the course of the skill competition are based on the criteria defined by the skill competition creator. For example, it can be defined that participation requires the participant to have already acquired a certain skill, documented by mission NFTs or skill assessment certificates/diplomas.

Participants can earn various prizes, which are determined when the skill competition is created.

After successful participation, a participant receives, for example, a

- Participation certificate/diploma (with placement)
- A certain number of tokens/money (depending on placement)
- etc.

Like skill assessments, skill competitions can also be created by AI or a user. Here, too, creation can occur randomly or according to specific criteria.

3.5.1.2. Communication

The management nodes contain a communication protocol for exchanging/synchronizing user data.

This communication protocol is also used for certain game scenarios that require multi-player collaboration. It is also used for supervised skill assessments and skill competitions.

3.5.1.3. Multi-Player-Management

The data for the multiplayer session is stored in the management node.

3.3. Game-Modes

The game nodes are based on the Kumosi data nodes. This means that the Nza.ntangi game nodes are also Kumosi data nodes.

The game nodes can contain the entire Kumosi data or only a portion.

3.3.1. Single-Player

The player can expand their knowledge and skills by playing single-player missions. Based on Kumosi data node data, missions are either automatically generated by AI or created by the player themselves. Upon successfully completing a mission, the player receives one or more NFTs (certificates) containing the mission data and documenting their successful participation.

The single-player NFTs can be defined as participation criteria for skill assessments and skill competitions, etc.

The player can also play in free mode. In free mode the AI continuously generates new scenarios based on the Kumosi data and the player's decisions.

3.3.2. Multi-Player

In addition to single-player mode, players can expand their knowledge and skills in multiplayer mode. As in single-player mode, based on the data in the Kumosi data node, missions are created by AI or defined by the players themselves, according to certain defined parameters. Upon successful completion of the mission, players receive one or more NFTs (certificates/diplomas) containing the mission data and documenting their successful participation.

Multiplayer NFTs can also be defined as participation criteria for skill assessments and skill competitions, etc.

Goals of multiplayer games are, for example, to train and improve

- collaboration
- communication skills
- social skills
- etc.

Players can also play in a free multiplayer mode. In this mode, the AI continuously generates new scenarios based on the Kumosi data and the decisions of all players during the game.

3.4. Tokenomics: TANGA Token

3.4.1. Token utility

TANGA token is used to perform certain actions and to influence the development of Nza.tangi.

3.4.2. Government

The development of Nza.tangi can be influenced through government decisions (see 2.4.4. Staking).

- Government decisions can include:
 - o Fees (minimum/maximum) for participating in skill assessments, skill competitions, etc.
 - o Influence on the fee for creating and removing staked TANGA tokens
 - o Influence on the possible minimum/maximum staking duration
 - o Influence on the amount of interest earned by a TANGA token staker
 - o Influence on the number of TANGA tokens released per time interval
 - o Influence on the direction of development (priorities)
 - o etc.

3.4.3. Fees

A certain amount of TANGA tokens will be charged to perform certain actions.

For example:

- Participation in skill assessments
- Participation in skill competitions
- Single-player in free mode
- Multi-player in free mode
- Single-player tests
- Multi-player tests
- Adding and removing staked tokens

3.4.4. Skill competition prizes

A certain number of TANGA tokens can be paid out for a placement in the skill competition.

1. The skill competition creator can provide the required TANGA tokens and determine the prize amounts.
2. Determined by AI. For example, based on the
 - difficulty
 - duration
 - etc.

of the competition. The parameters are influenced by government decisions (see 2.4.4. Staking).

3.4.5. Staking

TANGA tokens can be staked. This involves the user investing a certain number of TANGA tokens in a farm or pool for a specific period of time.

Token stakers can stake their TANGA tokens to earn more TANGA tokens, depending on the number of staked TANGA tokens, also they can stake their TANGA tokens to participate in government decisions. When participating in government decisions, the staker receives a number of votes relative to the number of TANGA tokens they have staked (see 2.6.1.1. Government).

3.4.6. Token Distribution

Wallet	Fee	Time interval	Initial	Description
Marketing	15%	15%	20%	
Development	35%	35%	50%	Development of Nza.tangi
	(minimal)	(minimal)		
Ecosystem	40%	40%		- Community: - Staking - Active stakers in existing frameworks and pools. - Node providers - Liquidity on exchanges and alternative L1s and L2s - L1 for example: - Binance Blockchain - Avalanche - Ethereum - Polkadot - etc. - etc.
Reserve/ Treasury	10%	10%	30%	Treasury - Liquidity on exchanges and alternative L1s and L2s - Buy back
Initial public sell			~	Investor gets xX of investment amount (to be determined)
Public sell 1			~	Investor gets xX of investment amount (to be determined)
Public sell 2			~	Investor gets xX of investment amount (to be determined)
100%				

3.4.6.1. Token distribution each time interval

At specific time intervals, a certain amount of TANGA tokens is generated and distributed according to specific criteria. The time interval and distribution can be influenced by government decisions.




Figure 4: TANGA Token distribution each time interval

3.4.6.2. *Token supply schedule*

Tokens from the Initial public sell, Public sell 1 and Public sell 2 are subject to a vesting period.

Each month a certain number of TANGA tokens will be unlocked.




Figure 5: TANGA Token supply schedule

3.5. Roadmap

3.5.1. Phase 1: Research

- Initial public sell
- Opportunities research
- Challenges research
- Available technology research
- Game-Building-Tools Prototype

3.5.2. Phase 2: Prototype Development

- Public Token sell
- Game: Building tools
 - o City (Houses/Streets)
- Nza.ntangi data node prototype
 - o uses Kumosi data node prototype

3.5.3. Phase 3: Prototype Development

- Public Token sell
- Game: Building tools
 - o City
 - o Terrain
- Game graphics
 - o Game characters
- Nza.ntangi data node prototype
 - o uses Kumosi data node prototype

3.5.4. Phase 4: Prototype Development

- Public Token sell
- Staking/Pools
- Game: Building tools
 - o City
 - o Terrain
- Game graphics
 - o Game characters
 - o Process flow with Kumosi data
- Nza.ntangi -Data-Node
 - o uses Kumosi data node prototype

3.5.5. Phase 5: Prototype Development – Single Player

- Token release
- Game: Building tools
 - o City
 - o Terrain
- Game graphics
 - o Character development
 - o Process flow with Kumosi data
- Nza.ntangi -Data-Node
 - o Node network
 - o Node sync

3.5.6. Phase 6: Single Player Alpha

- Single Player Alpha

3.5.7. Phase 7: ...

- ...