MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5*

Limit to 1000 rows

```
1  create database RetailStore;
2  show databases;
3  use RetailStore;
4  show tables;
5  create table products(product_id INT PRIMARY KEY,product_name VARCHAR(100) NOT NULL,price DECIMAL(10,2) CH
6  desc products;
7  select * from products;
8  insert into products values(1,"Lays Chips",20,4,"Snacks","1234567801");
9  insert into products values(2,"Soap",40,12,"Hygiene","1234567802");
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

product_id	product_name	price	quantity	category	sku_number
1	Lays Chips	20.00	4	Snacks	1234567801
2	Soap	40.00	12	Hygiene	1234567802
3	Shirt	1200.00	16	Clothing	1234567803
4	Grinder	5000.00	8	Appliance	1234567804
5	Smart Phone	80000.00	48	Electronics	1234567805
6	Story Books	250.00	24	Books	1234567806

products 11

Result Grid Form Editor Apply

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
22	18:26:39	insert into products values(4,"Grinder",5000,8,"Appliance","1234567804")	1 row(s) affected	0.016 sec
23	18:32:32	insert into products values(5,"Smart Phone",80000,48,"Electronics","1234567805")	1 row(s) affected	0.015 sec
24	18:32:32	insert into products values(6,"Story Books",250,24,"Books","1234567806")	1 row(s) affected	0.000 sec
25	18:42:41	set SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
26	18:42:45	update products set category="Clothing" where product_id=3	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
27	18:42:51	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5*

Limit to 1000 rows

```
7  select * from products;
8  insert into products values(1,"Lays Chips",20,4,"Snacks","1234567801");
9  insert into products values(2,"Soap",40,12,"Hygiene","1234567802");
10 insert into products values(3,"Shirt",1200,16,"Clothes","1234567803");
11 insert into products values(4,"Grinder",5000,8,"Appliance","1234567804");
12 insert into products values(5,"Smart Phone",80000,48,"Electronics","1234567805");
13 insert into products values(6,"Story Books",250,24,"Books","1234567806");
14 update products set category="Clothing" where product_id=3;
15 set SQL_SAFE_UPDATES=0;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

product_id	product_name	price	quantity	category	sku_number
1	Lays Chips	20.00	4	Snacks	1234567801
2	Soap	40.00	12	Hygiene	1234567802
3	Shirt	1200.00	16	Clothing	1234567803
4	Grinder	5000.00	8	Appliance	1234567804
5	Smart Phone	80000.00	48	Electronics	1234567805
6	Story Books	250.00	24	Books	1234567806

products 11

Result Grid Form Editor Apply

Output

Action Output

#	Time	Action	Message	Duration / Fetch
22	18:26:39	insert into products values(4,"Grinder",5000,8,"Appliance","1234567804")	1 row(s) affected	0.016 sec
23	18:32:32	insert into products values(5,"Smart Phone",80000,48,"Electronics","1234567805")	1 row(s) affected	0.015 sec
24	18:32:32	insert into products values(6,"Story Books",250,24,"Books","1234567806")	1 row(s) affected	0.000 sec
25	18:42:41	set SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
26	18:42:45	update products set category="Clothing" where product_id=3	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
27	18:42:51	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5*

Limit to 1000 rows

```
8  insert into products values(1,"Lays Chips",20,4,"Snacks","1234567801");
9  insert into products values(2,"Soap",40,12,"Hygiene","1234567802");
10 insert into products values(3,"Shirt",1200,16,"Clothes","1234567803");
11 insert into products values(4,"Grinder",5000,8,"Appliance","1234567804");
12 insert into products values(5,"Smart Phone",80000,48,"Electronics","1234567805");
13 insert into products values(6,"Story Books",250,24,"Books","1234567806");
14 update products set category="Clothing" where product_id=3;
15 set SQL_SAFE_UPDATES=0;
16 insert into products values(7,"Mascara",-50,80,"Beauty","1234567807");
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
product_id	int	NO	PRI	NULL	
product_name	varchar(100)	NO		NULL	
price	decimal(10,2)	YES		NULL	
quantity	int	YES		NULL	
category	varchar(50)	YES		General	
sku_number	varchar(20)	YES	UNI	NULL	

Result 14

Result Grid | Form Editor | Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
25	18:42:41	set SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
26	18:42:45	update products set category="Clothing" where product_id=3	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
27	18:42:51	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
28	18:48:00	insert into products values(7,"Mascara",-50,80,"Beauty","1234567807")	Error Code: 3819. Check constraint 'products_chk_1' is violated.	0.016 sec
29	18:48:17	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
30	18:48:25	desc products	6 row(s) returned	0.016 sec / 0.000 sec

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5*

Limit to 1000 rows

```
insert into products values(2,"Soap",40,12,"Hygiene","1234567802");
insert into products values(3,"Shirt",1200,16,"Clothes","1234567803");
insert into products values(4,"Grinder",5000,8,"Appliance","1234567804");
insert into products values(5,"Smart Phone",80000,48,"Electronics","1234567805");
insert into products values(6,"Story Books",250,24,"Books","1234567806");
update products set category="Clothing" where product_id=3;
set SQL_SAFE_UPDATES=0;
insert into products values(7,"Mascara",-50,80,"Beauty","1234567807");
update products set quantity=quantity+10 where category="Electronics";
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

product_id	product_name	price	quantity	category	sku_number
1	Lays Chips	20.00	4	Snacks	1234567801
2	Soap	40.00	12	Hygiene	1234567802
3	Shirt	1200.00	16	Clothing	1234567803
4	Grinder	5000.00	8	Appliance	1234567804
5	Smart Phone	80000.00	58	Electronics	1234567805
6	Story Books	250.00	24	Books	1234567806

Result Grid | Form Editor | Apply

products 15

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
28	18:48:00	insert into products values(7,"Mascara",-50,80,"Beauty","1234567807")	Error Code: 3819. Check constraint 'products_chk_1' is violated.	0.016 sec
29	18:48:17	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
30	18:48:25	desc products	6 row(s) returned	0.016 sec / 0.000 sec
31	18:48:25	desc products	6 row(s) returned	0.000 sec / 0.000 sec
32	18:51:04	update products set quantity=quantity+10 where category="Electronics"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
33	18:51:11	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5*

Limit to 1000 rows

```
10 •  insert into products values(3,"Shirt",1200,16,"Clothes","1234567803");
11 •  insert into products values(4,"Grinder",5000,8,"Appliance","1234567804");
12 •  insert into products values(5,"Smart Phone",80000,48,"Electronics","1234567805");
13 •  insert into products values(6,"Story Books",250,24,"Books","1234567806");
14 •  update products set category="Clothing" where product_id=3;
15 •  set SQL_SAFE_UPDATES=0;
16 •  insert into products values(7,"Mascara",-50,80,"Beauty","1234567807");
17 •  update products set quantity=quantity+10 where category="Electronics";
18 •  select * from products where quantity<5;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

product_id	product_name	price	quantity	category	sku_number
1	Lays Chips	20.00	4	Snacks	1234567801
NULL	NULL	NULL	NULL	NULL	NULL

Result Grid

Form Editor

Apply

products 16

Output

Action Output

#	Time	Action	Message	Duration / Fetch
29	18:48:17	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
30	18:48:25	desc products	6 row(s) returned	0.016 sec / 0.000 sec
31	18:48:25	desc products	6 row(s) returned	0.000 sec / 0.000 sec
32	18:51:04	update products set quantity=quantity+10 where category="Electronics"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
33	18:51:11	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
34	18:52:47	select * from products where quantity<5 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5*

Limit to 1000 rows

```
11 •  insert into products values(4,"Grinder",5000,8,"Appliance","1234567804");
12 •  insert into products values(5,"Smart Phone",80000,48,"Electronics","1234567805");
13 •  insert into products values(6,"Story Books",250,24,"Books","1234567806");
14 •  update products set category="Clothing" where product_id=3;
15 •  set SQL_SAFE_UPDATES=0;
16 •  insert into products values(7,"Mascara",-50,80,"Beauty","1234567807");
17 •  update products set quantity=quantity+10 where category="Electronics";
18 •  select * from products where quantity<5;
19 •  delete from products where price>50000;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

product_id	product_name	price	quantity	category	sku_number
1	Lays Chips	20.00	4	Snacks	1234567801
2	Soap	40.00	12	Hygiene	1234567802
3	Shirt	1200.00	16	Clothing	1234567803
4	Grinder	5000.00	8	Appliance	1234567804
6	Story Books	250.00	24	Books	1234567806
NULL	NULL	NULL	NULL	NULL	NULL

Result Grid | Form Editor | Apply

products 17

Output

Action Output

#	Time	Action	Message	Duration / Fetch
31	18:48:25	desc products	6 row(s) returned	0.000 sec / 0.000 sec
32	18:51:04	update products set quantity=quantity+10 where category="Electronics"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
33	18:51:11	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
34	18:52:47	select * from products where quantity<5 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
35	18:56:59	delete from products where price>50000	1 row(s) affected	0.031 sec
36	18:57:03	select * from products LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5*

Limit to 1000 rows

```
4  show tables;
5  create table products(product_id INT PRIMARY KEY,product_name VARCHAR(100) NOT NULL,price DECIMAL(10,2) CH
6  desc products;
7  select * from products;
8  insert into products values(1,"Lays Chips",20,4,"Snacks","1234567801");
9  insert into products values(2,"Soap",40,12,"Hygiene","1234567802");
10 insert into products values(3,"Shirt",1200,16,"Clothes","1234567803");
11 insert into products values(4,"Grinder",5000,8,"Appliance","1234567804");
12 insert into products values(5,"Smart Phone",80000,48,"Electronics","1234567805");
13 insert into products values(6,"Story Books",250,24,"Books","1234567806");
14 update products set category="Clothing" where product_id=3;
15 set SQL_SAFE_UPDATES=0;
16 insert into products values(7,"Mascara",-50,80,"Beauty","1234567807");
17 update products set quantity=quantity+10 where category="Electronics";
18 select * from products where quantity<5;
19 delete from products where price>50000;
20 alter table products add constraint chk_category check(category in ("Electronics","Clothing","Books"));
```

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
32	18:51:04	update products set quantity=quantity+10 where category="Electronics"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
33	18:51:11	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
34	18:52:47	select * from products where quantity<5 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
35	18:56:59	delete from products where price>50000	1 row(s) affected	0.031 sec
36	18:57:03	select * from products LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
37	19:01:55	alter table products add constraint chk_category check(category in ("Electronics","...	Error Code: 3819. Check constraint 'chk_category' is violated.	0.047 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5*

Limit to 1000 rows

```
17 •  update products set quantity=quantity+10 where category="Electronics";
18 •  select * from products where quantity<5;
19 •  delete from products where price>50000;
20 •  alter table products add constraint chk_category check(category in ("Electronics","Clothing","Books"));
21 •  insert into products values(5,"Smart Phone",40000,48,"Electronics","1234567805");
22 •  update products set product_name="Pants",price=1000,category="Clothing" where product_id=1;
23 •  update products set product_name="Guides",price=450,category="Books" where product_id=2;
24 •  update products set product_name="TV",price=45000,category="Electronics" where product_id=4;
25
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

product_id	product_name	price	quantity	category	sku_number
1	Pants	1000.00	4	Clothing	1234567801
2	Guides	450.00	12	Books	1234567802
3	Shirt	1200.00	16	Clothing	1234567803
4	TV	45000.00	8	Electronics	1234567804
5	Smart Phone	40000.00	48	Electronics	1234567805
6	Story Books	250.00	24	Books	1234567806

Result Grid | Form Editor | Apply

products 24

Output

Action Output

#	Time	Action	Message	Duration / Fetch
44	19:10:15	update products set product_name="Pants",price=1000,category="Clothing" where...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.032 sec
45	19:10:27	desc products	6 row(s) returned	0.000 sec / 0.000 sec
46	19:10:31	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
47	19:12:34	update products set product_name="Guides",price=450,category="Books" where ...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
48	19:12:34	update products set product_name="TV",price=45000,category="Electronics" whe...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
49	19:12:41	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3* SQL File 4* SQL File 5*

Limit to 1000 rows

```
9  insert into products values(2,"Soap",40,12,"Hygiene","1234567802");
10 insert into products values(3,"Shirt",1200,16,"Clothes","1234567803");
11 insert into products values(4,"Grinder",5000,8,"Appliance","1234567804");
12 insert into products values(5,"Smart Phone",80000,48,"Electronics","1234567805");
13 insert into products values(6,"Story Books",250,24,"Books","1234567806");
14 update products set category="Clothing" where product_id=3;
15 set SQL_SAFE_UPDATES=0;
16 insert into products values(7,"Mascara",-50,80,"Beauty","1234567807");
17 update products set quantity=quantity+10 where category="Electronics";
18 select * from products where quantity<5;
19 delete from products where price>50000;
20 alter table products add constraint chk_category check(category in ("Electronics","Clothing","Books"));
21 insert into products values(5,"Smart Phone",40000,48,"Electronics","1234567805");
22 update products set product_name="Pants",price=1000,category="Clothing" where product_id=1;
23 update products set product_name="Guides",price=450,category="Books" where product_id=2;
24 update products set product_name="TV",price=45000,category="Electronics" where product_id=4;
25
```

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
45	19:10:27	desc products	6 row(s) returned	0.000 sec / 0.000 sec
46	19:10:31	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
47	19:12:34	update products set product_name="Guides",price=450,category="Books" where ...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
48	19:12:34	update products set product_name="TV",price=45000,category="Electronics" whe...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
49	19:12:41	select * from products LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
50	19:13:38	alter table products add constraint chk_category check(category in ("Electronics","...	6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0	0.078 sec