MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3*

Limit to 1000 rows

```
5  CREATE TABLE Employees(EmpID INT,FirstName VARCHAR(50),LastName VARCHAR(50),Department VARCHAR(50),Salary
6  insert into Employees values(1,"Emily","Smith","Marketing",40000,"2025-08-15","New York");
7  select * from Employees;
8  insert into Employees values(2,"Daniel","Brooks","IT",45000,"2024-05-09","Chicago");
9  insert into Employees values(3,"Sarah","Jones","HR",60000,"2022-01-01","Denver");
10 insert into Employees values(4,"James","Stewart","HR",80000,"2020-03-15","New York");
11 insert into Employees values(5,"Natalie","Brown","Sales",35000,"2025-09-01","Los Angeles");
12 insert into Employees values(6,"Amanda","Stevens","IT",50000,"2023-11-18","Chicago");
13
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

EmpID	FirstName	LastName	Department	Salary	JoiningDate	City
1	Emily	Smith	Marketing	40000.00	2025-08-15	New York
2	Daniel	Brooks	IT	45000.00	2024-05-09	Chicago
3	Sarah	Jones	HR	60000.00	2022-01-01	Denver
4	James	Stewart	HR	80000.00	2020-03-15	New York
5	Natalie	Brown	Sales	35000.00	2025-09-01	Los Angeles

Result Grid | Form Editor

Employees 8

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
18	10:56:31	insert into Employees values(2,"Daniel","Brooks","IT",45000,"2024-05-09","Chica...	1 row(s) affected	0.016 sec
19	10:56:31	insert into Employees values(3,"Sarah","Jones","HR",60000,"2022-01-01","Denve...	1 row(s) affected	0.000 sec
20	10:56:31	insert into Employees values(4,"James","Stewart","HR",80000,"2020-03-15","New...	1 row(s) affected	0.000 sec
21	10:56:31	insert into Employees values(5,"Natalie","Brown","Sales",35000,"2025-09-01","Lo...	1 row(s) affected	0.015 sec
22	10:56:31	insert into Employees values(6,"Amanda","Stevens","IT",50000,"2023-11-18","Chi...	1 row(s) affected	0.000 sec
23	10:56:37	select * from Employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3*

Limit to 1000 rows

```
5  CREATE TABLE Employees(EmpID INT,FirstName VARCHAR(50),LastName VARCHAR(50),Department VARCHAR(50),Salary
6  insert into Employees values(1,"Emily","Smith","Marketing",40000,"2025-08-15","New York");
7  select * from Employees;
8  insert into Employees values(2,"Daniel","Brooks","IT",45000,"2024-05-09","Chicago");
9  insert into Employees values(3,"Sarah","Jones","HR",60000,"2022-01-01","Denver");
10 insert into Employees values(4,"James","Stewart","HR",80000,"2020-03-15","New York");
11 insert into Employees values(5,"Natalie","Brown","Sales",35000,"2025-09-01","Los Angeles");
12 insert into Employees values(6,"Amanda","Stevens","IT",50000,"2023-11-18","Chicago");
13 select * from Employees where City="Chicago";
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

EmpID	FirstName	LastName	Department	Salary	JoiningDate	City
2	Daniel	Brooks	IT	45000.00	2024-05-09	Chicago
6	Amanda	Stevens	IT	50000.00	2023-11-18	Chicago

Result Grid

Form Editor

Read Only

Employees 1

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	11:03:50	use CompanyDB	0 row(s) affected	0.000 sec
2	11:03:58	select * from Employees where City="Chicago" LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3*

Limit to 1000 rows

```
6  insert into Employees values(1,"Emily","Smith","Marketing",40000,"2025-08-15","New York");
7  select * from Employees;
8  insert into Employees values(2,"Daniel","Brooks","IT",45000,"2024-05-09","Chicago");
9  insert into Employees values(3,"Sarah","Jones","HR",60000,"2022-01-01","Denver");
10 insert into Employees values(4,"James","Stewart","HR",80000,"2020-03-15","New York");
11 insert into Employees values(5,"Natalie","Brown","Sales",35000,"2025-09-01","Los Angeles");
12 insert into Employees values(6,"Amanda","Stevens","IT",50000,"2023-11-18","Chicago");
13 select * from Employees where City="Chicago";
14 select * from Employees where LastName like "S%";
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

EmpID	FirstName	LastName	Department	Salary	JoiningDate	City
1	Emily	Smith	Marketing	40000.00	2025-08-15	New York
4	James	Stewart	HR	80000.00	2020-03-15	New York
6	Amanda	Stevens	IT	50000.00	2023-11-18	Chicago

Result Grid

Form Editor

Employees 2

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	11:03:50	use CompanyDB	0 row(s) affected	0.000 sec
2	11:03:58	select * from Employees where City="Chicago" LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
3	11:05:45	select * from Employees where LastName like "S%" LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3*

Limit to 1000 rows

```
7  select * from Employees;
8  insert into Employees values(2,"Daniel","Brooks","IT",45000,"2024-05-09","Chicago");
9  insert into Employees values(3,"Sarah","Jones","HR",60000,"2022-01-01","Denver");
10 insert into Employees values(4,"James","Stewart","HR",80000,"2020-03-15","New York");
11 insert into Employees values(5,"Natalie","Brown","Sales",35000,"2025-09-01","Los Angeles");
12 insert into Employees values(6,"Amanda","Stevens","IT",50000,"2023-11-18","Chicago");
13 select * from Employees where City="Chicago";
14 select * from Employees where LastName like "S%";
15 select * from Employees where Salary between 35000 and 55000;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

EmpID	FirstName	LastName	Department	Salary	JoiningDate	City
1	Emily	Smith	Marketing	40000.00	2025-08-15	New York
2	Daniel	Brooks	IT	45000.00	2024-05-09	Chicago
5	Natalie	Brown	Sales	35000.00	2025-09-01	Los Angeles
6	Amanda	Stevens	IT	50000.00	2023-11-18	Chicago

Result Grid

Form Editor

Employees 3

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	11:03:50	use CompanyDB	0 row(s) affected	0.000 sec
2	11:03:58	select * from Employees where City="Chicago" LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
3	11:05:45	select * from Employees where LastName like "S%" LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
4	11:07:53	select * from Employees where Salary between 35000 and 55000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3*

Limit to 1000 rows

```
8  insert into Employees values(2,"Daniel","Brooks","IT",45000,"2024-05-09","Chicago");
9  insert into Employees values(3,"Sarah","Jones","HR",60000,"2022-01-01","Denver");
10 insert into Employees values(4,"James","Stewart","HR",80000,"2020-03-15","New York");
11 insert into Employees values(5,"Natalie","Brown","Sales",35000,"2025-09-01","Los Angeles");
12 insert into Employees values(6,"Amanda","Stevens","IT",50000,"2023-11-18","Chicago");
13 select * from Employees where City="Chicago";
14 select * from Employees where LastName like "S%";
15 select * from Employees where Salary between 35000 and 55000;
16 select * from Employees where JoiningDate>"2022-01-01" and Department="IT";
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

EmpID	FirstName	LastName	Department	Salary	JoiningDate	City
2	Daniel	Brooks	IT	45000.00	2024-05-09	Chicago
6	Amanda	Stevens	IT	50000.00	2023-11-18	Chicago

Result Grid

Form Editor

Read Only

Employees 4

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	11:03:50	use CompanyDB	0 row(s) affected	0.000 sec
2	11:03:58	select * from Employees where City="Chicago" LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
3	11:05:45	select * from Employees where LastName like "S%" LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
4	11:07:53	select * from Employees where Salary between 35000 and 55000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
5	11:29:26	select * from Employees where JoiningDate>"2022-01-01" and Department="IT" LIMI...	2 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3*

Limit to 1000 rows

```
10 • insert into Employees values(4,"James","Stewart","HR",80000,"2020-03-15","New York");
11 • insert into Employees values(5,"Natalie","Brown","Sales",35000,"2025-09-01","Los Angeles");
12 • insert into Employees values(6,"Amanda","Stevens","IT",50000,"2023-11-18","Chicago");
13 • select * from Employees where City="Chicago";
14 • select * from Employees where LastName like "S%";
15 • select * from Employees where Salary between 35000 and 55000;
16 • select * from Employees where JoiningDate>"2022-01-01" and Department="IT";
17 • update Employees set Salary=Salary*1.10 where Department="HR";
18 • set SQL_SAFE_UPDATES=0;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

EmpID	FirstName	LastName	Department	Salary	JoiningDate	City
1	Emily	Smith	Marketing	40000.00	2025-08-15	New York
2	Daniel	Brooks	IT	45000.00	2024-05-09	Chicago
3	Sarah	Jones	HR	66000.00	2022-01-01	Denver
4	James	Stewart	HR	88000.00	2020-03-15	New York
5	Natalie	Brown	Sales	35000.00	2025-09-01	Los Angeles

Result Grid | Form Editor

Employees 6

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	11:38:10	set SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
8	11:38:16	update Employees set Salary=Salary*1.10 where Department="HR"	2 row(s) affected Rows matched: 2 Changed: 2 Warnings: 0	0.000 sec
9	11:38:16	set SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
10	11:38:22	select * from Employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
11	11:38:39	set SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
12	11:38:50	select * from Employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT
- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE
- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE
- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3*

Limit to 1000 rows

```
11 • insert into Employees values(5,"Natalie","Brown","Sales",35000,"2025-09-01","Los Angeles");
12 • insert into Employees values(6,"Amanda","Stevens","IT",50000,"2023-11-18","Chicago");
13 • select * from Employees where City="Chicago";
14 • select * from Employees where LastName like "S%";
15 • select * from Employees where Salary between 35000 and 55000;
16 • select * from Employees where JoiningDate>"2022-01-01" and Department="IT";
17 • update Employees set Salary=Salary*1.10 where Department="HR";
18 • set SQL_SAFE_UPDATES=0;
19 • select * from Employees where City<>"New York" and Department<>"HR";
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

EmpID	FirstName	LastName	Department	Salary	JoiningDate	City
2	Daniel	Brooks	IT	45000.00	2024-05-09	Chicago
5	Natalie	Brown	Sales	35000.00	2025-09-01	Los Angeles
6	Amanda	Stevens	IT	50000.00	2023-11-18	Chicago

Result Grid | Form Editor

Employees 7 | Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	11:38:16	update Employees set Salary=Salary*1.10 where Department="HR"	2 row(s) affected Rows matched: 2 Changed: 2 Warnings: 0	0.000 sec
9	11:38:16	set SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
10	11:38:22	select * from Employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
11	11:38:39	set SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
12	11:38:50	select * from Employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
13	11:40:44	select * from Employees where City<>"New York" and Department<>"HR" LIMIT 0,...	3 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Query 1 | SQL File 3*

Limit to 1000 rows

```
12 •  insert into Employees values(6,"Amanda","Stevens","IT",50000,"2023-11-18","Chicago");
13 •  select * from Employees where City="Chicago";
14 •  select * from Employees where LastName like "S%";
15 •  select * from Employees where Salary between 35000 and 55000;
16 •  select * from Employees where JoiningDate>"2022-01-01" and Department="IT";
17 •  update Employees set Salary=Salary*1.10 where Department="HR";
18 •  set SQL_SAFE_UPDATES=0;
19 •  select * from Employees where City<>"New York" and Department<>"HR";
20 •  update Employees set City="Remote" where JoiningDate<"2022-01-01";
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

EmpID	FirstName	LastName	Department	Salary	JoiningDate	City
1	Emily	Smith	Marketing	40000.00	2025-08-15	New York
2	Daniel	Brooks	IT	45000.00	2024-05-09	Chicago
3	Sarah	Jones	HR	66000.00	2022-01-01	Denver
4	James	Stewart	HR	88000.00	2020-03-15	Remote
5	Natalie	Brown	Sales	35000.00	2025-09-01	Los Angeles

Result Grid | Form Editor

Employees 8 | Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Information

No object selected

Object Info | Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	11:38:22	select * from Employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
11	11:38:39	set SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
12	11:38:50	select * from Employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
13	11:40:44	select * from Employees where City<>"New York" and Department<>"HR" LIMIT 0,...	3 row(s) returned	0.000 sec / 0.000 sec
14	11:44:30	update Employees set City="Remote" where JoiningDate<"2022-01-01"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
15	11:44:47	select * from Employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1 SQL File 3*

Limit to 1000 rows

```
13 • select * from Employees where City="Chicago";
14 • select * from Employees where LastName like "S%";
15 • select * from Employees where Salary between 35000 and 55000;
16 • select * from Employees where JoiningDate>"2022-01-01" and Department="IT";
17 • update Employees set Salary=Salary*1.10 where Department="HR";
18 • set SQL_SAFE_UPDATES=0;
19 • select * from Employees where City<>"New York" and Department<>"HR";
20 • update Employees set City="Remote" where JoiningDate<"2022-01-01";
21 • select * from Employees where FirstName like "%a%" and Salary>40000;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

EmpID	FirstName	LastName	Department	Salary	JoiningDate	City
2	Daniel	Brooks	IT	45000.00	2024-05-09	Chicago
3	Sarah	Jones	HR	66000.00	2022-01-01	Denver
4	James	Stewart	HR	88000.00	2020-03-15	Remote
6	Amanda	Stevens	IT	50000.00	2023-11-18	Chicago

Result Grid

Form Editor

Employees 9

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	11:38:39	set SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
12	11:38:50	select * from Employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
13	11:40:44	select * from Employees where City<>"New York" and Department<>"HR" LIMIT 0,...	3 row(s) returned	0.000 sec / 0.000 sec
14	11:44:30	update Employees set City="Remote" where JoiningDate<"2022-01-01"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
15	11:44:47	select * from Employees LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
16	11:47:38	select * from Employees where FirstName like "%a%" and Salary>40000 LIMIT 0, 1...	4 row(s) returned	0.000 sec / 0.000 sec