

Project Design Phase-II

Solution Requirements (Functional & Non-functional)

Team ID	SWTID-2026-9038	Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks	Date	28-09-2026

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User & Role Creation	Create EEE User; create roles bb1, bb2, bb3 and bb4; assign roles to the EEE User.
FR-2	Institution Details Table	Create u_institution_details table with Student Roll Number, Student Name, Faculty Name, Branch, Email, Phone Number and Description fields.
FR-3	Student Record Creation	Create multiple records with different branch values: ECE, EEE and CSE.
FR-4	READ ACL	Create record READ ACL for u_institution_details; require bb1; set Data condition as Branch is EEE; use script-controlled access.
FR-5	CREATE ACL	Create record CREATE ACL for u_institution_details; require bb2; no Data condition required.
FR-6	WRITE ACL	Create record WRITE ACL for u_institution_details; require bb3; no Data condition required.
FR-7	DELETE ACL	Create record DELETE ACL for u_institution_details; require bb4; no Data condition required.
FR-8	Access Verification	Impersonate EEE user and Admin; verify permitted and denied access for READ, CREATE, WRITE and DELETE operations.

Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Security	Restrict record access using ACLs, roles and field-value conditions.
NFR-2	Access Control	Allow only authorized users to perform permitted record operations.
NFR-3	Reliability	ACL rules should consistently enforce allow/deny decisions.
NFR-4	Usability	Users and administrators should be able to verify access through ServiceNow lists and forms.
NFR-5	Maintainability	Separate READ, CREATE, WRITE and DELETE ACL rules make access control easier to manage.

NFR-6	Availability	Access to records should follow the configured ACL rules whenever the ServiceNow application is available.
-------	--------------	--