

Project Design Phase

Proposed Solution Template

Date	28 September 2026
Team ID	SWTID-2026-9038
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	2 Marks

Team Leader: K. Kumutha | Members: R. Siva Dharshini, S. Vayshavi, M. Jasmin

Proposed Solution Template:

Project team shall fill the following information in the proposed solution template.

S.No.	Parameter	Description
1	Problem Statement (Problem to be solved)	In ServiceNow, access to records is usually controlled only by static roles. Because the record's field value is not checked, restricted institution records can be seen or edited by users who should not have access, which risks data privacy and security.
2	Idea / Solution description	Create a script-controlled ACL on the institution details table (u_institution_details). The ACL script checks the field value of the record and the logged-in user's role (bb1–bb4) and returns true to allow access or false to deny it, so each user sees only the records they are allowed to.
3	Novelty / Uniqueness	Access is decided dynamically by the record's own field value instead of only by the role. It uses built-in ServiceNow ACL scripting, so no extra plugin, tool or licence is needed, and the rule applies automatically to every record.
4	Social Impact / Customer Satisfaction	Protects sensitive institution data from unauthorised viewing, builds trust among staff and management, reduces manual checking work for administrators, and gives users a clear and consistent access experience.
5	Business Model (Revenue Model)	The solution is built with standard ServiceNow features, so it adds no extra licence cost. Value comes from lower risk of data leaks, less admin effort and easier audits. It can be offered as a reusable ACL configuration or consulting service for organisations using ServiceNow.
6	Scalability of the Solution	The same script pattern can be reused for other tables and fields by changing the field and role conditions. It works for any number of records and users and can be moved to other instances through update sets.