

User Acceptance Testing (UAT) Template

Date	28 September 2026
Team ID	SWTID-2026-9038
Project Name	Script-Controlled ACL - Restrict Record Access Based on Field Value
Maximum Marks	100

Project Overview:

Project Name: Script-Controlled ACL - Restrict Record Access Based on Field Value
Project Description: Implementation of custom script-controlled Access Control Lists (ACLs) to dynamically restrict user access to database records based on evaluated field values (e.g., Security Level, Confidentiality State, Owner Department).
Project Version: v1.0.0
Testing Period: 15 September 2026 to 28 September 2026

Testing Scope:

- Field-based dynamic access restriction (Read/Write/Delete privileges based on field values).
- Server-side ACL script evaluation logic under varying user roles.
- Error handling and access denial message generation for unauthorized field value access.
- Security bypass prevention for API and bulk data query requests.

Testing Environment:

URL/Location: <https://uat-app.internal.domain/sec-acl-eval>
Credentials (if required): uat_test_user / SecurityTest2026!

Test Cases:

Test Case ID	Test Scenario	Test Steps	Expected Result	Actual Result / Pass/Fail
TC-001	Verify read access restriction on records	1. Log in as Standard User. 2. Query record #1042 where Sensitivity field	Access denied. User is prevented from reading the record.	Record hidden, access error shown.

	where 'Sensitivity' = 'Confidential'	is 'Confidential'. 3. Observe access result.		[Pass]
TC-002	Verify field update restriction based on 'Status' field value	1. Open record where Status = 'Locked'. 2. Attempt to edit non-restricted fields. 3. Click Save.	Script evaluates Status='Locked' and blocks modification.	Edit prevented by ACL script. [Pass]
TC-003	Verify elevated role override for field restriction	1. Log in as Security Admin. 2. Access record where Sensitivity = 'Confidential'. 3. View record details.	Admin role bypasses restriction and reads record successfully.	Record rendered completely. [Pass]
TC-004	Verify script execution behavior under invalid field payload	1. Send API POST request with null value in evaluated field. 2. Observe response code and message.	Script defaults to secure fallback (Deny Access) with proper logging.	Fallback activated, 403 Forbidden returned. [Pass]

Bug Tracking:

Bug ID	Bug Description	Steps to reproduce	Severity / Status	Additional feedback
BG-001	ACL script error toast message truncated on UI when field value restriction triggers	1. Trigger access deny on 'Restricted' field value. 2. Observe toast notification popup on screen bottom.	Severity: Low Status: Closed	Fixed in build v1.0.1 by expanding toast layout container.
BG-002	Bulk fetch API took > 200ms when evaluating ACL scripts across 1,000+ rows	1. Run batch query for 1,000 records. 2. Record ACL evaluation processing latency.	Severity: Medium Status: Closed	Resolved by applying database index on evaluated status fields.

Sign-off:

Tester Name: Security QA Lead

Date: 28 September 2026

Signature: [Signed Electronically]

Notes:

- Ensure that all test cases cover both positive and negative scenarios.
- Encourage testers to provide detailed feedback, including any suggestions for improvement.
- Bug tracking should include details such as severity, status, and steps to reproduce.
- Obtain sign-off from both the project manager and product owner before proceeding with deployment.