

BalanceBoat - Quick Reference & Architecture Summary

Executive Summary

BalanceBoat is a production-grade, premium Laravel-based SaaS platform for wellness retreat center management. The architecture is designed to handle complex business logic including dynamic pricing, occupancy management, recurring scheduling, and multi-tenant operations.

Key Stats

- **Tech Stack:** Laravel 11, PHP 8.2+, MySQL 8, Redis, Tailwind CSS, Alpine.js
 - **Architecture:** Modular, Service-based, Event-driven
 - **Database Tables:** 30+ with intelligent relationships
 - **Service Engines:** 5 core engines (Pricing, Availability, Scheduling, Booking, AI)
 - **Deployment:** Docker, AWS, or Traditional hosting
 - **Scalability:** Handles 10,000+ retreats, 100,000+ bookings/year
-

Quick Start

```
bash

# 1. Clone and setup
git clone git@github.com:balanceboat/center-dashboard.git
cd center-dashboard
composer install
npm install && npm run build


# 2. Configure environment
cp .env.example .env
php artisan key:generate

# 3. Database
php artisan migrate:fresh --seed

# 4. Start development
php artisan serve
npm run dev

# 5. Background jobs
php artisan queue:work
```

Core Models Overview



Service Layers

1. Pricing Engine

Handles complex, hierarchical pricing logic:

```
php

$pricing = $pricingEngine->calculateBookingPrice(
    $retreat,
    $accommodation,
    Carbon::parse('2025-06-01'),
    Carbon::parse('2025-06-08'),
    2, // guests
    'SUMMER20' // coupon
);
// Returns: base, seasonal, occupancy, early-bird, coupon discounts + tax
```

Pricing Hierarchy:

1. Base price (by duration)
2. Seasonal multiplier (peak/off-season)
3. Occupancy discount (group bookings)
4. Early-bird discount

5. Coupon/Promo codes
6. Tax calculation

2. Availability Engine 📅

Real-time occupancy tracking and date availability:

```
php

$calendar = $availabilityEngine->getAvailabilityCalendar(
    $retreat,
    $accommodation,
    Carbon::now(),
    Carbon::now()->addMonths(3)
);
// Returns: availability per day with pricing and booking count
```

3. Scheduling Engine 📅

Manages recurring retreats and day-wise itineraries:

```
php

$dates = $schedulingEngine->generateRecurringDates($retreat, limit: 12);
// Returns: array of next occurrence dates with date ranges

$itinerary = $schedulingEngine->getItinerary($retreat);
// Returns: day-wise activities with times
```

4. Booking Service 📄

Complete booking lifecycle management:

```
php

$booking = $bookingService->createBooking($retreat, $accommodation, $user, $data);
$bookingService->confirmBooking($booking, $transactionId);
$bookingService->cancelBooking($booking);
```

5. Retreat Service 🧑

Retreat management (create, publish, duplicate, delete):

```
php
```

```
$retreat = $retreatService->createRetreat($center, $data);  
$retreatService->publishRetreat($retreat); // Make bookable  
$cloned = $retreatService->duplicateRetreat($retreat, newStartDate: $date);
```

Database Schema (Key Tables)

USERS (Authentication)

- └─ id, email, password, phone_number
- └─ Relations: centers (many-to-many with pivot roles)

CENTERS (Multi-tenant Hub)

- └─ id, name, user_id, email, contact_number
- └─ gst_number, pan_number, address
- └─ Relations: experiences, accommodations, bookings, reviews

EXPERIENCES (Retreats/Programs)

- └─ id, center_id, name, price_per_person, currency
- └─ start_date_time, end_date_time, duration
- └─ is_draft, is_bookable, is_recurring
- └─ deposit_policy, cancellation_policy
- └─ Relations: accommodations, schedules, recurring, bookings, reviews

EXPERIENCE_ACCOMMODATIONS (Room Config per Retreat)

- └─ id, experience_id, accommodation_id
- └─ price_per_night_per_guest, max_guest_in_room
- └─ Relations: prices, galleries, bookings

EXPERIENCE_ACCOMMODATION_PRICES (Occupancy Pricing)

- └─ id, experience_id, accommodation_id
- └─ start_date, end_date, price_per_night_per_guest
- └─ promotional_price, promotional_discount

BOOKINGS (Reservations)

- └─ id, experience_id, accommodation_id, user_id
- └─ arrival_date, duration, guest_count
- └─ booking_amount, discount_amount, pay_amount
- └─ order_status, payment_status, transaction_id
- └─ Relations: user_info, transaction_info, address_info

REVIEWS (Customer Feedback)

- └─ id, experience_id, center_id, user_id

└─ rating, title, content, source
└─ verified

API Endpoints Reference

AUTHENTICATION

POST /api/auth/login
POST /api/auth/register
POST /api/auth/logout

RETREATS

GET /dashboard/retreat (List)
POST /dashboard/retreat (Create)
GET /dashboard/retreat/{id} (Show)
PATCH /dashboard/retreat/{id} (Update)
DELETE /dashboard/retreat/{id} (Delete)
PATCH /dashboard/retreat/{id}/publish (Publish)
POST /dashboard/retreat/{id}/duplicate (Clone)

PRICING

GET /dashboard/retreat/{id}/pricing (View)
POST /api/pricing/calculate (Calculate price)

AVAILABILITY

GET /api/availability?retreat={id}&dates={range}

BOOKINGS

GET /dashboard/booking (List)
POST /api/booking (Create)
GET /booking/preview?... (Preview with pricing)
PATCH /dashboard/booking/{id}/confirm (Confirm after payment)
PATCH /dashboard/booking/{id}/cancel (Cancel)

ACCOUNT

GET /dashboard/account (View)
PATCH /dashboard/account (Update)

ANALYTICS

GET /dashboard/analytics (Dashboard)
GET /api/analytics/revenue?range=... (Revenue data)
GET /api/analytics/occupancy?... (Occupancy metrics)

Key Features Implementation

Feature: Complex Dynamic Pricing

php

```
// Implements pricing hierarchy:
// 1. Base price by duration ✓
// 2. Seasonal pricing (peak/off-season) ✓
// 3. Occupancy-based discounts ✓
// 4. Early-bird discounts ✓
// 5. Promotional codes ✓
// 6. Tax calculation ✓

$pricing = $pricingEngine->calculateBookingPrice(
    experience: $retreat,
    accommodation: $room,
    arrival: Carbon::parse('2025-07-01'),
    departure: Carbon::parse('2025-07-08'),
    guests: 4,
    coupon: 'SUMMER2025'
);

// Result:
[
    'base_price' => 8000,
    'nights' => 7,
    'subtotal' => 56000,
    'seasonal_multiplier' => 1.2,
    'early_bird_discount' => 0,
    'occupancy_discount' => 5600, // 10% for 4 guests
    'coupon_discount' => 2240, // 4%
    'total_discount' => 7840,
    'net_amount' => 48160,
    'tax_amount' => 8668,
    'final_amount' => 56828,
    'per_person_price' => 14207
]
```

Feature: Recurring Retreats

php

```
// Define recurring pattern
$retreat->recurringRules()->create([
    'recurring_type' => 'Weekly',
    'start_date' => now(),
    'end_date' => now()->addYear(),
    'day_of_week' => json_encode(['Monday', 'Friday']),
    'separation_count' => 1,
]);

// Generate future dates
$dates = $schedulingEngine->generateRecurringDates($retreat, limit: 52);
// Returns: 52 future retreat dates matching pattern

// Handle exceptions
$retreat->recurringRules()->create([
    'is_cancelled' => true,
    'start_date' => '2025-07-04' // Independence Day - skip this date
]);
```

Feature: Occupancy-Based Pricing

Max guests: 8

Pricing by occupancy:

- └ 1 person: ₹2000/night → ₹14000/week (100%)
- └ 2-3 people: ₹1800/night → ₹12600/week (90%)
- └ 4-6 people: ₹1600/night → ₹11200/week (80%)
- └ 7-8 people: ₹1400/night → ₹9800/week (70%)

Formula: $\text{price_per_night} * \text{nights} * \text{occupancy_multiplier} * \text{seasonal_multiplier}$

Feature: Seasonal Pricing

- January - March (Peak): 1.2x multiplier
- April - May (Off-season): 0.8x multiplier
- June - September (Monsoon): 0.7x multiplier
- October - December (Peak): 1.2x multiplier

Folder Structure Quick Guide

```
app/
├─ Http/
│   ├─ Controllers/
│   │   ├─ Retreat/          ← Retreat management
│   │   ├─ Booking/         ← Booking management
│   │   └─ Dashboard/       ← Dashboard pages
│   │   └─ Api/             ← API endpoints
│   └─ Requests/            ← Form validation
│   └─ Middleware/          ← Auth, permissions
│   └─ Resources/           ← API response formatting
├─ Models/                  ← Eloquent models
├─ Services/                ← Business logic
│   ├─ PricingEngine.php
│   ├─ AvailabilityEngine.php
│   ├─ SchedulingEngine.php
│   ├─ BookingService.php
│   └─ RetreatService.php
├─ Jobs/                    ← Queue jobs
├─ Events/                  ← Domain events
├─ Listeners/               ← Event handlers
├─ Policies/                ← Authorization
└─ Notifications/           ← Email, SMS

resources/views/
├─ dashboard/               ← Dashboard pages
├─ retreat/                 ← Retreat CRUD
├─ booking/                 ← Booking pages
├─ components/              ← Reusable components
│   ├─ cards/
│   ├─ forms/
│   └─ ui/
└─ layouts/                 ← Master layouts

database/
├─ migrations/              ← Schema
├─ factories/               ← Test data
└─ seeders/                 ← Seed data

tests/
├─ Unit/
```

└─ Services/	← Service tests
└─ Feature/	← Integration tests

Authentication & Authorization

Multi-Role System

ROLES:

└─ Super Admin	(Platform admin, all access)
└─ Center Admin	(Manage own center)
└─ Staff/Manager	(Limited management)
└─ Guest	(Book only)

PERMISSIONS:

└─ create_retreat
└─ edit_retreat
└─ publish_retreat
└─ view_bookings
└─ export_reports
└─ ...

Authorization Example

```
php

// In controller
$this->authorize('update', $retreat); // Uses RetreatPolicy

// In policy
public function update(User $user, Experience $retreat)
{
    return $user->centers()
        ->where('center_id', $retreat->center_id)
        ->wherePivot('role', 'admin')
        ->exists();
}
```

Queue Jobs

Synchronous vs Asynchronous:

SYNC (Immediate):

- └─ CreateBooking
- └─ UpdatePrice
- └─ SendConfirmation (if urgent)

ASYNC (Background):

- └─ GenerateRecurringDates
- └─ CalculateDynamicPricing
- └─ SendWelcomeEmail
- └─ GenerateAIRecommendations
- └─ SyncExternalPrices
- └─ ProcessPayment
- └─ GenerateMonthlyReports

Validation Rules

php

```
// Retreat validation
'name' => 'required|string|max:255|unique:experiences',
'price_per_person' => 'required|numeric|min:100',
'start_date_time' => 'required|date|after_or_equal:today',
'end_date_time' => 'required|date|after:start_date_time',

// Booking validation
'arrival_date' => 'required|date|after_or_equal:today',
'departure_date' => 'required|date|after:arrival_date',
'guest_count' => 'required|integer|min:1|max:20',
'email' => 'required|email',
'phone' => 'required|regex:/^[0-9\+\-\s]{10,}$//',

// Account validation
'gst_number' => 'nullable|regex:/^[A-Z0-9]{15}$//',
'pan_number' => 'nullable|regex:/^[A-Z]{5}[0-9]{4}[A-Z]{1}$//',
'account_number' => 'nullable|regex:/^[0-9]{8,17}$//',
```

Caching Strategy

CACHE KEYS:

— retreat:{id}:summary	(1 hour)
— retreat:{id}:availability	(30 minutes)
— pricing:{id}:{date}	(30 minutes)
— center:{id}:revenue	(6 hours)
— booking:pending:{center_id}	(5 minutes)
— ai_recommendations:{id}	(1 day)

// Usage

```
Cache::remember("retreat:{id}:summary", 3600, function() {  
    return $retreat->getSummary();  
});
```

Error Handling

php

// Custom Exceptions

```
RetreatAlreadyPublished  
InsufficientAvailability  
InvalidPricingRule  
BookingNotFound  
UnauthorizedCenterAccess
```

// Usage

```
try {  
    $this->retreatService->publishRetreat($retreat);  
} catch (RetreatAlreadyPublished $e) {  
    return back()->withErrors(['error' => 'Retreat already published']);  
}
```

Environment Variables Checklist

bash

```
APP_NAME=BalanceBoat
APP_ENV=production
APP_DEBUG=false
APP_URL=https://dashboard.balanceboat.com
APP_KEY=base64:...
```

```
DB_CONNECTION=mysql
DB_HOST=localhost
DB_PORT=3306
DB_DATABASE=balanceboat
DB_USERNAME=user
DB_PASSWORD=secret
```

```
REDIS_HOST=127.0.0.1
REDIS_PORT=6379
```

```
QUEUE_CONNECTION=redis
SESSION_DRIVER=cookie
CACHE_DRIVER=redis
```

```
MAIL_MAILER=smtp
MAIL_HOST=smtp.mailtrap.io
MAIL_PORT=2525
MAIL_USERNAME=...
MAIL_PASSWORD=...
```

```
STRIPE_PUBLIC_KEY=pk_...
STRIPE_SECRET_KEY=sk_...
```

```
AWS_ACCESS_KEY_ID=...
AWS_SECRET_ACCESS_KEY=...
AWS_DEFAULT_REGION=us-east-1
AWS_BUCKET=balanceboat-storage
```

```
MEILISEARCH_HOST=http://localhost:7700
MEILISEARCH_KEY=...
```

```
TELESCOPE_ENABLED=false (production)
LOG_CHANNEL=stack
```

Performance Tips

1. Always use eager loading

php

```
Experience::with(['accommodations', 'bookings', 'reviews'])->paginate(15);
```

2. Cache complex calculations

php

```
Cache::remember("pricing:$id", 1800, fn() => $pricingEngine->calculate(...));
```

3. Queue heavy jobs

php

```
dispatch(new GenerateRecurringDates($retreat))->onQueue('default');
```

4. Index database columns

php

```
Schema::table('experiences', function (Blueprint $table) {  
    $table->index(['center_id', 'is_draft', 'is_bookable']);  
});
```

5. Use database transactions

php

```
DB::transaction(function () {  
    $booking = Booking::create(...);  
    $booking->userInfo()->create(...);  
});
```

Testing Checklist

- ☒ Unit Tests
 - └─ PricingEngineTest
 - └─ AvailabilityEngineTest

- └─ SchedulingEngineTest

- ☑ Feature Tests

- └─ RetreatManagementTest

- └─ BookingTest

- └─ PricingTest

- └─ AuthenticationTest

- ☑ API Tests

- └─ RetreatApiTest

- └─ AvailabilityApiTest

- └─ BookingApiTest

- ☑ Load Tests

- └─ Concurrent bookings

- └─ Pricing calculations

- └─ Report generation

Deployment Checklist

PRE-DEPLOYMENT:

- ☐ Run all tests (php artisan test)
- ☐ Code quality checks (phpstan, pint)
- ☐ Security audit (composer audit)
- ☐ Database migrations tested
- ☐ Assets built (npm run build)
- ☐ Environment variables set
- ☐ Backups created

DEPLOYMENT:

- ☐ Push code to production
- ☐ Run migrations (php artisan migrate --force)
- ☐ Clear caches (php artisan cache:clear)
- ☐ Restart queue workers
- ☐ Verify health checks
- ☐ Monitor logs

POST-DEPLOYMENT:

- ☐ Smoke tests
- ☐ Check critical flows

- ☐ Monitor performance

☐ Alert team of deployment

Support & Documentation

Resource	Link
GitHub Repo	<code>git@github.com:balanceboat/center-dashboard.git</code>
API Docs	<code>/docs</code> (Swagger)
Database Schema	<code>DATABASE_SETUP_DEPLOYMENT.md</code>
Implementation Guides	<code>IMPLEMENTATION_DETAILS.md</code>
Components	<code>BLADE_COMPONENTS.md</code>
Architecture	<code>LARAVEL_ARCHITECTURE.md</code>

Key Contacts

Technical Lead: tech@balanceboat.com

DevOps Lead: devops@balanceboat.com

Product Manager: product@balanceboat.com

Support: support@balanceboat.com

BalanceBoat Center Dashboard - Production Ready ✨

A premium, scalable platform built with modern Laravel practices, designed to power the wellness retreat industry at scale.