

P<INDKUMAR<<SUNIL<<<<<<<<<<<<<<<<<<<<<<<<<<<
V7759392<9IND8510149M31041940074434398321<06

पिता / कानूनी अभिभावक का नाम / Name of Father / Legal Guardian

KAPIL DEV SINGH

माता का नाम / Name of Mother

RADHIKA DEVI

पति या पत्नी का नाम / Name of Spouse

RUBI DEVI

पता / Address

BELAV

DARAULI, SIWAN

PIN: 841234, BIHAR, INDIA

पुराने पासपोर्ट का नं. और इसके जारी होने की तिथि एवं स्थान / Old Passport No. with Date and Place of Issue

J8917286

19/07/2011

PATNA

फाइल नं. / File No.

OM0074434398321



V7759392

Resume

Sunil Kumar

☎ +968 9397 4016 | +91 95461 75818 | +91 90066 74517

✉ sk8913471@gmail.com

Objective

Seeking the position of **Industrial Wiring Electrician** where I can apply my technical expertise and years of experience in electrical and fire alarm systems to contribute to the growth of the organization.

Project References – Qatar

Duration: June 2012 – December 2012

Company: PowerTech Trading & Contracting W.L.L

Company – Tree Star Electrician Industries 2008 -2012

30 September 2014 To Present:

Project : MC-12 Airport

Position : Industrial Wiring Electrician

Company : Bahwan Engineering Company Muscat, Oman

Experience

Tree Star Electrician Industries , India – 4 years

B.M.S Working – 2 years

Fire Alarm Working – 2 years

Skills

- Electrical installations and maintenance
- Fire alarm systems installation and troubleshooting
- Building Management Systems (BMS) operations

Education and Technical Details:

10 th Passed From Bihar Board

ITI Hathua, Bihar

Languages known:-

Hindi & English.

Passport Details:

Passport No:- J8917286 ,V7759392

Date Of Issue:-20.04.2021

Date Of Expired:-19.04.2031

Place Of Issue:-Muscat.

Personal Details:

Father S Name Sh. - Kapil Dev Singhs

Date oF Birth - 14.10.1985

Marital Status - Married

Permanent Add - Vill+PO-Be1aon, PS-Darau1i, Dist-Siwan , Bihar-841235, India.


Nationality - Indian

All above mentioned particulars are correct & true to the best of my knowledge.

Date:

Place

(Sunil Kumar)



क्रम सं०

SI No. NCT 33(C4)

NO. 0459130



भारत सरकार
GOVERNMENT OF INDIA

श्रम तथा पुनर्वास मंत्रालय
MINISTRY OF LABOUR AND REHABILITATION
राष्ट्रीय व्यवसायिक प्रशिक्षण परिषद्
NATIONAL COUNCIL FOR VOCATIONAL TRAINING

राष्ट्रीय व्यवसाय प्रमाण पत्र National Trade Certificate

श्री/श्रीमती/कुमारी सुनील कुमार
सुपुत्र/पत्नी/सुपुत्री/श्री कपिल देव सिंह को
औद्योगिक प्रशिक्षण संस्थान इथुआ में
प्रशिक्षण पुरा करने और नूलाई सन् दो हजार तीन
को आयोजित इलेक्ट्रीशियन को निर्धारित व्यवसाय परीक्षा में उत्तीर्ण
होने पर व्यवसाय प्रमाण पत्र प्रदान किया जाता है।

Shri/Shrimati/Kumari SUNIL KUMAR
Son/Wife/Daughter of Shri KAPIL DEV SINGH
having completed the course of Training at I.T.I. HATHUA
and passed the prescribed test the trade of ELECTRICIAN
held on the month of JULY Two thousand Three
is awarded this certificate.

सचिव

Secretary

राष्ट्रीय व्यवसायिक प्रशिक्षण परिषद्

National Council for Vocational Training

परीक्षा नियंत्रक

Sharma
सचिव

Secretary

राज्य व्यवसायिक प्रशिक्षण परिषद्

State Council for Vocational Training

Sl. No.

(Particulars of the Office of State/Directorate/D G E & Institute)
PROVISIONAL NATIONAL TRADE CERTIFICATE



Shri/Shrimati/Kunzari SUNIL KUMAR

Son/Wife/Daughter of Shri KAPIL DEV SINGH

Roll No. HTW/OI/E/43 having completed the course of training at ITI, HATHUA

(Name of the Institute and place and passed the prescribed trade. Trade test in the trade of ELECTRICIAN held in the month of JULY 2003 awarded this certificate

provisional The National Trade Certificate will be issued by the National Council of Vocational Training period of Training From August 2001 to July 2003

Character Good

TRADE TEST MARK

Sl. No.	Subject	Max. Mark	Marks Obtained
1	2	3	4
1.	PRACTICAL	400	372
2.	TRADE THEORY	120	91
3.	WORK SHOP CAL & SCIENCE	60	48
4.	ENGINEERING DRAWING	70	63
5.	SOCIAL STUDY	50	35
	TOTAL	700	609

Date of Birth as recorded in the School Certificate 14-10-1985

[Signature]
Prepared by

[Signature]
Checked by

प्रधानाचार्य

श्रीविवेक विश्वविद्यालय

Signature of Principal of ITI Incharge

CTS of DGE & Institute with Seal Secretary S.C.V.T./Head of DGE & Institute

(Fascimile Signature)

Sunil Kumar
Signature of Certificate Holder
Date 30/10/2003

प्रशिक्षण अवधि

अगस्त दो हजार एक से जुलाई दो हजार तीन

Period of Training

From August 2001 to July 2003.

स्कूल के प्रमाण-पत्र जन्म तिथि 14-10-1985

Date of Birth as recorded is School Certificate 14-10-1985

पता

Address Vill - Belav, Post - Darauli, Dist. SIWAN (Bihar)

प्रधानाचार्य

Principal

तारीख

Date

प्राचार्य

बीओनिक प्रशिक्षण संस्थान

हस्ता (गोपालराज)

प्राचार्य
बीओनिक प्रशिक्षण संस्थान
हस्ता (गोपालराज)

प्राचार्य

NEW DOHA INTERNATIONAL AIRPORT



Brookfield
MULTIPLEX



 **mace**

Gate Pass No Q158037

CP No: MACE

Name : Sunilkumar

Designation : Electrician

Company: BROOKFIELD MULTIPLEX

ID No: J 8917286

SUNIL KUMAR

ELECTRICIAN SITE

MC3 (BEC) MEP

Id_No 378479





الجمعية العمانية للخدمات النفطية
Oman Society for Petroleum Services

Unified HSE Passport

Name: SUNIL KUMAR

Verification No.: TjXEdRXOF

Issue Date: 01/02/2023

ROP License No.: —





★ ★ ★
THREE STAR ELECTRICAL INDUSTRIES

Office : 1-C/1, B.P. N.I.T. Faridabad-121001 (Haryana)
Works : E/51, Sanjay Colony, 33 Feet Road, Near Sohna Road, Faridabad
E-mail : jschani@yahoo.co.in

Mobile : 98102-92450
: 9811368386
Tel. : (R) 0129-2337221
Fax : 0129-2410005

Ref. No. :

TO WHOM IT MAY CONCERN

DT 7/5/2011.

THIS IS TO CERTIFY THAT Mr SUNIL KUMAR S/O SH KAPILDEO SINGH
RESIDENT OF KRISHNA COLONY SECTOR 25 FARIDABAD WORKING IN OUR
CONCERN AS A WIRE MAN / ELECTRICIAN FROM 1st 2008 TO 31st MARCH
2011.

HE HAS A GOOD MARAL CHARACTER AND WORKING HONESTLY.

FOR
THREE STAR ELECTRICAL INDUSTRIES

JOGINDER SINGH CHANNI (DIRECTOR)

AHI CARRIER FZC

Certificate of Completion

Is hereby awarded to

SUNIL KUMAR - 64926

of "Bahwan Engineering Company" LLC

*In Recognition of successful completion of basic installation
training accomplishment of Edwards Fire Alarm System*

*Conducted by **AHI Carrier FZC** at Mall Of Oman
On 1st August 2018*



A handwritten signature in blue ink, appearing to read 'Kiran Nagaraj', is written over a horizontal line.

Kiran Nagaraj
ELV Solutions Department



Project : Mall Of Oman

Item : Schedule of Cables & Back Boxes (Fire Alarm System)

Sl. No.	Description	Device Part No.	Cable Type	Surface Mount Back Box	Recess Mount Back Box	Remarks
1	Smoke Detector	SIGA-PD + SIGA-SB	2Cx1.5 Red Red FR Cable (SR114H)	Octagonal GI Box (54151 3/4 - Steel City)	63mm PVC Circular JB	
2	Heat Detector	SIGA-HRD + SIGA-SB	2Cx1.5 Red FR Cable (SR114H)			
3	Multisensor Smoke & Heat Detector	SIGA-PHD + SIGA-SB	2Cx1.5 Red FR Cable (SR114H)			
4	Response Indicator	SIGA-LED	2Cx1.5 Red FR Cable (SR114H)	One Gang Utility Box (58361 3/4 - Steel City)	One Gang Utility Box (58361 3/4 - Steel City)	
5	Manual Call Point	SIGA-278	2Cx1.5 Red FR Cable (SR114H)	276B-RSB (Red)	27193-16 (White)	
6	Manual Call Point - W/P	MPSR2-SHTW-GE	2Cx1.5 Red FR Cable (SR114H)	-		MCP is with back box only
7	Fire Alarm Strobe	G1RF-VM	2Cx2.5 Red FR Cable (SR114H)	27193-11 (Red)	One Gang Utility Box (58361 3/4 - Steel City)	
8	Fire Alarm Sounder	G1RF-HD	2Cx2.5 Red FR Cable (SR114H)	27193-11 (Red)	One Gang Utility Box (58361 3/4 - Steel City)	
9	Fire Alarm Sounder with Strobe	G1RF-HD VM	2Cx2.5 Red FR Cable (SR114H)	27193-11 (Red)	One Gang Utility Box (58361 3/4 - Steel City)	
10	Fire Alarm Sounder - W/P	WG4RF-HVMC	2Cx2.5 Red FR Cable (SR114H)	WG4RTS + 74347U	3"x3" Deep	Trim skirt with back box
11	Monitoring Module	SIGA-CT1	2Cx1.5 Red FR Cable (SR114H)	27193-11 (Red)		No Recess installation
12	Monitoring Module - W/P	SIGA-CT1	2Cx1.5 Red FR Cable (SR114H)	WP Enclosure		Various size GEWISS aluminum enclosure, based on number of modules
13	Dual - Monitoring Module	SIGA-CT2	2Cx1.5 Red FR Cable (SR114H)	27193-11 (Red)		No Recess installation
14	Isolator Module	SIGA-IM	2Cx1.5 Red FR Cable (SR114H)	27193-21 (Red)		No Recess installation
15	Isolator Module - W/P	SIGA-IM	2Cx1.5 Red FR Cable (SR114H)	WP Enclosure		Various size GEWISS aluminum enclosure, based on number of modules
16	Control Module (LV Equipment) like MCC, CP, MSFD, Air curtain, other HVAC equipments etc.	SIGA-CRH (hi power relay)	2Cx1.5 Red FR Cable (SR114H)	27193-21 (Red)		For 230V equipment interfacing No Recess installation
17	Control Module - W/P (LV Equipment) like MCC, CP, MSFD, Air curtain etc.	SIGA-CRH + WP Enclosure	2Cx1.5 Red FR Cable (SR114H)	WP Enclosure		For WP, Various size GEWISS aluminum enclosure, based on number of modules
18	Control Module (ELV Equipment) like PAVA, BMS, Lift, Elevator, LCP, IDC etc	SIGA-CR	2Cx1.5 Red FR Cable (SR114H)	27193-11 (Red)		For ELV equipment interfacing No Recess installation
19	Control Module for Sounder & TM for Fire Telephone	SIGA-CC1	2Cx1.5 Red FR Cable (SR114H)	27193-21 (Red)		For NAC circuit & Telephone Riser interfacing No Recess installation
20	IFU-3	SIGA-CT2 (2Nos.) + SIGA-CR (1No.)	2Cx1.5 Red FR Cable (SR114H)	27193-11 (Red) - 3Nos.		No Recess installation
21	IFU-4	SIGA-CT2 (3Nos.) + SIGA-CR (1No.)	2Cx1.5 Red FR Cable (SR114H)	27193-11 (Red) - 4Nos.		No Recess installation
22	IFU-5	SIGA-CT2 (3Nos.) + SIGA-CR (2Nos.)	2Cx1.5 Red FR Cable (SR114H)	27193-11 (Red) - 5Nos.		No Recess installation
23	Fire Man Telephone Jack	6833-4	2Cx1.5 Red FR Cable (SR114H)	27193-11 (Red)	One Gang Utility Box (58361 3/4 - Steel City)	
24	Beam Detector	EC-100R	2Cx2.5 Red FR Cable (SR114H)	-	One Gang Utility Box (58361 3/4 - Steel City)	Only for wall mounting installation
25	FACP to FACP network		2Cx1.5 Red FR Cable (SR114H)			
26	Fire Telephone TM to TM network		2Cx1.5 Red FR Cable (SR114H)			
27	Fire Telephone Risers		2Cx1.5 Red FR Cable (SR114H)			
28	Sounder/ Strobe loops		2Cx2.5 Red FR Cable (SR114H)			
29	Beam detector power supply		2Cx2.5 Red FR Cable (SR114H)			
30	Detector/ module loops		2Cx1.5 Red FR Cable (SR114H)			

32

भारत / VISA

भारत सरकार
प्रवासी भारतीय कार्य मंत्रालय
उत्प्रवास संरक्षी कार्यालय



GOVERNMENT OF INDIA
MINISTRY OF OVERSEAS INDIAN AFFAIRS
OFFICE OF THE PROTECTOR OF EMIGRANTS

संख्या क्र. / Serial Number D 236110

[OWRC Helpline: 1800113090]

EC No. 10022632 Dated 2014-09-18 granted as per employment contract/visa to SUNIL KUMAR

(PP No. J8917286) OMAN

Visa # 147649/71

THE RELIANCE GENERAL INSURANCE CO. LTD.

Policy No. 1313542815361798 dated 2014-09-02

as ELECTRICIAN

for BAHWAN ENGINEERING COMPANY LLC

Through GLOBAL HUMAN RESOURCE CONSULTANTS

[3258/DEL/PART/1000+3/5436/2000]

Salary OMR 100
MLP NO: 101300

Protector of Emigrants (DELHI)
2014-09-18

مطار مسقط الدولي
Muscat International Airport



Apr



سونيل कुमार
Sunil Kumar

شركة بهوان الهندسية ش.م.م
Bahwan Engineering Company

كهربائي تمديدات صناعية
Industrial Extension Electrician

30/11/2025 | 68561

سلطة التحويل:-

