

Build workflow kit — setup guide

A Claude Code setup for: grill → spec → tickets → design gate → build in worktrees → GPT reviews → ship.
Companion to BUILD_WORKFLOW.md and git-worktrees.md from github.com/kunalagarwal0210/dev-standards.

Who does what

Step	Model	Where it runs
Grill, spec, tickets, design gate, planning (orchestrator)	Opus 5.5	Your main Claude Code session
Build each ticket	Sonnet 5.5	worker subagent, one git worktree per ticket
Code review, per ticket	GPT-6.1 Sol	wf.mjs review --kind code (routed, see below)
Fix review findings	Sonnet 5.5	fixer subagent
Adversarial review, per merge batch	GPT-6 Astra	wf.mjs review --kind adversarial (routed)
Fix adversarial findings	Sonnet 5.5	fixer subagent on the batch worktree
Design approval, ship decision, merging PRs	You	—

How the GPT routing decides (every review, automatically)

- 1 If WF_ROUTE is set to claudex or codex (or route.force in config), that wins.
- 2 Otherwise, if ANTHROPIC_BASE_URL points to a proxy (anything except api.anthropic.com) and that proxy's /v1/models lists the review model → **Claudex route**: a fresh, headless claude -p --model gpt-6.1-sol (or Astra) runs through the same proxy with read-only tools.
- 3 Otherwise, if the codex CLI is on your PATH → **Codex route**: a separate codex exec -m <model> -s read-only instance runs the review.
- 4 Otherwise the review stops with NO_ROUTE. It never falls back to a Claude model, because cross-family review is the point.

Either way the reviewer starts with a clean context (only the spec + the diff), which is your "cold reviewer" rule.
Check the current routing any time with `node scripts/wf.mjs route`.

Install into a project

- 1 Copy these into the project root: .claude/, .workflow/, scripts/wf.mjs. If the project already has .claude/settings.json, merge the statusLine, env and permissions blocks instead of overwriting.
- 2 Paste CLAUDE.workflow.md into the project's CLAUDE.md.
- 3 Copy BUILD_WORKFLOW.md and git-worktrees.md into docs/ (curl commands in the dev-standards README).
- 4 Install Matt Pocock's skills: `npx skills@latest add mattpocock/skills`, then run `/setup-matt-pocock-skills` once in the project.
- 5 `node scripts/wf.mjs init "<Project name>"` — creates the state file and adds local-only paths to .gitignore.
- 6 `node scripts/wf.mjs route` — confirm Sol and Astra both show claudex or codex.
- 7 In a second terminal: `node scripts/wf.mjs dash --open` — live dashboard at `http://127.0.0.1:4777`. The Claude Code status line also shows a one-line summary.

Needs Node 18 or newer, git, and the GitHub CLI (gh) for issues and PRs.

Running a build

Start Claude Code on Opus (`claude --model opus`, or your Claudex launcher with Opus), then:

Command	What happens
<code>/wf-idea <idea></code>	Grill → spec → tickets in one context; tickets get registered for tracking
<code>/wf-design-gate</code>	Checks docs/design/ (tokens.json, screens/*.png, DESIGN.md); waits for you to type "approved"
<code>/wf-plan</code>	Shows routing, unblocked tickets, proposes a frontier set and writes worker briefs
<code>/wf-build T01 T02</code>	One worktree per ticket, Sonnet workers in parallel, then the Sol review loop
<code>/wf-review T01</code>	Sol review → Sonnet fix → re-review, until pass or stop cap
<code>/wf-batch B1 T01 T02</code>	Merges ready tickets on batch/B1, tests, Astra loop, then waits for you
<code>/wf-ship B1</code>	After you say ship: pushes the batch branch, opens the PR, cleans up after you merge
<code>/wf-status</code>	Text summary plus a reminder of the dashboard command

Stop caps (from BUILD_WORKFLOW §5)

- `maxRounds` in `.workflow/config.json`: default 2 Sol rounds per ticket, 2 Astra rounds per batch.
- If the blocking-issue count doesn't drop between two rounds, the item stops early ("no progress").
- A stopped item turns red on the dashboard and appears under "Waiting on you". Claude is

told to stop and ask, never to start another round on its own.

Design pack layout (for the design gate)

docs/design/	
tokens.json	colours, type scale, spacing, radius, shadows
screens/	one PNG per screen and state, e.g. T04-login-empty.png
DESIGN.md	inspiration links (Pinterest etc.), rules, do/don't

Export from Figma, Lovable or anywhere else — the gate only cares that the files exist and agree.

Verify before relying on it

These are my best understanding as of October 2026, not confirmed against your machine:

- **Model IDs.** `gpt-6-astra` matches OpenAI's published API name. `gpt-6.1-sol` is my assumption — check what your proxy's `/v1/models` and `codex` actually accept and edit `.workflow/config.json`.
- **CLI flags** in `config.json` → `runners: codex exec -m ... -s read-only -c model_reasoning_effort=high` and `claude -p ... --add-dir ... --allowedTools ...`. Flag names change between versions; run `codex exec --help` and `claude --help` and adjust the arrays (no code changes needed).
- **Codex output.** The script treats `codex exec stdout` as the review. If your version prints progress to `stdout` too, the verdict lines are still found, but the review file will be noisier.
- **Nested** `claude -p`. The script removes `CLAUDECODE` from the child's environment so a headless review can start from inside a session. If your Claude Code version blocks this anyway, force the Codex route with `WF_ROUTE=codex`.
- **Long reviews.** `settings.json` raises the Bash timeouts via `BASH_DEFAULT_TIMEOUT_MS` and `BASH_MAX_TIMEOUT_MS`. If your version ignores these, ask Claude to run reviews in the background.
- **Claudex detection** relies on `ANTHROPIC_BASE_URL` being visible to commands Claude runs. If

you set it only inside a launcher that doesn't export it, use `WF_ROUTE=c laudex`.

- **Terms of use.** Check Anthropic's and OpenAI's current terms on routing subscription logins through a third-party proxy before relying on the Claudex route.