

Phase 1 — Learn the Basics (Arrays + Hashing + Basic Math)

Day 1

- Find the Largest Element in an Array
 - Find the Second Largest Element in an Array without Sorting
 - Check if the Array is Sorted
 - Remove Duplicates from Sorted Array
 - Left Rotate an Array by One Place
-

Day 2

- Left Rotate an Array by D Places
 - Move Zeroes to End
 - Linear Search
 - Union of Two Sorted Arrays
 - Find the Missing Number in an Array
-

Day 3

- Maximum Consecutive Ones
 - Find the Number that Appears Once, and Other Numbers Twice
 - Longest Subarray with Given Sum K (Positives)
 - Longest Subarray with Given Sum K (Positives + Negatives)
 - Two Sum
-

Day 4

- Sort an Array of 0's, 1's and 2's
 - Majority Element ($> n/2$ Times)
 - Kadane's Algorithm, Maximum Subarray Sum
 - Best Time to Buy and Sell Stock
-

Day 5

- Rearrange Array Elements by Sign
- Next Permutation
- Leaders in an Array

- [Longest Consecutive Sequence in an Array](#)
-

Day 6

- [Set Matrix Zeroes](#)
 - [Rotate Matrix by 90 Degrees](#)
 - [Print the Matrix in Spiral Manner](#)
 - [Pascal's Triangle](#)
-

Day 7 — Revision

Re-solve:

- Kadane's Algorithm, Maximum Subarray Sum
 - Two Sum
 - Sort an Array of 0's, 1's and 2's
 - Rotate Matrix by 90 Degrees
 - Next Permutation
-

Phase 2 — Medium Arrays

Day 8

- Majority Element II ($> n/3$ Times)
 - 3 Sum
 - 4 Sum
-

Day 9

- Merge Overlapping Intervals
 - Merge Two Sorted Arrays without Extra Space
 - Count Inversions in an Array
-

Day 10

- Reverse Pairs
 - Maximum Product Subarray
 - Count the Number of Subarrays with Given XOR K
-

Day 11

Revision

Re-solve:

- Merge Overlapping Intervals
 - Count Inversions in an Array
 - Reverse Pairs
 - Maximum Product Subarray
 - Count the Number of Subarrays with Given XOR K
-

 Phase 3 — Binary Search (Continued)

Day 16

- Split Array – Largest Sum
 - The Painter's Partition Problem – II
 - Allocate Minimum Number of Pages
-

 Phase 4 — Strings

Day 17

- Reverse Words in a String
 - Largest Odd Number in a String
 - Longest Common Prefix
 - Isomorphic Strings
-

Day 18

- Valid Anagram
 - Rotate String
 - Roman Number to Integer
 - Implement Atoi (String to Integer)
-

Day 19

- Longest Palindromic Substring
- Sum of Beauty of All Substrings
- Count and Say

Phase 5 — Sliding Window & Two Pointers

Day 20

- Maximum Points You Can Obtain from Cards
- First Negative Integer in Every Window of Size K
- Fruit Into Baskets
- Max Consecutive Ones III

Note: The first problem is the Striver A2Z problem used to teach the fixed-size sliding window pattern. It replaces the generic "Maximum Sum Subarray."

Day 21

- Longest Substring Without Repeating Characters
 - Longest Repeating Character Replacement
 - Binary Subarrays With Sum
-

Day 22

- Count Number of Nice Subarrays
 - Subarrays with K Different Integers
 - Minimum Window Substring
-

Phase 6 — Two Pointers

Day 23

- Remove Duplicates from Sorted Array
 - Container With Most Water
 - Two Sum II – Input Array Is Sorted
-

Day 24

- 3 Sum
 - 3Sum Closest
 - 4 Sum (*Revision*)
-

Phase 7 — Linked List

Day 25

- Reverse a Linked List
 - Middle of the Linked List
 - Linked List Cycle
 - Find the Length of Loop in Linked List
-

Day 26

- Merge Two Sorted Linked Lists
 - Remove Nth Node From End of List
 - Delete the Middle Node of a Linked List
 - Reverse Nodes in k-Group
-

Day 27

- Add Two Numbers
 - Intersection of Two Linked Lists
 - Palindrome Linked List
-

Day 28

- Copy List with Random Pointer
 - Flatten a Linked List
-

Phase 8 — Stack & Queue

Day 29

- Valid Parentheses
 - Implement Stack using Queues
 - Implement Queue using Stacks
 - Min Stack
-

Day 30

- Next Greater Element
- Next Smaller Element
- Online Stock Span

- Largest Rectangle in Histogram
-

Phase 8 — Stack & Queue (Continued)

Day 31

- Sliding Window Maximum
 - LRU Cache
-

Phase 9 — Recursion & Backtracking

Day 32

- Subset Sums
 - Print All Subsequences
 - Combination Sum
 - Combination Sum II
-

Day 33

- Subsets II
 - Permutations
 - Palindrome Partitioning
-

Day 34

- N-Queens
 - Rat in a Maze
 - Sudoku Solver
-

Phase 10 — Binary Trees

Day 35

- Binary Tree Inorder Traversal
 - Binary Tree Preorder Traversal
 - Binary Tree Postorder Traversal
 - Binary Tree Level Order Traversal
-

Day 36

- Maximum Depth of Binary Tree
 - Balanced Binary Tree
 - Diameter of Binary Tree
 - Binary Tree Maximum Path Sum
-

Day 37

- Binary Tree Zigzag Level Order Traversal
 - Boundary Traversal of Binary Tree
 - Vertical Order Traversal of a Binary Tree
-

Day 38

- Top View of Binary Tree
 - Bottom View of Binary Tree
 - Left View of Binary Tree
 - Right View of Binary Tree
-

Day 39

- Symmetric Tree
 - Root to Node Path in Binary Tree
 - Lowest Common Ancestor of Binary Tree
-

Day 40

- Maximum Width of Binary Tree
 - Children Sum Property in Binary Tree
 - All Nodes Distance K in Binary Tree
-

Day 41

- Minimum Time Taken to Burn a Binary Tree
 - Serialize and Deserialize Binary Tree
 - Morris Inorder Traversal
 - Flatten Binary Tree to Linked List
-

Phase 11 — Binary Search Trees (BST)

Day 42

- Search in a Binary Search Tree
 - Insert into a Binary Search Tree
 - Delete a Node in a Binary Search Tree
 - Validate Binary Search Tree
-

Day 43

- Lowest Common Ancestor in a Binary Search Tree
 - Kth Smallest Element in a BST
 - Binary Search Tree Iterator
 - Recover Binary Search Tree
-

Phase 12 — Heap / Priority Queue

Day 44

- K Largest Elements
 - Kth Largest Element in an Array
 - Merge K Sorted Lists
 - Top K Frequent Elements
-

Day 45

- Find Median from Data Stream
 - Task Scheduler
 - Meeting Rooms II (*Optional — Premium / Similar Pattern*)
-

Phase 13 — Greedy Algorithms

Day 46

- Assign Cookies
 - Fractional Knapsack
 - Job Sequencing Problem
 - N Meetings in One Room
-

Day 47

- Jump Game
 - Jump Game II
 - Candy
 - Insert Interval
-

Phase 14 — Graphs

Day 48

- Breadth First Search (BFS) of Graph
 - Depth First Search (DFS) of Graph
 - Number of Islands
-

Day 49

- Flood Fill Algorithm
 - Rotten Oranges
 - Detect a Cycle in an Undirected Graph using BFS
 - Detect a Cycle in an Undirected Graph using DFS
-

Day 50

- Topological Sort
 - Kahn's Algorithm (Topological Sort using BFS)
 - Course Schedule
-

Day 51

- Bipartite Graph
 - Shortest Path in Directed Acyclic Graph (DAG)
 - Dijkstra's Algorithm
-

Day 52

- Minimum Spanning Tree (Prim's Algorithm)
- Disjoint Set Union (Union by Rank & Path Compression)
- Kruskal's Algorithm

Day 53

- Word Ladder
- Number of Provinces
- Surrounded Regions

Phase 15 — Dynamic Programming

Day 54

- Climbing Stairs
- Frog Jump
- House Robber

Day 55

- Maximum Sum of Non-Adjacent Elements
- Ninja's Training
- Unique Paths

Day 56

- Minimum Path Sum
- Triangle
- Cherry Pickup (*Optional*)

Day 57

- 0/1 Knapsack
- Subset Sum Equal to Target
- Partition Equal Subset Sum

Day 58

- Coin Change
 - Target Sum
 - Unbounded Knapsack
-

Day 59

- Longest Common Subsequence
 - Longest Common Substring
 - Edit Distance
-

Day 60

- Longest Increasing Subsequence
 - Longest Bitonic Subsequence
 - Matrix Chain Multiplication
-

Day 61

- Burst Balloons (*Optional*)
- Palindrome Partitioning II
- Evaluate Boolean Expression to True (*Boolean Parenthesization*) (*Optional*)