



Swagger
Supported by SMARTBEAR

/v3/api-docs

Explore



SalonSphere REST API

1.0

OAS 3.1

[/v3/api-docs](#)

REST API's for SalonSphere Application

Servers

[http://localhost:8080 - Generated server url](#)

stakeholder-controller

PUT

/stakeholders/update/{email}

Parameters

Try it out

Name

Description

email * required

string
(path)

email

Request body **required**

application/json

Example Value | Schema

```
{
  "firstname": "string",
  "lastname": "string",
  "phoneno": "6484221052",
  "address": "stringstri"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

 ▼

Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": "string"
}
```

GET

/stakeholders/me



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

 ▼

Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": {
    "id": 0,
    "firstname": "string",
    "lastname": "string",
    "email": "string",
    "phoneno": "string",
    "address": "string",
    "role": "USER",
    "status": "ACTIVE",
    "createdAt": "2026-08-11T05:17:58.046Z"
  }
}
```

PUT

/stakeholders/me



Parameters

Try it out

No parameters

Request body **required**

application/json



Example Value | Schema

```
{
  "firstname": "string",
  "lastname": "string",
  "phoneno": "3589065928",
  "address": "stringstri"
}
```

Responses

Code

Description

Links

200

OK

No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": {
    "id": 0,
    "firstname": "string",
    "lastname": "string",
    "email": "string",
    "phoneno": "string",
    "address": "string",
    "role": "USER",
    "status": "ACTIVE",
    "createdAt": "2026-08-11T05:17:58.048Z"
  }
}
```

PUT

/stakeholders/change-password



Parameters

Try it out

No parameters

Request body required

application/json



Example Value | Schema

```
{
  "email": "user@example.com",
  "oldPassword": "string",
  "newPassword": "(#D&p:wT-ly}Hy2cKnLHdC9[T'd~sgpukW'J^0F1N)5Y~ci0TU6.#`yWKfU"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": "string"
}
```

POST

/stakeholders/register



Parameters

Try it out

No parameters

Request body required

application/json



Example Value | Schema

```
{
  "firstname": "string",
  "lastname": "string",
  "email": "user@example.com",
  "password": "a;dS!ciR\\^3q&WkUZQ(U'# xs~0U>g-<2I2Nm'",
  "phoneno": "8762377169",
  "address": "stringstri",
}
```

```
{
  "role": "USER"
}
```

Responses

Code	Description	Links
200	OK Media type application/json Controls Accept header. Example Value Schema <pre>{ "success": true, "message": "string", "data": "string" }</pre>	No links

POST

/stakeholders/login



Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "email": "user@example.com",
  "password": "gK&XQf'AKq,B)yn5iJae'GY;#(zPq>Br#C<=ni5ETJsAY#=#+@UMPM[#6|@TJ"
}
```

Responses

Code	Description	Links
200	OK Media type	No links

Code	Description	Links
------	-------------	-------

application/json

Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": {
    "token": "string",
    "type": "string",
    "email": "string",
    "role": "string"
  }
}
```

GET

/stakeholders/search



Parameters

Try it out

Name

Description

firstname * required

string
(query)

firstname

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": [
    {
      "id": 0,
      "firstname": "string",
      "lastname": "string",
      "email": "string",
      "phoneno": "string",
      "address": "string",
      "role": "USER",
    }
  ]
}
```

Code	Description	Links
	<pre>"status": "ACTIVE", "createdAt": "2026-08-11T05:17:58.053Z" }] }</pre>	

GET

/stakeholders/email/{email}



Parameters

Try it out

Name	Description
------	-------------

email * requiredstring
(path)

email

Responses

Code	Description	Links
200	OK	No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": {
    "id": 0,
    "firstname": "string",
    "lastname": "string",
    "email": "string",
    "phoneno": "string",
    "address": "string",
    "role": "USER",
    "status": "ACTIVE",
    "createdAt": "2026-08-11T05:17:58.054Z"
  }
}
```

GET

/stakeholders/all



Parameters

Try it out

Name	Description
------	-------------

page	Default value : 0
------	-------------------

integer(\$int32) (query)	
-----------------------------	--

size	Default value : 5
------	-------------------

integer(\$int32) (query)	
-----------------------------	--

sortBy	Default value : firstname
--------	---------------------------

string (query)	
-------------------	--

Responses

Code	Description	Links
------	-------------	-------

200	OK	No links
-----	----	----------

Media type



Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": {
    "totalElements": 0,
    "totalPages": 0,
    "size": 0,
    "content": [
      {
        "id": 0,
        "firstname": "string",
        "lastname": "string",
        "email": "string",
        "phoneno": "string",
        "address": "string",
        "role": "USER",
        "status": "ACTIVE",
        "createdAt": "2026-08-11T05:17:58.059Z"
      }
    ],
    "number": 0,
    "sort": {
      "empty": true,
      "sorted": true,
      "unsorted": true
    },
    "first": true,
    "last": true,
  }
}
```

DELETE

/stakeholders/{email}



Parameters

Try it out

Name

Description

email * requiredstring
(path)

email

Responses

Code

Description

Links

200

OK

No links

Media type

/



Controls Accept header.

Example Value | Schema

```
{
  "success": true,
  "message": "string",
  "data": "string"
}
```

Schemas



UpdateDTO ^ Collapse all object

```
firstname* string [2, 50] characters
lastname* string [2, 50] characters
phoneno* string ≥ 1 characters matches ^[0-9]{10}$
address string [10, 255] characters
```

ApiResponseVoid ^ Collapse all object

```
success boolean
message string
```

data any

ApiResponseResponseDTO ^ Collapse all object

success boolean

message string

data > Expand all object

ResponseDTO ^ Collapse all object

id integer int64

firstname string

lastname string

email string

phoneno string

address string

role ^ Collapse all string

Enum ^ Collapse all array

#0="USER"

#1="OWNER"

#2="ADMIN"

#3="BARBER"

status ^ Collapse all string

Enum ^ Collapse all array

#0="ACTIVE"

#1="INACTIVE"

createdAt string date-time

ChangePasswordDTO ^ Collapse all object

email* string email ≥ 1 characters

oldPassword* string ≥ 1 characters

newPassword* string [8, 2147483647] characters matches $^(?=.*[A-Z])(?=.*[a-z])(?=.*\d)(?=.*[@\#\$%\^&+=!]).*$$

RegisterDTO ^ Collapse all object

firstname* string [2, 50] characters

lastname* string [2, 50] characters

email* string email ≥ 1 characters

password* string [8, 2147483647] characters matches $^(?=.*[A-Z])(?=.*[a-z])(?=.*\d)(?=.*[@\#\$%\^&+=!]).*$$

phoneno* string ≥ 1 characters matches $^[0-9]{10}$$

address string [10, 255] characters

role ^ Collapse all string

Enum ^ Collapse all array

#0="USER"

#1="OWNER"

#2="ADMIN"

#3="BARBER"

LoginDTO ^ Collapse all object

email* string email ≥ 1 characters

password* string [8, 2147483647] characters matches ^(?=.*[A-Z])(?=.*[a-z])(?=.*\d)(?=.*[@#\$\$%^&+=!]).*\$

ApiResponseLoginResponseDTO ^ Collapse all object

success boolean

message string

data ^ Collapse all object

token string

type string

email string

role string

LoginResponseDTO ^ Collapse all object

token string

type string

email string

role string

ApiResponseListResponseDTO ^ Collapse all object

success boolean

message string

data ^ Collapse all array<object>

Items ^ Collapse all object

id integer int64

firstname string

lastname string

email string

phoneno string

address string

```
role ^ Collapse all string
  Enum ^ Collapse all array
    #0="USER"
    #1="OWNER"
    #2="ADMIN"
    #3="BARBER"
status ^ Collapse all string
  Enum ^ Collapse all array
    #0="ACTIVE"
    #1="INACTIVE"
createdAt string date-time
```

ApiResponsePageResponseDTO ^ Collapse all object

```
success boolean
message string
data ^ Collapse all object
  totalElements integer int64
  totalPages integer int32
  size integer int32
  content ^ Collapse all array<object>
    Items ^ Collapse all object
      id integer int64
      firstname string
      lastname string
      email string
      phoneno string
      address string
      role ^ Collapse all string
        Enum ^ Collapse all array
          #0="USER"
          #1="OWNER"
          #2="ADMIN"
          #3="BARBER"
      status ^ Collapse all string
        Enum ^ Collapse all array
          #0="ACTIVE"
          #1="INACTIVE"
      createdAt string date-time
  number integer int32
  sort ^ Collapse all object
```

```

empty boolean
sorted boolean
unsorted boolean

first boolean
last boolean
numberOfElements integer int32
pageable ^ Collapse all object
  offset integer int64
  sort ^ Collapse all object
    empty boolean
    sorted boolean
    unsorted boolean
  pageSize integer int32
  pageNumber integer int32
  paged boolean
  unpaged boolean
empty boolean

```

PageResponseDTO ^ Collapse all object

```

totalElements integer int64
totalPages integer int32
size integer int32
content ^ Collapse all array<object>
  Items ^ Collapse all object
    id integer int64
    firstname string
    lastname string
    email string
    phoneno string
    address string
    role ^ Collapse all string
      Enum ^ Collapse all array
        #0="USER"
        #1="OWNER"
        #2="ADMIN"
        #3="BARBER"
    status ^ Collapse all string
      Enum ^ Collapse all array
        #0="ACTIVE"
        #1="INACTIVE"

```

```
    createdAt string date-time
  number integer int32
  sort ^ Collapse all object
    empty boolean
    sorted boolean
    unsorted boolean
  first boolean
  last boolean
  numberOfElements integer int32
  pageable ^ Collapse all object
    offset integer int64
    sort ^ Collapse all object
      empty boolean
      sorted boolean
      unsorted boolean
    pageSize integer int32
    pageNumber integer int32
    paged boolean
    unpaged boolean
  empty boolean
```

PageableObject ^ Collapse all object

```
  offset integer int64
  sort ^ Collapse all object
    empty boolean
    sorted boolean
    unsorted boolean
  pageSize integer int32
  pageNumber integer int32
  paged boolean
  unpaged boolean
```

SortObject ^ Collapse all object

```
  empty boolean
  sorted boolean
  unsorted boolean
```