

#### **Features and Benefits**

Molex's Optical Fibre Patch Cords are LSZH jacketed as standard. PVC and Plenum rated cables are available at request. Molex patch cords offer factory—controlled performance in a variety of connector, ISO performance standards and lengths. Molex has taken specific attention to the end-face geometry and fibre core alignment to ensure reliability and optimised performance

- 100% Factory Tested Guaranteed performance
- LSOH Jacket Standard Reduces toxic/corrosive gasses emitted during combustion. Plenun and PVC also available
- Multiple Formats available Available in Simplex, Duplex, Single Mode, Multi Mode and a variety of connector options

#### **Commercial Standards**

ISO/IEC 1108:2008, ANSI/TIA/EIA 568.C.3, ANSI/TIA/ EIA-492, TELECORDIA GR-409, ICEA-596

### **Technical Information**

**Mechanical Characteristics** 

Cordage O.D.: 2.0mm +/- 0.1mm x

4.1mm +/- 0.2mm 900µ

Buffer Diameter: 900µ Primary Coating: 245µ Strength Member: Aramid Yarn

Jacket Material: LSOH IEC 61034-1 & 2,

IEC-60332-1, IEC-60754-

1 & 2

Minimum Bend Radius: Install: 3.0cm. Long

erm: 2.0cm

Operating Temperature: -40°C to +85°C



| Cable Colour |             |        |  |  |
|--------------|-------------|--------|--|--|
|              | Colour Matr | ix     |  |  |
| 0\$1         | 9/125       | Yellow |  |  |
| OM1          | 62.5/125    | Orange |  |  |
| 0M2          | 50/125      | Grey   |  |  |
| 0M3          |             | Aqua   |  |  |


| Multimode Cable |                 |                     |                                   |                                    |                                       |  |
|-----------------|-----------------|---------------------|-----------------------------------|------------------------------------|---------------------------------------|--|
| Designation     | Core OD<br>(um) | Cladding<br>OD (um) | Attenuation<br>@ 850nm<br>(dB/km) | Attenuation<br>@ 1300nm<br>(dB/km) | Min Bandwidth<br>@ 850nm (Mhz/<br>km) | Min Bandwidth @<br>1300nm (Mhz/<br>km) |
| OM1             | 62.5            | 125 ± 1             | 3.5                               | 1.0                                | 200                                   | 500                                    |
| OM2             | 50              | 125 ± 1             | 3.5                               | 1.5                                | 500                                   | 500                                    |
| OM3             | 50              | 125 ± 1             | 3.5                               | 1.5                                | 2000 a<br>1500 b                      | 500                                    |

| Single mod  | e Cable             |                   |  |                           |                          |                             |                   |
|-------------|---------------------|-------------------|--|---------------------------|--------------------------|-----------------------------|-------------------|
| Designation | Cladding<br>OD (um) | Mode<br>Field Dia | Max.<br>Attenuation                        | Cut Off<br>Wave<br>Length | Max. Dispersion @ 1310nm | Max. Dispersion<br>@ 1550nm | Zero Disp<br>Wave |
| 0\$1        | 125 ± 0.7           |                   | 0.4dB/km over<br>range 1310nm<br>to 1625nm |                           | 3.2 psec/nm-km           | 18 psec/nm-km               | 1300-<br>1324nm   |

| Optical Perform | ance  |       |               |         |        |      |
|-----------------|-------|-------|---------------|---------|--------|------|
|                 |       |       | MM (1300n     | m)      |        |      |
|                 | FC    | SC    | LC            | ST      | E-2000 | MTRJ |
| Insertion Loss  | 0.30  | 0.30  | 0.30          | 0.30    | 0.30   | 0.5  |
| Return Loss     | N/A   | N/A   | N/A           | N/A     | N/A    | N/A  |
|                 |       | SN    | 1 (1300 & 15  | 50nm)   |        | •    |
|                 | FC    | SC    | LC            | ST      | MTRJ   |      |
| Insertion Loss  | 0.30  | 0.30  | 0.30          | 0.30    | 0.50   |      |
| Return Loss     | -50.0 | -50.0 | -50.0         | -50.0   | -30.0  |      |
|                 |       | SM A  | NPC (1300 & 1 | 1550nm) |        |      |
|                 | FC    | SC    | LC            | ST      | E-2000 |      |
| Insertion Loss  | 0.30  | 0.30  | 0.30          | 0.30    | 0.30   |      |
| Return Loss     | -60.0 | -60.0 | -60.0         | -60.0   | -65.0  |      |



Part No. Matrix - Substitute the correct code number or letter to determine the assembly instruction



## **ORDERING INFORMATION**

| Order No.       | Description  |
|-----------------|--|
| 91.99.372.00100 | OF Patchcord SC Duplex SC Duplex OM3 2mm 1 metre - LSOH Aqua   |
| 91.99.372.00200 | OF Patchcord SC Duplex SC Duplex OM3 2mm 2 metre - LSOH Aqua   |
| 91.99.372.00300 | OF Patchcord SC Duplex SC Duplex OM3 2mm 3 metre - LSOH Aqua   |
| 91.99.372.00500 | OF Patchcord SC Duplex SC Duplex OM3 2mm 5 metre - LSOH Aqua   |
| 91.99.572.00100 | OF Patchcord SC Duplex SC Duplex OM2 2mm 1 metre - LSOH Grey   |
| 91.99.572.00200 | OF Patchcord SC Duplex SC Duplex OM2 2mm 2 metre - LSOH Grey   |
| 91.99.572.00300 | OF Patchcord SC Duplex SC Duplex OM2 2mm 3 metre - LSOH Grey   |
| 91.99.572.00500 | OF Patchcord SC Duplex SC Duplex OM2 2mm 5 metre - LSOH Grey   |
| 91.99.672.00100 | OF Patchcord SC Duplex SC Duplex OM1 2mm 1 metre - LSOH Orange |
| 91.99.672.00200 | OF Patchcord SC Duplex SC Duplex OM1 2mm 2 metre - LSOH Orange |
| 91.99.672.00300 | OF Patchcord SC Duplex SC Duplex OM1 2mm 3 metre - LSOH Orange |
| 91.99.672.00500 | OF Patchcord SC Duplex SC Duplex OM1 2mm 5 metre - LSOH Orange |



## **ORDERING INFORMATION**

| Order No.       | Description  |
|-----------------|--|
| 91.99.872.00100 | OF Patchcord SC Duplex SC Duplex OS1 2mm 1 metre - LSOH Yellow |
| 91.99.872.00200 | OF Patchcord SC Duplex SC Duplex OS1 2mm 2 metre - LSOH Yellow |
| 91.99.872.00300 | OF Patchcord SC Duplex SC Duplex OS1 2mm 3 metre - LSOH Yellow |
| 91.99.872.00500 | OF Patchcord SC Duplex SC Duplex OS1 2mm 5 metre - LSOH Yellow |
| 91.9L.372.00100 | OF Patchcord SC Duplex LC Duplex OM3 2mm 1 metre - LSOH Aqua   |
| 91.9L.372.00200 | OF Patchcord SC Duplex LC Duplex OM3 2mm 2 metre - LSOH Aqua   |
| 91.9L.372.00300 | OF Patchcord SC Duplex LC Duplex OM3 2mm 3 metre - LSOH Aqua   |
| 91.9L.372.00500 | OF Patchcord SC Duplex LC Duplex OM3 2mm 5 metre - LSOH Aqua   |
| 91.9L.572.00100 | OF Patchcord SC Duplex LC Duplex OM2 2mm 1 metre - LSOH Grey   |
| 91.9L.572.00200 | OF Patchcord SC Duplex LC Duplex OM2 2mm 2 metre - LSOH Grey   |
| 91.9L.572.00300 | OF Patchcord SC Duplex LC Duplex OM2 2mm 3 metre - LSOH Grey   |
| 91.9L.572.00500 | OF Patchcord SC Duplex LC Duplex OM2 2mm 5 metre - LSOH Grey   |
| 91.9L.672.00100 | OF Patchcord SC Duplex LC Duplex OM1 2mm 1 metre - LSOH Orange |
| 91.9L.672.00200 | OF Patchcord SC Duplex LC Duplex OM1 2mm 2 metre - LSOH Orange |
| 91.9L.672.00300 | OF Patchcord SC Duplex LC Duplex OM1 2mm 3 metre - LSOH Orange |
| 91.9L.672.00500 | OF Patchcord SC Duplex LC Duplex OM1 2mm 5 metre - LSOH Orange |
| 91.9L.872.00100 | OF Patchcord SC Duplex LC Duplex OS1 2mm 1 metre - LSOH Yellow |
| 91.9L.872.00200 | OF Patchcord SC Duplex LC Duplex OS1 2mm 2 metre - LSOH Yellow |
| 91.9L.872.00300 | OF Patchcord SC Duplex LC Duplex OS1 2mm 3 metre - LSOH Yellow |
| 91.9L.872.00500 | OF Patchcord SC Duplex LC Duplex OS1 2mm 5 metre - LSOH Yellow |
| 91.LL.372.00100 | OF Patchcord LC Duplex LC Duplex OM3 2mm 1 metre - LSOH Aqua   |
| 91.LL.372.00200 | OF Patchcord LC Duplex LC Duplex OM3 2mm 2 metre - LSOH Aqua   |
| 91.LL.372.00300 | OF Patchcord LC Duplex LC Duplex OM3 2mm 3 metre - LSOH Aqua   |
| 91.LL.372.00500 | OF Patchcord LC Duplex LC Duplex OM3 2mm 5 metre - LSOH Aqua   |
| 91.LL.572.00100 | OF Patchcord LC Duplex LC Duplex OM2 2mm 1 metre - LSOH Grey   |
| 91.LL.572.00200 | OF Patchcord LC Duplex LC Duplex OM2 2mm 2 metre - LSOH Grey   |
| 91.LL.572.00300 | OF Patchcord LC Duplex LC Duplex OM2 2mm 3 metre - LSOH Grey   |
| 91.LL.572.00500 | OF Patchcord LC Duplex LC Duplex OM2 2mm 5 metre - LSOH Grey   |
| 91.LL.672.00100 | OF Patchcord LC Duplex LC Duplex OM1 2mm 1 metre - LSOH Orange |
| 91.LL.672.00200 | OF Patchcord LC Duplex LC Duplex OM1 2mm 2 metre - LSOH Orange |
| 91.LL.672.00300 | OF Patchcord LC Duplex LC Duplex OM1 2mm 3 metre - LSOH Orange |
| 91.LL.672.00500 | OF Patchcord LC Duplex LC Duplex OM1 2mm 5 metre - LSOH Orange |
| 91.LL.872.00100 | OF Patchcord LC Duplex LC Duplex OS1 2mm 1 metre - LSOH Yellow |
| 91.LL.872.00200 | OF Patchcord LC Duplex LC Duplex OS1 2mm 2 metre - LSOH Yellow |
| 91.LL.872.00300 | OF Patchcord LC Duplex LC Duplex OS1 2mm 3 metre - LSOH Yellow |
| 91.LL.872.00500 | OF Patchcord LC Duplex LC Duplex OS1 2mm 5 metre - LSOH Yellow |

# **MOLEX PREMISE NETWORKS**

Americas Tel: 630 969 4550 www.molexpn.com **EMEA**Tel: 44 (0) 2392 205800
www.molexpn.co.uk

**APAC**Tel: 61 3 9971 7111
www.molexpn.com.au