Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

APC



APC Symmetra LX Battery Module

SYBT5

Overview

Presentation	Extended run power protection for servers, networks, and telecommunications	
Lead time	Usually in Stock	

Main

Product or component type	Battery accessory	
Number of rack unit	0U	
Number of cables	1.0	
Battery type	Lead-acid battery	
Provided equipment	Installation guide	
Range of product	Symmetra Battery Systems	

Batteries & Runtime

Battery location	Internal battery
Number of battery blocks per string	10
Number of battery free slots	0
Number of battery filled slots	0
Device mounting	Enclosed battery cartridge
Battery voltage	120 V
Number of battery replacement quantity	1

Physical

Height	14 cm	
Width	21 cm	
Depth	54.6 cm	
Net weight	29.1 kg	
Mounting mode	Not rack-mountable	
USB compatible	No	

Conformance

Standards	UL 1778
Product certifications	CSA

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	-1545 °C
Storage altitude	0.0000000004572.0000000000 m
Storage Relative Humidity	095 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	27.000 cm
Package 1 Width	29.000 cm
Package 1 Length	76.000 cm
Package 1 Weight	30.500 kg
Unit Type of Package 2	P12
Number of Units in Package 2	8
Package 2 Height	75.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	256.000 kg

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1	

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture		
Take-back	Yes	

Image of product / Alternate images

Alternative







