Product datasheet

Specifications

APC Symmetra PX Battery Frame for 400V PX 96/160kW & 208V PX 100kW for 9 Battery Modules

SYCFXR9

Overview

Lead time	Usually Ships within 8 Weeks

Main

Number of rack unit	42U
Battery type	VRLA
Provided equipment	Installation guide User manual

Batteries & Runtime

Battery location	Battery cabinet
Number of battery free slots	9
Number of battery filled slots	0
Device mounting	19 inch battery tray
Additional information	Request SYBT9-B4 for replacement battery

Physical

Colour	Black
Height	199.1 cm
Width	60 cm
Depth	107 cm
Net weight	345 kg
Mounting mode	Not rack-mountable
USB compatible	No

Conformance

Standards	EN/IEC 62040-2 EN/IEC 62040-3 EN/IEC 62040-1-1
Product certifications	CE

Environmental

Ambient air temperature for operation	0…40 °C
Operating altitude	0...3333 ft
Relative humidity	0…95 %

Ambient air temperature for storage	-15…40 °C
Storage altitude	0.0000000000…15240.0000000000 m
Storage Relative Humidity	0…95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	215 cm
Package 1 Width	121 cm
Package 1 Length	84.8 cm
Package 1 Weight	379 kg

Contractual warranty

Warranty	1 year repair or replace

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained ›

How we assess product sustainability ›

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	**1**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	**Pro-active compliance (Product out of EU RoHS legal scope)**
SCIP Number	**5ac12844-46eb-471b-94f1-318e06a714a6**
REACh Regulation	**REACh Declaration**

Use Again

Repack and remanufacture

Removable battery	**User replaceable**
Take-back	**Yes**