Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications





APC Symmetra LX Extended Run Rack-mount w/ 3 SYBT5, 230V

SYARMXR3B3I

Overview

Presentation	Extended run power protection for servers, networks, and telecommunications	
Lead time	Usually in Stock	

Main

Product or component type	Battery accessory	
Number of rack unit	5U	
Number of cables	1	
Battery type	Lead-acid battery	
Provided equipment	Installation guide User manual	
Range of product	Symmetra Battery Systems	

Batteries & Runtime

Battery location	Battery cabinet	
Number of battery free slots	0	
Number of battery filled slots	0	
Battery manufacturer	Panasonic	
Device mounting	Enclosed battery cabinet	
Number of battery replacement quantity	3	

Physical

Colour	Black	
Height	21.5 cm	
Width	47.2 cm	
Depth	68.6 cm	
Net weight	114.1 kg	
Mounting mode	Rack-mounted	

Conformance

Standards	EN 50091-1	
	EN 50091-2	
	EN 60950	
	IEC 60950	

Product certifications	BSMI	
. Tourist out the transfer of	DOWN	
	VCCI	
	VDF	

Environmental

Ambient air temperature for operation	040 °C	
Operating altitude	010000 ft	
Relative humidity	095 %	
Ambient air temperature for storage	-1545 °C	
Storage altitude	0.00000000004572.0000000000 m	
Storage Relative Humidity	095 %	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	34.3 cm
Package 1 Width	98 cm
Package 1 Length	59.9 cm
Package 1 Weight	127.74 kg

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
Optimized Energy Efficiency	Energy efficient product

Use Again

☼ Repack and remanufacture	
Removable battery	User replaceable
Take-back	Yes

Image of product / Alternate images

Alternative







