Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Symmetra PX Battery Unit



SYBTU1-PLP

Overview

Presentation	Swappable battery unit that reduces mean time to repair.
Lead time	Usually in Stock

Physical

•	
Colour	Black
Height	15.9 cm
Width	10.7 cm
Depth	70 cm
Net weight	22.7 kg
Mounting mode	Not rack-mountable
USB compatible	No

Environmental

Ambient air temperature for operation	040 °C
Relative humidity	095 %
Operating altitude	03333 ft
Ambient air temperature for storage	040 °C
Storage Relative Humidity	095 %
Storage altitude	0.0000000004572.000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.000 cm
Package 1 Width	18.000 cm
Package 1 Length	82.500 cm
Package 1 Weight	23.720 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	16
Package 2 Height	45.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm

Package 2 Weight	392.520 kg
SCC14	20731304123532



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture		
Take-back	Yes	

SYBTU1-PLP

Image of product / Alternate images

Alternative

