# Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## APC



# APC Smart-UPS Battery Pack 48V, 3360VAh

UXABP48

### Overview

Lead time Usually in Stock

### Main

mam		
Main Input Voltage	48 V DC	
Product or component type	Battery	
Main Output Voltage	48 V DC	
Battery type	Lead-acid battery	
Provided equipment	Installation guide User manual	
Range of product	Smart-UPS Battery Systems	

### **Batteries & Runtime**

Device mounting	Enclosed battery cabinet	
Number of battery filled slots	0	
Number of battery free slots	0	
Number of battery replacement quantity	1	
Battery voltage	48 V	

# **Physical**

Colour	Black
Height	31 cm
Width	44.7 cm
Depth	75.4 cm
Net weight	127.27 kg
Mounting mode	Not rack-mountable
USB compatible	No

### **Environmental**

Ambient air temperature for operation	040 °C
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-1545 °C

Storage Relative Humidity	095 %
Storage altitude	0.000000000015240.000000000 m

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	43.2 cm
Package 1 Width	83.8 cm
Package 1 Length	50.8 cm
Package 1 Weight	142.73 kg

# **Contractual warranty**

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

### Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	654
Environmental Disclosure	Product Environmental Profile

### **Use Better**

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	Yes