Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

APC



APC Symmetra RM XR Frame w/2 SYBT2 Scalable to 4 220-240V

SYRMXR2B4I

Overview

Presentation	Extended run power protection for servers, networks, and telecommunications
Lead time	Usually in Stock

Main

Product or component type	Battery accessory
Number of rack unit	4U
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	Rack mounting brackets User manual
Range of product	Symmetra Battery Systems

Batteries & Runtime

Number of battery free slots	2	
Number of battery filled slots	2	
Device mounting	19 inch battery tray	
Number of battery replacement quantity	2	

Physical

Colour	Black
Height	17.8 cm
Width	48.3 cm
Depth	64 cm
Net weight	65.46 kg
Mounting mode	Not rack-mountable

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	-5560 °C
Storage altitude	0.00000000015240.000000000 m

Storage Relative Humidity 0...95 %

Packing Units

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	34.3 cm
Package 1 Width	81.3 cm
Package 1 Length	58.4 cm
Package 1 Weight	75 kg

Contractual warranty

Warranty 2 years repair or replace, optional on-site warranties available, optional extended warranties available



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	228	

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Removable battery	User replaceable
Take-back	Yes