Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

APC



APC Smart-UPS RT 192V RM Battery Pack

SURT192RMXLBP

Overview

Lead time Usually in Stock

Main

Product or component type	Battery	
Number of rack unit	3U	
Number of cables	1.0	
Battery type	Lead-acid battery	
Provided equipment	Installation guide Rack mounting brackets User manual	
Range of product	Smart-UPS Battery Systems	

Batteries & Runtime

Number of battery blocks per string	16	
Number of battery free slots	0	
Number of battery filled slots	4	
Device mounting	Stand alone battery stack	
Battery voltage	192 V	
Additional information	Replace all batteries in operation together (UPS internal and external batteries) all-at- once	
Number of battery replacement quantity	2	
Replacement battery	APCRBC140 ☐	

Physical

Colour	Black
Height	13 cm
Width	43.2 cm
Depth	66 cm
Net weight	90.91 kg
Mounting mode	Rack-mounted

Environmental

Ambient air temperature for	040 °C
operation	

Operating altitude	010000 ft	
Relative humidity	095 % non-condensing	
Ambient air temperature for storage	-1545 °C	
Storage altitude	0.000000000015240.000000000 m	
Storage Relative Humidity	095 % non-condensing	

Packing Units

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	41.3 cm
Package 1 Width	100 cm
Package 1 Length	60 cm
Package 1 Weight	101.36 kg

Contractual warranty

Warranty

2 years repair or replace, optional on-site warranties available, optional extended warranties available



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	464
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	5ac12844-46eb-471b-94f1-318e06a714a6
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	Yes